

INDEX TO VOLUME 89 (2005)

SUBJECTS

J. Agric. Univ. P.R. 89(3-4):275-278 (2005)

- Alfalfa
Comparative variation of *Phoma medicaginis* var. *medicaginis* for cultural characteristics and virulence to roots and crowns of, 89 (3-4), 229.
- Crown rot induced by *Phoma medicaginis*, pathological anatomy of the upper taproot and stems of, 89 (3-4), 243.
- Histological studies on the development of *Phoma* root rot of, 89 (3-4), 251.
- Aphis nerii* (See Aphids)
- Aphids
Neem extracts on behavior of, and papaya ringspot virus transmission, 89 (1-2), 75. (Spanish)
- Aquatic fungi
From estuaries in Puerto Rico, mouth of the Manatí River, 89 (1-2), 97.
- Azadirachta indica* (See Neem)
- Bananas
Characterization and natural reaction to the yellow Sigatoka (*Mycosphaerella musicola*) of four specialty banana clones, 89 (3-4), 193. (Spanish)
- Estimates of the elasticity of the supply of, in Puerto Rico, 89 (3-4), 181. (Spanish)
- Biological control
Mucuna deeringiana and the corm weevil, in plantains, 89 (3-4), 201. (Spanish)
- Establishment and distribution of exotic biological control agents for silverleaf whitefly, in Puerto Rico, 89 (1-2), 67.
- Feeding preference of the sugar beet webworm for *Trianthema portulacastrum* L. and other putative hosts in Puerto Rico, 89 (3-4), 211. (Spanish)
- Bemisia argentifolii* (See Silverleaf whitefly)
- Boophilus microplus* (See Ticks)
- Cattle
Tick incidence in Puerto Rico, 89 (1-2), 59. (Spanish)
- Coffea arabica* (See Coffee)
- Coffee
Gibberellic acid, paclobutrazol, fluroindone and abscisic acid and flowering and fruit set of, 89 (3-4), 159.
- Processing yield affected more by cultivar than by harvest date, 89 (3-4), 169.
- Coffee, fruit spots
Pathogenic role of the mycoflora associated with, 89 (1-2), 85. (Spanish)
- Computer program
For estimating crop evapotranspiration in Puerto Rico, 89 (1-2), 107.
- Concentrates
Comparison of, with different levels of SynerMax® inclusion for dairy cows, 89 (1-2), 51.
- Responses to inclusion of fat of different saturation degrees in, offered to lactating grazing cows, 89 (1-2), 39.
- Corm weevil
Mucuna deeringiana and, in plantains, 89 (3-4), 201. (Spanish)
- Cosmopolites sordidus* (See Corm weevil)
- Cows
Comparison of concentrate feeds with different levels of SynerMax® inclusion for, 89 (1-2), 51.
- Responses to inclusion of fat of different saturation degrees in concentrates offered to, 89 (1-2), 39.
- Cowpea
Release of cultivar 'Gorda', 89 (3-4), 267. (Spanish)

- Crown rot
 Comparative variation of *Phoma medicaginis* var. *medicaginis* for cultural characteristics and virulence to roots and crowns of alfalfa, 89 (3-4), 229.
 Pathological anatomy of the upper taproot and stems of alfalfa afflicted with, 89 (3-4), 243.
- Diet, pigs
 Addition of wastewater from a caramel producing plant, effect on the performance and carcass characteristics of pigs, 89 (1-2), 23. (Spanish)
 Supplementation of weanling piglets with caramel plant wastewater: growth and components of the insulin-like growth factor axis, 89 (3-4), 123.
- Diseases, plant
 Characterization and natural reaction to the yellow Sigatoka (*Mycosphaerella musicola*) of four specialty banana clones, 89 (3-4), 193. (Spanish)
 Comparative variation of *Phoma medicaginis* var. *medicaginis* for cultural characteristics and virulence to roots and crowns of alfalfa, 89 (3-4), 229.
 Histological studies on the development of Phoma root rot of alfalfa, 89 (3-4), 251.
 Neem extracts on *Aphis nerii* behavior and papaya ringspot virus transmission, 89 (1-2), 75. (Spanish)
 Pathological anatomy of the upper taproot and stems of alfalfa afflicted with crown rot induced by *Phoma medicaginis* var. *medicaginis*, 89 (3-4), 243.
 Pathogenic role of the mycoflora associated with coffee, fruit spots, 89 (1-2), 85. (Spanish)
- Elasticity
 Supply of bananas, estimates of, in Puerto Rico, 89 (3-4), 181. (Spanish)
- Encarsia* spp.
 Establishment and distribution of exotic biological control agents for silverleaf whitefly, in Puerto Rico, 89 (1-2), 67.
- Eretmocerus* spp.
 Establishment and distribution of exotic biological control agents for silverleaf whitefly, in Puerto Rico, 89 (1-2), 67.
- Estuaries
 Aquatic fungi from, in Puerto Rico, mouth of the Manatí River, 89 (1-2), 97.
- Evapotranspiration
 Computer program for estimating, in Puerto Rico, 89 (1-2), 107.
- Feed
 Comparison of concentrate, with different levels of SynerMax® inclusion for dairy cows, 89 (1-2), 51.
 Evaluation of dried liquid streptomyces solubles as a ruminant feed, 89 (1-2), 115.
 Responses to inclusion of fat of different saturation degrees in concentrates offered to lactating grazing cows, 89 (1-2), 39.
- Fluoridone
 Flowering and fruit set of coffee, 89 (3-4), 159.
- Forage
 Potential for year-round production, in Puerto Rico and St. Croix, 89 (3-4), 133.
- Fruits, tropical
 Characterization and natural reaction to the yellow Sigatoka (*Mycosphaerella musicola*) of four specialty banana clones, 89 (3-4), 193. (Spanish)
 Estimates of the elasticity of the supply of bananas in Puerto Rico, 89 (3-4), 181. (Spanish)
 Growth and nutrient uptake of mangosteen grown under shade levels, 89 (3-4), 149.
- Garcinia mangostana* L. (See Mangosteen)

- Gibberellic acid
Flowering and fruit set of coffee, 89 (3-4), 159.
- Grass, silage (See Silage)
- Growth regulators
Gibberellic acid, paclobutrazol, fluroxypyr and abscisic acid and flowering and fruit set of coffee, 89 (3-4), 159.
- Harvest date
Raw coffee processing yield affected by, 89 (3-4), 169.
- Histopathology
Pathological anatomy of the upper taproot and stems of alfalfa afflicted with crown rot induced by *Phoma medicaginis* var. *medicaginis*, 89 (3-4), 243.
Studies on the development of *Phoma* root rot of alfalfa, 89 (3-4), 251.
- Horse purslane
Feeding preference of the sugar beet webworm (*Spoladea recurvalis* F.) for, and other putative hosts in Puerto Rico, 89 (3-4), 211. (Spanish)
- Insects
Development of *Tibraca obscurata* and *Tibraca limbativentris* (Hemiptera: Pentatomidae) in rice in southwestern Colombia, 89 (3-4), 221.
Mucuna deeringiana and the corm weevil, *Cosmopolites sordidus*, in plantains, 89 (3-4), 201. (Spanish)
Establishment and distribution of exotic biological control agents for silverleaf whitefly in Puerto Rico, 89 (1-2), 67.
Feeding preference of the sugar beet webworm (*Spoladea recurvalis* F.) for *Trianthema portulacastrum* L. and other putative hosts in Puerto Rico, 89 (3-4), 211. (Spanish)
Neem extracts on *Aphis nerii* behavior and papaya ringspot virus transmission, 89 (1-2), 75. (Spanish)
Parasitoids of *Pseudoplusia includens* larvae on the south coast of Puerto Rico, 89 (1-2), 119.
- Insulin-like growth factor
Dietetic supplementation of weanling piglets with caramel plant wastewater: growth and components of, 89 (3-4), 123.
- Mangosteen
Growth and nutrient uptake of, grown under shade levels, 89 (3-4), 149.
Medicago sativa (See Alfalfa)
Milk whey, hydrated/fermented
Evaluation of, as additive for tropical grass silage, 89 (1-2), 1. (Spanish)
- Mucuna deeringiana*
Effect on the corm weevil, in plantains, 89 (3-4), 201. (Spanish)
- Mycoflora
Pathogenic role of the, associated with coffee fruit spots, 89 (1-2), 85. (Spanish)
- Mycosphaerella musicola* (See Yellow Sigatoka)
- Neem, extracts
Effect on *Aphis nerii* behavior and papaya ringspot virus transmission, 89 (1-2), 75. (Spanish)
- Nutrient uptake
Mangosteen grown under shade levels, growth and, 89 (3-4), 149.
- Paclobutrazol
Flowering and fruit set of coffee, 89 (3-4), 159.
- Papaya ringspot virus, transmission
Neem extracts on *Aphis nerii* behavior and, 89 (1-2), 75. (Spanish)
- Parasitoids
Of *Pseudoplusia includens* larvae on the south coast of Puerto Rico, 89 (1-2), 119.
- Phoma medicaginis* (See Alfalfa)
- Pigs
Dietary addition of wastewater from a caramel producing plant, effect on the performance and carcass characteristics of, 89 (1-2), 23. (Spanish)
- Piglets, weanling
Dietetic supplementation of, with caramel plant wastewater, growth and components of the insulin-like growth factor axis, 89 (3-4), 123.

- Plantains
 Effect of *Mucuna deeringiana* on the corm weevil, *Cosmopolites sordidus* in, 89 (3-4), 201. (Spanish)
- Pseudopplusia includens* (See Soybean looper)
- Pumpkin, tropical
 Release of 'Soler' cultivar, 89 (3-4), 263.
- Rice
 Development of *Tibraca obscurata* and *Tibraca limbativentris* (Hemiptera: Pentatomidae) in, in southwestern Colombia, 89 (3-4), 221.
- Root rot
 Histological studies on the development of Phoma root rot of alfalfa, 89 (3-4), 251.
- Shade
 Growth and nutrient uptake of mangoes grown under, 89 (3-4), 149.
- Sigatoka, yellow (See Yellow Sigatoka)
- Silage
 Evaluation of hydrated/fermented milk whey as additive for tropical grass, 89 (1-2), 1. (Spanish)
- Silverleaf whitefly
 Establishment and distribution of exotic biological control agents for, in Puerto Rico, 89 (1-2), 67.
- Soybean looper
 Parasitoids of, on the south coast of Puerto Rico, 89 (1-2), 119.
- Spoladea recurvalis* F. (See Sugar beet webworm)
- Streptomyces solubles, liquid
 Evaluation of, as a ruminant feed, 89 (1-2), 115.
- Sugar beet webworm
 Feeding preference of, for *Trianthema portulacastrum* L. and other putative hosts in Puerto Rico, 89 (3-4), 211. (Spanish)
- Tibraca* spp.
 Development of, in rice in southwestern Colombia, 89 (3-4), 221.
- Tick
 Incidence in Puerto Rico, 89 (1-2), 59. (Spanish)
- Trianthema portulacastrum* L. (See Horse purslane)
- Vigna unguiculata* L. (See Cowpea)
- Wastewater, caramel plant
 Dietary addition of, effect on the performance and carcass characteristics of pigs, 89 (1-2), 23. (Spanish)
- Dietetic supplementation of weanling piglets with caramel plant wastewater: growth and components of the insulin-like growth factor axis, 89 (3-4), 123.
- Yellow Sigatoka
 Characterization and natural reaction to, of four specialty banana clones, 89 (3-4), 193. (Spanish)