INDEX TO VOLUME 88 (2004)

SUBJECTS

J. Agric. Univ. P.R. 88(3-4):177-178 (2004)

Allium cepa (See Onion)

Bacterial blight

Release of five common bean germplasm lines resistant to, 88(1-2), 91.

Bean

Selection protocols for yield and stress tolerance, 88(1-2), 27.

Inheritance of web blight resistance, 88(1-2), 45.

Release of five germplasm lines resistant to common bacterial blight, 88(1-2), 91.

General combining ability effects for reproductive heat tolerance in snap bean, 88(3-4), 161.

Breeding

Selection protocols for yield and stress tolerance in common bean, 88(1-2), 27.

Release of five common bean germplasm lines resistant to common bacterial blight, 88(1-2), 91.

General combining ability effects for reproductive heat tolerance in snap bean, 88(3-4), 161.

Cajanus cajan (See Pigeon pea) Carica papaya (See Papaya)

Cattle

Dry cow acceptance of liquid supplements based on Synermax® with addition of an anionic salt, 88(3-4), 165.

Chicken, manure

Yield and yield components of papaya fertilized with, 88(3-4), 123.

Coefficient, pan evaporation

Re-evaluation of, in Puerto Rico, 88(3-4), 109.

Corn. sweet

Soil conditioner efficacy on production of, 88(3-4), 97.

Crop water use

Re-evaluation of pan evaporation coefficients in Puerto Rico, 88(3-4), 109.

Disease, screening techniques

Inheritance of web blight resistance in common bean, 88(1-2), 45.

Evapotranspiration

Re-evaluation of pan evaporation coefficients in Puerto Rico, 88(3-4), 109.

Feed

Inclusion of a fermented fish by-product meal in diets of guinea fowl, 88(3-4), 145

Dry cow acceptance of liquid supplements based on Synermax® with addition of an anionic salt, 88(3-4), 165.

Feed, restriction

Light program and, during the rearing of out-of-season pullets, 88(3-4), 135.

Fermented fish by-product

Inclusion of, in diet of guinea fowl, 88(3-4), 145.

Fungi

Associated with onion, in southern Puerto Rico, 88(1-2), 55. (Spanish)

Mucor foliar spot and mycoflora in stem and root lesions of peach, 88(3-4), 155.

Fungicide

Chlorothalonil in management of foliar diseases of pigeon pea, 88(3-4), 169.

General combining ability

For reproductive heat tolerance in snap bean, 88(3-4), 161.

Guava

Management of stockplant for in vitro culture of nodal segments of, 88(1-2), 73. (Spanish)

Guinea fowl

Inclusion of a fermented fish by-product meal in diets of, 88(3-4), 145.

Heat, tolerance

General combining ability effects for reproductive heat tolerance in snap bean, 88(3-4), 161. Heritability

Inheritance of web blight resistance in common bean, 88(1-2), 45.

In vitro culture

Management of stockplant for, of nodal segments of guava, 88(1-2), 73. (Spanish)

Irrigation, drip

Yield of papaya irrigated with fractions of Class A pan evaporation, 88(1-2), 1.

Re-evaluation of pan evaporation coefficients in Puerto Rico, 88(3-4), 109.

Manure

Yield and yield components of papaya fertilized with, 88(3-4), 123.

Microbial biomass

Vegetation influence on soil quality in a highly degraded tropical soil, 88(1-2), 11.

Mucor foliar spot

In stem and root lesions of peach, 88(3-4), 155.

Mycoflora

In stem and root lesions of peach, 88(3-4), 155.

Nodal segments

Management of stockplant for in vitro culture of, of guava, 88(1-2), 73. (Spanish) Onion

Fungi associated with, in southern Puerto Rico, 88(1-2), 55. (Spanish)

Pan evaporation

Yield of papaya irrigated with fractions of, 88(1-2), 1.

Coefficients, re-evaluation of, in Puerto Rico, 88(3-4), 109.

Papaya

Yield of, when irrigated with fractions of Class A pan evaporation, 88(1-2), 1.

Yield and yield components of, 88(3-4), 123.

Peach

Mucor foliar spot and mycoflora in stem and root lesions of, 88(3-4), 155.

Phaseolus vulgaris (See Bean)

Pigeon pea

Chlorothalonil in management of foliar diseases of, 88(3-4), 169.

Poultry

Light program and feed restriction during the rearing of out-of-season pullets, 88(3-4), 135.

Inclusion of a fermented fish by-product meal in guinea fowl diets, 88(3-4), 145.

Prunus persica (See Peach)

Psidium guajava (See Guava)

Pullets

Light program and feed restriction during the rearing of, 88(3-4), 135.

Rhizoctonia solani (See Web blight)

Soil

Soil conditioner efficacy on Lajas Valley sweet corn production, 88(3-4), 97.

Vegetation influence on quality of, in a highly degraded tropical soil, 88(1-2), 11.

Stress tolerance

Selection protocols for yield and stress tolerance in common bean, 88(1-2), 27

Supplements

Dry cow acceptance of liquid supplements based on Synermax® with addition of an anionic salt, 88(3-4), 165.

 $\label{eq:cucumeris} Than a tephorus cucumeris \mbox{ (See Web blight)} \\ Tissue culture$

Management of stockplant for in vitro culture of nodal segments of guava, 88(1-2), 73. (Spanish)

Tropical soil

Vegetation influence on soil quality in a highly degraded, 88(1-2), 11.

Web blight

Inheritance of resistance to, in common bean, 88(1-2), 45.

Xanthomonas campestris pv. phaseoli (See Bacterial blight)

Zea mays (See Corn)

BLANK PAGE USED IN PAGE COUNT

BLANK PAGE USED IN PAGE COUNT