

# INDEX TO VOLUME 100 (2016)

## SUBJECTS

**J. Agric. Univ. P.R. 100 (2):273-278 (2016)**

### Allelopathy

Allelopathic effects of aqueous extracts of the legumes crotalaria [*Crotalaria juncea* (L.) 'Tropic Sun'], jack bean [*Canavalia ensiformis* (L.)] and pigeon pea [*Cajanus cajan* (L.) 'Lazaro'] on crop development, 100 (1), 71. (Spanish)

Greenhouse allelopathic evaluation of agronomic crops using shredded crotalaria [*Crotalaria juncea* (L.) 'Tropic Sun'], jack bean [*Canavalia ensiformis* (L.)] and pigeon pea [*Cajanus cajan* (L.) 'Lázaro'], 100 (1), 83. (Spanish)

### Aqueous extracts

Allelopathic effects of aqueous extracts of the legumes crotalaria [*Crotalaria juncea* (L.) 'Tropic Sun'], jack bean [*Canavalia ensiformis* (L.)] and pigeon pea [*Cajanus cajan* (L.) 'Lazaro'] on crop development, 100 (1), 71. (Spanish)

### Amylase

Microscopic structure of split and hydrated corn grain treated with the exogenous enzymes  $\alpha$ -amylase and protease, 100 (2), 259. (Spanish)

### Banana thrips

*Chaetanaphothrips signipennis* (Bagnall) (Thysanoptera: Thripidae): A new record for Puerto Rico, 100 (2), 249. (Spanish)

### Beef

Beef tastes and preferences in Puerto Rico, 100 (2), 221. (Spanish)

### Beef cattle

Diurnal vaginal temperature cycles of Senepol and crossbred beef heifers with different hair coat types and colors under tropical conditions, 100 (1), 13.

### Biocontrol

Fungal pathogens of *Hyparrhenia rufa* (Nees) Stapf., an invasive weed in Puerto Rico, and their potential as biological control agents, 100 (2), 237.

### Blight, taro leaf

Further evaluation of blight-tolerant genotypes of taro under upland conditions, 100 (1), 99.

### Bovines

Evaluation of the thermoregulatory capacity of Puerto Rican slick Holstein, normal Holstein and Jersey cows, 100 (1), 1. (Spanish)

Diurnal vaginal temperature cycles of Senepol and crossbred beef heifers with different hair coat types and colors under tropical conditions, 100 (1), 13.

*Cajanus cajan* (See Pigeon pea)

### *Canavalia ensiformis*

Allelopathic effects of aqueous extracts of the legumes crotalaria [*Crotalaria juncea* (L.) 'Tropic Sun'], jack bean [*Canavalia ensiformis* (L.)] and pigeon pea [*Cajanus cajan* (L.) 'Lazaro'] on crop development, 100 (1), 71. (Spanish)

*Chaetanaphothrips signipennis* (See Banana thrips)

- Citrus sinensis* (See Oranges)
- Coffea arabica* L. (See Coffee)
- Coffee
- Quality and physiological state of coffee at harvest and its effect on yield in Puerto Rico, 100 (1), 27. (Spanish)
- Coffee berry borer
- Quality and physiological state of coffee at harvest and its effect on yield in Puerto Rico, 100 (1), 27. (Spanish)
- Coffee pulp
- Combined organic amendment effects on eggplant yield, soil fertility characteristics and humic acid quality, 100 (2), 101.
  - Repeated short-term organic amendments effects on physical and biological properties of a San Antón soil, 100 (2), 123.
- Colocasia esculenta* (See Taro)
- Compost tea
- Combined organic amendment effects on eggplant yield, soil fertility characteristics and humic acid quality, 100 (2), 101.
  - Repeated short-term organic amendments effects on physical and biological properties of a San Antón soil, 100 (2), 123.
- Corn
- Yield evaluation of sweet corn (*Zea mays* L. 'Suresweet') with cover crops dwarf velvet bean (*Mucuna pruriens*) and crotalaria (*Crotalaria juncea* 'Tropic Sun') on an Oxisol of Puerto Rico, 100 (1), 57. (Spanish)
  - Changes in content of several macro minerals upon ensiling whole plant corn, 100 (2), 253.
  - Microscopic structure of split and hydrated corn grain treated with the exogenous enzymes  $\alpha$ -amylase and protease, 100 (2), 259. (Spanish)
- Cover crop
- Yield evaluation of sweet corn (*Zea mays* L. 'Suresweet') with cover crops dwarf velvet bean (*Mucuna pruriens*) and crotalaria (*Crotalaria juncea* 'Tropic Sun') on an Oxisol of Puerto Rico, 100 (1), 57. (Spanish)
- Cows
- Evaluation of the thermoregulatory capacity of Puerto Rican slick Holstein, normal Holstein and Jersey cows, 100 (1), 1. (Spanish)
  - Diurnal vaginal temperature cycles of Senepol and crossbred beef heifers with different hair coat types and colors under tropical conditions, 100 (1), 13.
- Crotalaria juncea*
- Yield evaluation of sweet corn (*Zea mays* L. 'Suresweet') with cover crops dwarf velvet bean (*Mucuna pruriens*) and crotalaria (*Crotalaria juncea* 'Tropic Sun') on an Oxisol of Puerto Rico, 100 (1), 57. (Spanish)
  - Allelopathic effects of aqueous extracts of the legumes crotalaria [*Crotalaria juncea* (L.) 'Tropic Sun'], jack bean [*Canavalia ensiformis* (L.)] and pigeon pea [*Cajanus cajan* (L.) 'Lázaro'] on crop development, 100 (1), 71. (Spanish)
  - Greenhouse allelopathic evaluation of agronomic crops using shredded crotalaria [*Crotalaria juncea* (L.) 'Tropic Sun'], jack bean [*Canavalia ensiformis* (L.)] and pigeon pea [*Cajanus cajan* (L.) 'Lázaro'], 100 (1), 83. (Spanish)
- Cucurbita moschata* (See Pumpkin, tropical)
- Dairy cattle
- Evaluation of the thermoregulatory capacity of Puerto Rican slick Holstein, normal Holstein and Jersey cows, 100 (1), 1. (Spanish)
- Edible film
- Use of edible film to extend the shelf life of fresh peeled oranges (*Citrus sinensis*), 100 (1), 43. (Spanish)
- Eggplant
- Combined organic amendment effects on eggplant yield, soil fertility characteristics and humic acid quality, 100 (2), 101.

Exogenous enzymes

Microscopic structure of split and hydrated corn grain treated with the exogenous enzymes  $\alpha$ -amylase and protease, 100 (2), 259. (Spanish)

Fermentation

Characterization of triticale silage inoculated with homolactic bacteria and exposed to aerobic stress during storage, 100 (2), 155.

Re-ensiling translocated triticale silage: To inoculate or not to inoculate?, 100 (2), 171.

Triticale silage treated or not with homolactic acid bacteria ensiled in laboratory mini-silos, 100 (2), 183.

Forage

Release of PR0968-1-1 and PR0968-16-2 forage soybean germplasm lines, 100 (2), 263.

Fruit quality

Use of edible film to extend the shelf life of fresh peeled oranges (*Citrus sinensis*), 100 (1), 43. (Spanish)

Genetic diversity

Pomological and physico-chemical characterization of *Tamarindus indica* (tamarind) grown in Florida, 100 (2), 141.

Germplasm, release

Release of PR0968-1-1 and PR0968-16-2 forage soybean germplasm lines, 100 (2), 263.

*Glycine max* (See Soybean)

Green manure

Combined organic amendment effects on eggplant yield, soil fertility characteristics and humic acid quality, 100 (2), 101.

Repeated short-term organic amendments effects on physical and biological properties of a San Antón soil, 100 (2), 123.

Hair coat, cows

Evaluation of the thermoregulatory capacity of Puerto Rican slick Holstein, normal Holstein and Jersey cows, 100 (1), 1. (Spanish)

Diurnal vaginal temperature cycles of Senepol and crossbred beef heifers with different hair coat types and colors under tropical conditions, 100 (1), 13.

Holstein cattle

Evaluation of the thermoregulatory capacity of Puerto Rican slick Holstein, normal Holstein and Jersey cows, 100 (1), 1. (Spanish)

Homolactic bacteria

Characterization of triticale silage inoculated with homolactic bacteria and exposed to aerobic stress during storage, 100 (2), 155.

Re-ensiling translocated triticale silage: To inoculate or not to inoculate?, 100 (2), 171.

Triticale silage treated or not with homolactic acid bacteria ensiled in laboratory mini-silos, 100 (2), 183.

Heat stress

Evaluation of the thermoregulatory capacity of Puerto Rican slick Holstein, normal Holstein and Jersey cows, 100 (1), 1. (Spanish)

Diurnal vaginal temperature cycles of Senepol and crossbred beef heifers with different hair coat types and colors under tropical conditions, 100 (1), 13.

Humic acid

Combined organic amendment effects on eggplant yield, soil fertility characteristics and humic acid quality, 100 (2), 101.

Hydroxypropyl methylcellulose

Use of edible film to extend the shelf life of fresh peeled oranges (*Citrus sinensis*), 100 (1), 43. (Spanish)

*Hyparrhenia rufa*

Fungal pathogens of *Hyparrhenia rufa* (Nees) Stapf., an invasive weed in Puerto Rico, and their potential as biological control agents, 100 (2), 237.

*Hypothenemus hampei* (See Coffee berry borer)

## Insects

*Chaetanaphothrips signipennis* (Bagnall) (Thysanoptera: Thripidae): A new record for Puerto Rico, 100 (2), 249. (Spanish)

## Invasive species

*Chaetanaphothrips signipennis* (Bagnall) (Thysanoptera: Thripidae): A new record for Puerto Rico, 100 (2), 249. (Spanish)

Fungal pathogens of *Hyparrhenia rufa* (Nees) Stapf., an invasive weed in Puerto Rico, and their potential as biological control agents, 100 (2), 237.

## Jack bean

Allelopathic effects of aqueous extracts of the legumes crotalaria [*Crotalaria juncea* (L.) 'Tropic Sun'], jack bean [*Canavalia ensiformis* (L.)] and pigeon pea [*Cajanus cajan* (L.) 'Lazaro'] on crop development, 100 (1), 71. (Spanish)

Greenhouse allelopathic evaluation of agronomic crops using shredded crotalaria [*Crotalaria juncea* (L.) 'Tropic Sun'], jack bean [*Canavalia ensiformis* (L.)] and pigeon pea [*Cajanus cajan* (L.) 'Lázaro'], 100 (1), 83. (Spanish)

## Jaragua grass

Fungal pathogens of *Hyparrhenia rufa* (Nees) Stapf., an invasive weed in Puerto Rico, and their potential as biological control agents, 100 (2), 237.

## Jersey cattle

Evaluation of the thermoregulatory capacity of Puerto Rican slick Holstein, normal Holstein and Jersey cows, 100 (1), 1. (Spanish)

## Legumes

Yield evaluation of sweet corn (*Zea mays* L. 'Suresweet') with cover crops dwarf velvet bean (*Mucuna pruriens*) and crotalaria (*Crotalaria juncea* 'Tropic Sun') on an Oxisol of Puerto Rico, 100 (1), 57. (Spanish)

Allelopathic effects of aqueous extracts of the legumes crotalaria [*Crotalaria juncea* (L.) 'Tropic Sun'], jack bean [*Canavalia ensiformis* (L.)] and pigeon pea [*Cajanus cajan* (L.) 'Lazaro'] on crop development, 100 (1), 71. (Spanish)

Greenhouse allelopathic evaluation of agronomic crops using shredded crotalaria [*Crotalaria juncea* (L.) 'Tropic Sun'], jack bean [*Canavalia ensiformis* (L.)] and pigeon pea [*Cajanus cajan* (L.) 'Lázaro'], 100 (1), 83. (Spanish)

## Minerals, macro

Changes in content of several macro minerals upon ensiling whole plant corn, 100 (2), 253.

*Mucuna pruriens* (See Velvet bean)

## Mycorrhizae culture

Combined organic amendment effects on eggplant yield, soil fertility characteristics and humic acid quality, 100 (2), 101.

Repeated short-term organic amendments effects on physical and biological properties of a San Antón soil, 100 (2), 123.

## Oranges

Use of edible film to extend the shelf life of fresh peeled oranges (*Citrus sinensis*), 100 (1), 43. (Spanish)

## Organic matter

Combined organic amendment effects on eggplant yield, soil fertility characteristics and humic acid quality, 100 (2), 101.

Repeated short-term organic amendments effects on physical and biological properties of a San Antón soil, 100 (2), 123.

## Pigeon pea

Allelopathic effects of aqueous extracts of the legumes crotalaria [*Crotalaria juncea* (L.) 'Tropic Sun'], jack bean [*Canavalia ensiformis* (L.)] and pigeon pea [*Cajanus cajan* (L.) 'Lazaro'] on crop development, 100 (1), 71. (Spanish)

- Greenhouse allelopathic evaluation of agronomic crops using shredded crotalaria [*Crotalaria juncea* (L.) 'Tropic Sun'], jack bean [*Canavalia ensiformis* (L.)] and pigeon pea [*Cajanus cajan* (L.) 'Lázaro'], 100 (1), 83. (Spanish)
- Physico-chemical characteristics  
 Pomological and physico-chemical characterization of *Tamarindus indica* (tamarind) grown in Florida, 100 (2), 141.
- Polyethylene bags  
 Quality and microbiological changes in minimally processed tropical pumpkin packed in low-density polyethylene bags, 100 (2), 203.
- Potassium sorbate  
 Use of edible film to extend the shelf life of fresh peeled oranges (*Citrus sinensis*), 100 (1), 43. (Spanish)
- Protease  
 Microscopic structure of split and hydrated corn grain treated with the exogenous enzymes  $\alpha$ -amylase and protease, 100 (2), 259. (Spanish)
- Puerto Rico  
 Beef tastes and preferences in Puerto Rico, 100 (2), 221. (Spanish)  
*Chaetanaphothrips signipennis* (Bagnall) (Thysanoptera: Thripidae): A new record for Puerto Rico, 100 (2), 249. (Spanish)  
 Evaluation of the thermoregulatory capacity of Puerto Rican slick Holstein, normal Holstein and Jersey cows, 100 (1), 1. (Spanish)  
 Fungal pathogens of *Hyparrhenia rufa* (Nees) Stapf., an invasive weed in Puerto Rico, and their potential as biological control agents, 100 (2), 237.  
 Further evaluation of blight-tolerant genotypes of taro under upland conditions, 100 (1), 99.  
 Quality and physiological state of coffee at harvest and its effect on yield in Puerto Rico, 100 (1), 27. (Spanish)  
 Repeated short-term organic amendments effects on physical and biological properties of a San Antón soil, 100 (2), 123.
- Yield evaluation of sweet corn (*Zea mays* L. 'Suresweet') with cover crops dwarf velvet bean (*Mucuna pruriens*) and crotalaria (*Crotalaria juncea* 'Tropic Sun') on an Oxisol of Puerto Rico, 100 (1), 57. (Spanish)
- Pomology  
 Pomological and physicochemical characterization of *Tamarindus indica* (tamarind) grown in Florida, 100 (2), 141.
- Pumpkin, tropical  
 Quality and microbiological changes in minimally processed tropical pumpkin packed in low-density polyethylene bags, 100 (2), 203.
- Rabbit, diet  
 Addition of two fat supplements to rabbit diets: Effect on productivity performance, carcass characteristics and internal organs weight, 100 (1), 93. (Spanish)
- Senepol cattle  
 Diurnal vaginal temperature cycles of Senepol and crossbred beef heifers with different hair coat types and colors under tropical conditions, 100 (1), 13.
- Silage  
 Characterization of triticale silage inoculated with homolactic bacteria and exposed to aerobic stress during storage, 100 (2), 155.  
 Re-ensiling translocated triticale silage: To inoculate or not to inoculate?, 100 (2), 171.  
 Triticale silage treated or not with homolactic acid bacteria ensiled in laboratory mini-silos, 100 (2), 183.  
 Changes in content of several macro minerals upon ensiling whole plant corn, 100 (2), 253.
- Soil fertility  
 Combined organic amendment effects on eggplant yield, soil fertility characteristics and humic acid quality, 100 (2), 101.

- Soybean, forage  
 Release of PR0968-1-1 and PR0968-16-2 forage soybean germplasm lines, 100 (2), 263.
- Tamarind  
 Pomological and physicochemical characterization of *Tamarindus indica* (tamarind) grown in Florida, 100 (2), 141.
- Tamarindus indica* (See Tamarind)
- Taro  
 Further evaluation of blight-tolerant genotypes of taro under upland conditions, 100 (1), 99.
- Thermography, infrared  
 Evaluation of the thermoregulatory capacity of Puerto Rican slick Holstein, normal Holstein and Jersey cows, 100 (1), 1. (Spanish)
- Triticale  
 Characterization of triticale silage inoculated with homolactic bacteria and exposed to aerobic stress during storage, 100 (2), 155.  
 Re-ensiling translocated triticale silage: To inoculate or not to inoculate?, 100 (2), 171.  
 Triticale silage treated or not with homolactic acid bacteria ensiled in laboratory mini-silos, 100 (2), 183.
- Vaginal temperature, cows  
 Evaluation of the thermoregulatory capacity of Puerto Rican slick Holstein, normal Holstein and Jersey cows, 100 (1), 1. (Spanish)  
 Diurnal vaginal temperature cycles of Senepol and crossbred beef heifers with different hair coat types and colors under tropical conditions, 100 (1), 13.
- Vegetable production  
 Combined organic amendment effects on eggplant yield, soil fertility characteristics and humic acid quality, 100 (2), 101.
- Velvet bean, dwarf  
 Yield evaluation of sweet corn (*Zea mays* L. 'Suresweet') with cover crops dwarf velvet bean (*Mucuna pruriens*) and crotalaria (*Crotalaria juncea* 'Tropic Sun') on an Oxisol of Puerto Rico, 100 (1), 57. (Spanish)
- Weeds  
 Fungal pathogens of *Hyparrhenia rufa* (Nees) Stapf., an invasive weed in Puerto Rico, and their potential as biological control agents, 100 (2), 237.
- Zea mays* (See Corn)