

INDEX TO VOLUME 103 (2019)

SUBJECTS

J. Agric. Univ. P.R. 103 (2):217-220 (2019)

- Achachairú
Postharvest quality of, stored at ambient temperature, 103 (2), 155.
- African tulip, tree forest
Geographic distribution and spatial attributes of, in north-central Puerto Rico: Implications for social-ecological resilience, 103 (1), 1.
- Artificial insemination
Evaluating a protocol for, using two progesterone implants in crossbred ewes raised under heat stress, 103 (1), 101.
- Avocado, cultivars
Morphological and phenological evaluation of, 103 (2), 197.
- Banana Streak Virus
Horticultural evaluation of 'FHIA-21' (AAAB) plantain in Puerto Rico, 103 (2), 189.
- Black Sigatoka, susceptibility
Horticultural evaluation of 'FHIA-21' (AAAB) plantain in Puerto Rico, 103 (2), 189.
- Bunch pruning
Horticultural evaluation of 'FHIA-21' (AAAB) plantain in Puerto Rico, 103 (2), 189.
- Carica papaya* L. (See Papaya)
- Chicken manure
Effect of, and plant deleafing on soil characteristics and dwarf plantain (*Musa* AAB) production, 103 (1), 27.
- Citrus, plant parameters
UAV color images for determination of, 103 (2), 141.
- Coffea arabica* L. (See Coffee)
- Coffee, mill
Potential of kidneyleaf mudplantain (*Heteranthera reniformis*), duckweed (*Lemna* L.) and taro (*Colocasia esculenta*) for treating wastewater from, 103 (1), 95. (Spanish)
- Colombia
Weight gain in Sudan hair sheep: Effect of farm, sex and type of parturition, 103 (2), 173. (Spanish)
- Cover crop
Papaya and, plant density and its effect on yield, 103 (1), 87. (Spanish)
- Cows
Growth comparison between wild type and slick-haired Puerto Rican Holstein heifers, 103 (1), 49.
Body dimension comparisons between slick and wild type-haired Puerto Rican Holsteins, 103 (1), 59.
Thermoregulatory and productive-related comparisons between wild type and slick-haired Puerto Rican Holstein cows, 103 (1), 69.
Historical and scientific review of the development of dairy cattle in Puerto Rico with emphasis on short hair cattle, 103 (1), 107. (Spanish)
Hair diameter comparison between slick- and wild type-haired Puerto Rican Holstein cows, 103 (2), 183.
- Deleafing
Effect of chicken manure application and, on soil characteristics and dwarf plantain (*Musa* AAB) production, 103 (1), 27.

- Drone
 UAV color images for determination of citrus plant parameters, 103 (2), 141.
- Dry tropics
 Weight gain in Sudan hair sheep: Effect of farm, sex and type of parturition, 103 (2), 173. (Spanish)
- Ecosystem, services
 Geographic distribution and spatial attributes of African tulip tree forests in north-central Puerto Rico: Implications for social-ecological resilience, 103 (1), 1.
- Ewes, crossbred
 Evaluating a protocol for fixed time artificial insemination using two progesterone implants in, raised under heat stress, 103 (1), 101.
- Fruit quality
 Postharvest quality of achachairú (*Garcinia gardneriana*) stored at ambient temperature, 103 (2), 155.
- Garcinia gardneriana* (See Achachairú)
- Hair coat, cows
 Growth comparison between wild type and slick-haired Puerto Rican Holstein heifers, 103 (1), 49.
 Body dimension comparisons between slick and wild type-haired Puerto Rican Holsteins, 103 (1), 59.
 Thermoregulatory and productive-related comparisons between wild type and slick-haired Puerto Rican Holstein cows, 103 (1), 69.
 Historical and scientific review of the development of dairy cattle in Puerto Rico with emphasis on short hair cattle, 103 (1), 107. (Spanish)
 Hair diameter comparison between slick- and wild type-haired Puerto Rican Holstein cows, 103 (2), 183.
- Holstein cattle
 Growth comparison between wild type and slick-haired Puerto Rican Holstein heifers, 103 (1), 49.
- Body dimension comparisons between slick and wild type-haired Puerto Rican Holsteins, 103 (1), 59.
 Thermoregulatory and productive-related comparisons between wild type and slick-haired Puerto Rican Holstein cows, 103 (1), 69.
 Historical and scientific review of the development of dairy cattle in Puerto Rico with emphasis on short hair cattle, 103 (1), 107. (Spanish)
 Hair diameter comparison between slick- and wild type-haired Puerto Rican Holstein cows, 103 (2), 183.
- Heat stress
 Thermoregulatory and productive-related comparisons between wild type and slick-haired Puerto Rican Holstein cows, 103 (1), 69.
 Evaluating a protocol for fixed time artificial insemination using two progesterone implants in crossbred ewes raised under heat stress, 103 (1), 101.
- Image processing
 UAV color images for determination of citrus plant parameters, 103 (2), 141.
- Invasive species
 Geographic distribution and spatial attributes of African tulip tree forests in north-central Puerto Rico: Implications for social-ecological resilience, 103 (1), 1.
- Land cover, change
 Geographic distribution and spatial attributes of African tulip tree forests in north-central Puerto Rico: Implications for social-ecological resilience, 103 (1), 1.
- Musa* spp. (See Plantain)
- Papaya
 Cover crop and, plant density and its effect on yield, 103 (1), 87. (Spanish)

Carica papaya L.

Persea americana (See Avocado)

Physico-chemical characteristics

Postharvest quality of achachairú (*Garcinia gardneriana*) stored at ambient temperature, 103 (2), 155.

Plantain

Effect of chicken manure application and plant deleafing on soil characteristics and dwarf plantain (*Musa AAB*) production, 103 (1), 27.

Horticultural evaluation of 'FHIA-21' (AAAB) plantain in Puerto Rico, 103 (2), 189.

Postharvest quality

Of achachairú (*Garcinia gardneriana*) stored at ambient temperature, 103 (2), 155.

Progesterone, implants

Evaluating a protocol for fixed time artificial insemination using, in crossbred ewes raised under heat stress, 103 (1), 101.

Puerto Rico

Geographic distribution and spatial attributes of African tulip tree forests in north-central Puerto Rico: Implications for social-ecological resilience, 103 (1), 1.

Growth comparison between wild type and slick-haired Puerto Rican Holstein heifers, 103 (1), 49.

Body dimension comparisons between slick and wild type-haired Puerto Rican Holsteins, 103 (1), 59.

Thermoregulatory and productive-related comparisons between wild type and slick-haired Puerto Rican Holstein cows, 103 (1), 69.

Historical and scientific review of the development of dairy cattle in Puerto Rico with emphasis on short hair cattle, 103 (1), 107. (Spanish)

Hair diameter comparison between slick- and wild type-haired Puerto Rican Holstein cows, 103 (2), 183.

Reproduction, ewes

Evaluating a protocol for fixed time artificial insemination using two progesterone implants in crossbred ewes raised under heat stress, 103 (1), 101.

Secondary forests

Geographic distribution and spatial attributes of African tulip tree forests in north-central Puerto Rico: Implications for social-ecological resilience, 103 (1), 1.

Sheep

Weight gain in Sudan hair sheep: Effect of farm, sex and type of parturition, 103 (2), 173. (Spanish)

Slick-haired Holstein cows

Growth comparison between wild type and slick-haired Puerto Rican Holstein heifers, 103 (1), 49.

Body dimension comparisons between slick and wild type-haired Puerto Rican Holsteins, 103 (1), 59.

Thermoregulatory and productive-related comparisons between wild type and slick-haired Puerto Rican Holstein cows, 103 (1), 69.

Historical and scientific review of the development of dairy cattle in Puerto Rico with emphasis on short hair cattle, 103 (1), 107. (Spanish)

Hair diameter comparison between slick- and wild type-haired Puerto Rican Holstein cows, 103 (2), 183.

Soil characteristics

Effect of chicken manure application and plant deleafing on, and dwarf plantain (*Musa AAB*) production, 103 (1), 27.

Spathodea campanulata (See African tulip, tree forest)

Sudan hair sheep

Weight gain in, effect of farm, sex and type of parturition, 103 (2), 173. (Spanish)

Tropical fruits

Postharvest quality of achachairú (*Garcinia gardneriana*) stored at ambient temperature, 103 (2), 155 .

Morphological and phenological evaluation of ten avocado cultivars, 103 (2), 197.

Thermoregulation, cows

Thermoregulatory and productive-related comparisons between wild type and slick-haired Puerto Rican Holstein cows, 103 (1), 69.

Unmanned Aerial Vehicles (UAV), color images

For determination of citrus plant parameters, 103 (2), 141.

Wastewater, treatment

Potential of kidneyleaf mudplantain (*Heteranthera reniformis*), duckweed (*Lemna* L.) and taro (*Colocasia esculenta*) for treating wastewater from coffee mill, 103 (1), 95. (Spanish)