

INDEX TO VOLUME 92 (2008)

AUTHORS¹

J. Agric. Univ. P.R. 92 (3-4): 257-261 (2008)

Badillo, I. E.

- *2008, Morphological, pathogenic and molecular characterization of *Phoma* spp. isolated from onion field soils in Puerto Rico, 92 (1-2), 73.

Bastidas, H.

- *2008, Malezas hospederas de la mosca blanca en siembras de tomate en el sur de Puerto Rico, 92 (3-4), 231. (RN)

Cabrera-Asencio, I.

- *2008, Insecticidas para el manejo de poblaciones de *Thrips tabaci* (Lindemann) y *Liriomyza trifolii* (Burgues) en cebolla, 92 (1-2), 87.

- *2008, Poblaciones de Thysanoptera: Thripidae y su abundancia estacional en flores de pimiento de cocinar, 92 (1-2), 103. (RN)

- 2008, *Frankliniella occidentalis*, *F. schultzei* and *F. fusca* (Thysanoptera: Thripidae) in Puerto Rico, 92 (1-2), 107. (RN)

- *2008, *Gynaikothrips uzeli* Zimmerman (Thysanoptera: Phlaeothripidae) y *Montandoniola moraguezi* Puton (Hemiptera:

Anthocoridae): Nuevos récords para Puerto Rico, 92 (1-2), 111. (RN)

- *2008, *Bedellia somnulentella* (Zeller) (Lepidoptera: Lyonetiidae), una nueva plaga de la batata [*Ipomoea batatas* (L.)] introducida en Puerto Rico, 92 (1-2), 115. (RN)

- 2008, New report of a leaf beetle pest from North America in Puerto Rico: *Diabrotica balteata* Le Conte (Coleoptera: Chrysomelidae) and its chemical control, 92 (1-2), 119. (RN)

- *2008, *Holopothrips tabebuia sp.n.* Cabrera & Segarra (Thysanoptera: Phlaeothripidae) en los robles *Tabebuia heterophylla* y *Tabebuia aurea* en Puerto Rico, 92 (3-4), 225. (RN)

Cacho, C.

- 2008, Field dissipation of prometryn, oxyfluorfen and imazethapyr in Mollisol and Vertisol soils, 92 (3-4), 183.

Calero-Toledo, L. M.

- *2008, Sequential sampling plan for the corn earworm, *Helicoverpa zea* (Boddie) (Lepidoptera: Noc-

*Senior author

/ Sole author

RN Research Note

N Notes

C&GR Cultivar and Germplasm Release

F Features

¹An author's name may appear in more than one form. Although all first names are abbreviated, an author may appear with one or two initials. Last names may appear single or compound. When compound, they are hyphenated regardless of how they appear in the original. Alphabetically, names with a single initial precede two-initial ones (Badillo, Y. precedes Badillo, Y. A.); single names precede hyphenated ones (Abreu, Z., precedes Abreu-Abadía, A.). Articles under one name are organized chronologically; those in number 1 precede those in number 2 and those on page 1 precede those on page 2.

- tuidae) in corn fields on the south coast of Puerto Rico, 92 (3-4), 207
- Calle-Bellido, J.**
2008, Morphological, pathogenic and molecular characterization of *Phoma* spp. isolated from onion field soils in Puerto Rico, 92 (1-2), 73.
- Casanova, P.**
2008, Field dissipation of prometryn, oxyfluorfen and imazethapyr in Mollisol and Vertisol soils, 92 (3-4), 183.
- Cruz, S.**
2008, *Holopothrips tabebuia* sp.n. Cabrera & Segarra (Thysanoptera: Phlaeothripidae) en los robles *Tabebuia heterophylla* y *Tabebuia aurea* en Puerto Rico, 92 (3-4), 225. (RN)
- Custodio, A.A.**
2008, Incidencia de enfermedades metabólicas en vacas lecheras en Puerto Rico y su relación con el comportamiento productivo y reproductivo, 92 (1-2), 39.
- de García, E.**
2008, Cambios morfoanatómicos en los ápices del vástago y de la raíz del banano Williams (AAA, *Musa* sp.) bajo distintas concentraciones de N⁶-benciladenina, 92 (1-2), 53.
- Díaz, E.**
2008, Solar sterilization of abscised fruit: A cultural practice to reduce infestations of *Anastrepha obliqua* around orchards, 92 (3-4), 197.
- Díaz-Ríos, H. L.**
*2008, Consumo voluntario y digestibilidad de nutrientes de heno de gramíneas y leguminosas tropicales suplementadas con ensilaje de residuos de pescadería, 92 (1-2), 27.
- Dumas, J. A.**
*2008, Field dissipation of prometryn, oxyfluorfen and imazethapyr in Mollisol and Vertisol soils, 92 (3-4), 183.
- Escudero, J.**
2008, Niilo Eelis Virkki, Cytogeneticist: In Memoriam (1924-2005), 92 (3-4), 245. (F)
- Feliciano, M.**
*2008, *Frankliniella occidentalis*, *F. schultzei* and *F. fusca* (Thysanoptera: Thripidae) in Puerto Rico, 92 (1-2), 107. (RN)
- Fernández, J.**
*2008, Leaf blight of onion caused by *Pleospora eturmiuna* Simm. (Teleomorph of *Stemphylium eturmiunum*) in Puerto Rico, 92 (3-4), 235.
- Fernández-Van Cleve, J.**
2008, Incidencia de enfermedades metabólicas en vacas lecheras en Puerto Rico y su relación con el comportamiento productivo y reproductivo, 92 (1-2), 39.
- Flores-López, L.**
2008, New report of a leaf beetle pest from North America in Puerto Rico: *Diabrotica balteata* Le Conte (Coleoptera: Chrysomelidae) and its chemical control, 92 (1-2), 119. (RN)
- Goenaga, R.**
2008, Solar sterilization of abscised fruit: A cultural practice to reduce infestations of *Anastrepha obliqua* around orchards, 92 (3-4), 197.
- González, Á. L.**
2008, Sequential sampling plan for the corn earworm, *Helicoverpa zea* (Boddie) (Lepidoptera: Noctuidae) in corn fields on the south coast of Puerto Rico, 92 (3-4), 207.
- González, G. M.**
2008, Uso de computadoras en la administración de la empresa agrícola: Estudio empírico del caso de Puerto Rico, 92 (3-4), 215.
- Gregory, A.**
*2008, Uso de computadoras en la administración de la empresa agrícola: Estudio empírico del caso de Puerto Rico, 92 (3-4), 215.

Harmsen, E. W.

2008, Nitrate leaching under different levels of irrigation for three turf-grasses in southern Puerto Rico, 92 (3-4), 135.

2008, Development of linear models for estimation of leaflet area in common bean (*Phaseolus vulgaris* L.), 92 (3-4), 171.

Jenkins, D. A.

*2008, Solar sterilization of abscised fruit: A cultural practice to reduce infestations of *Anastrepha obliqua* around orchards, 92 (3-4), 197.

Jenkins, D. M.

2008, Solar sterilization of abscised fruit: A cultural practice to reduce infestations of *Anastrepha obliqua* around orchards, 92 (3-4), 197.

Lindorf, H.

2008, Cambios morfoanatómicos en los ápices del vástago y de la raíz del banano Williams (AAA, *Musa* sp.) bajo distintas concentraciones de N³-benciladenina, 92 (1-2), 53.

Lugo, M. de L.

2008, Malezas hospederas de la mosca blanca en siembras de tomate en el sur de Puerto Rico, 92 (3-4), 231. (RN)

Macchiavelli, R.

2008, Incidencia de enfermedades metabólicas en vacas lecheras en Puerto Rico y su relación con el comportamiento productivo y reproductivo, 92 (1-2), 39.

2008, Sequential sampling plan for the corn earworm, *Helicoverpa zea* (Boddie) (Lepidoptera: Noctuidae) in corn fields on the south coast of Puerto Rico, 92 (3-4), 207.

Martínez, G. A.

2008, Effectiveness of grass filter strips for runoff nutrient and sediment reduction in dairy sludge-amended pastures, 92 (1-2), 1.

2008, Influence of season and stocking rate on pasture herbage availability and milk yield, 92 (1-2), 15.

2008, Erosion and nutrient loss reduction with an alternative planting method for coffee *Coffea arabica*, 92 (3-4), 153.

Más, E.

2008, Effectiveness of grass filter strips for runoff nutrient and sediment reduction in dairy sludge-amended pastures, 92 (1-2), 1.

2008, Erosion and nutrient loss reduction with an alternative planting method for coffee *Coffea arabica*, 92 (3-4), 153.

Meléndez, J. C.

*2008, Incidencia de enfermedades metabólicas en vacas lecheras en Puerto Rico y su relación con el comportamiento productivo y reproductivo, 92 (1-2), 39.

Nieves-Méndez, N.

*2008, First report of apical tip necrosis of mango seedlings caused by *Fusarium lateritium* Ness [= *Gibberella baccata* (Wallr.) Sacc.] in Puerto Rico, 92 (3-4), 241. (RN)

Pantoja, A.

2008, Malezas hospederas de la mosca blanca en siembras de tomate en el sur de Puerto Rico, 92 (3-4), 231. (RN)

Pantoja, J.

2008, Incidencia de enfermedades metabólicas en vacas lecheras en Puerto Rico y su relación con el comportamiento productivo y reproductivo, 92 (1-2), 39.

Paulino-Paulino, J.

*2008, Nitrate leaching under different levels of irrigation for three turf-grasses in southern Puerto Rico, 92 (3-4), 135.

Pérez-Padilla, W.

2008, The cycad scale, *Aulacaspis yasumatsui* Takagi (Homoptera: Diaspididae): A new invasive pest to Puerto Rico, 92 (1-2), 123. (RN)

Porch, T. G.

- 2008, Development of linear models for estimation of leaflet area in common bean (*Phaseolus vulgaris* L.), 92 (3-4), 171.

Ramírez, A.

- 2008, *Gynaikothrips uzeli* Zimmerman (Thysanoptera: Phlaeothripidae) y *Montandoniola moraguezi* Puton (Hemiptera: Anthocoridae): Nuevos récords para Puerto Rico, 92 (1-2), 111. (RN)
- 2008, *Holopothrips tabebuia* sp.n. Cabrera & Segarra (Thysanoptera: Phlaeothripidae) en los robles *Tabebuia heterophylla* y *Tabebuia aurea* en Puerto Rico, 92 (3-4), 225. (RN)

Ramírez-Ávila, J.

- 2008, Effectiveness of grass filter strips for runoff nutrient and sediment reduction in dairy sludge-amended pastures, 92 (1-2), 1.
- 2008, Erosion and nutrient loss reduction with an alternative planting method for coffee *Coffea arabica*, 92 (3-4), 153.

Ramírez-Builes, V. H.

- *2008, Development of linear models for estimation of leaflet area in common bean (*Phaseolus vulgaris* L.), 92 (3-4), 171.

Ramírez-Villalobos, M.

- *2008, Cambios morfoanatómicos en los ápices del vástago y de la raíz del banano Williams (AAA, *Musa* sp.) bajo distintas concentraciones de N⁶-benciladenina, 92 (1-2), 53.

Rivera, L. E.

- 2008, Nitrate leaching under different levels of irrigation for three turf-grasses in southern Puerto Rico, 92 (3-4), 135.

Rivera-Vargas, L. I.

- 2008, Morphological, pathogenic and molecular characterization of *Phoma* spp. isolated from onion field soils in Puerto Rico, 92 (1-2), 73.

- 2008, *Frankliniella occidentalis*, *F. schultzei* and *F. fusca* (Thysanoptera: Thripidae) in Puerto Rico, 92 (1-2), 107. (RN)

- 2008, Leaf blight of onion caused by *Pleospora eturmiuna* Simm. (Teleomorph of *Stemphylium eturmiunum*) in Puerto Rico, 92 (3-4), 235. (RN)

- 2008, First report of apical tip necrosis of mango seedlings caused by *Fusarium lateritium* Ness [= *Gibberella baccata* (Wallr.) Sacc.] in Puerto Rico, 92 (3-4), 241. (RN)

Rodríguez-Carias, A. A.

- 2008, Consumo voluntario y digestibilidad de nutrientes de heno de gramíneas y leguminosas tropicales suplementadas con ensilaje de residuos de pescadería, 92 (1-2), 27.
- 2008, Silage yield, fermentation characteristics and aerobic stability of two corn hybrids, 92 (1-2), 131. (RN)

Ruiz, T. M.

- *2008, Influence of season and stocking rate on pasture herbage availability and milk yield, 92 (1-2), 15.

Sáez, L.

- 2008, *Gynaikothrips uzeli* Zimmerman (Thysanoptera: Phlaeothripidae) y *Montandoniola moraguezi* Puton (Hemiptera: Anthocoridae): Nuevos récords para Puerto Rico, 92 (1-2), 111. (RN)

- 2008, *Holopothrips tabebuia* sp.n. Cabrera & Segarra (Thysanoptera: Phlaeothripidae) en los robles *Tabebuia heterophylla* y *Tabebuia aurea* en Puerto Rico, 92 (3-4), 225. (RN)

Santiago, L. J.

- 2008, Incidencia de enfermedades metabólicas en vacas lecheras en Puerto Rico y su relación con el comportamiento productivo y reproductivo, 92 (1-2), 39.

Santiago-Blay, J. A.

2008, Niilo Eelis Virkki, Cytogeneticist: In Memoriam (1924-2005), 92 (3-4), 245. (F)

Segarra-Carmona, A. E.

2008, *Bedellia somnulentella* (Zeller) (Lepidoptera: Lyonetiidae), una nueva plaga de la batata [*Ipomoea batatas* (L.)] introducida en Puerto Rico, 92 (1-2), 115. (RN)

*2008, New report of a leaf beetle pest from North America in Puerto Rico: *Diabrotica balteata* Le Conte (Coleoptera: Chrysomelidae) and its chemical control, 92 (1-2), 119. (RN)

*2008, The cycad scale, *Aulacaspis yasumatsui* Takagi (Homoptera: Diaspididae): A new invasive pest to Puerto Rico, 92 (1-2), 123. (RN)

2008, *Holopothrips tabebuia* sp.n. Cabrera & Segarra (Thysanoptera: Phlaeothripidae) en los robles *Tabebuia heterophylla* y *Tabebuia aurea* en Puerto Rico, 92 (3-4), 225. (RN)

2008, First report of apical tip necrosis of mango seedlings caused by *Fusarium lateritium* Ness [= *Gibberella baccata* (Wallr.) Sacc.] in Puerto Rico, 92 (3-4), 241. (RN)

*2008, Niilo Eelis Virkki, Cytogeneticist: In Memoriam (1924-2005), 92 (3-4), 245. (F)

Semidey, N.

2008, Field dissipation of prometryn, oxyfluorfen and imazethapyr in Mollisols and Vertisols soils, 92 (3-4), 183.

Sotomayor-Ramírez, D.

*2008, Effectiveness of grass filter strips for runoff nutrient and sediment reduction in dairy sludge-amended pastures, 92 (1-2), 1.

2008, Influence of season and stocking rate on pasture herbage availability and milk yield, 92 (1-2), 15.

2008, Nitrate leaching under different levels of irrigation for three turf-grasses in southern Puerto Rico, 92 (3-4), 135.

*2008, Erosion and nutrient loss reduction with an alternative planting method for coffee *Coffea arabica*, 92 (3-4), 153.

Stansly, P.

2008, Malezas hospederas de la mosca blanca en siembras de tomate en el sur de Puerto Rico, 92 (3-4), 231. (RN)

Torres-Meléndez, C.

2008, Influence of season and stocking rate on pasture herbage availability and milk yield, 92 (1-2), 15.

Valencia, E.

*2008, Silage yield, fermentation characteristics and aerobic stability of two corn hybrids, 92 (1-2), 131. (RN)

Vélez, A. L.

2008, Insecticidas para el manejo de poblaciones de *Thrips tabaci* (Lindemann) y *Liriomyza trifolii* (Burgues) en cebolla, 92 (1-2), 87.

2008, Poblaciones de Thysanoptera: Thripidae y su abundancia estacional en flores de pimiento de cocinar, 92 (1-2), 103. (RN)

2008, *Gynaikothrips uzeli* Zimmerman (Thysanoptera: Phlaeothripidae) y *Montandoniola moraguezi* Putton (Hemiptera: Anthocoridae): Nuevos récords para Puerto Rico, 92 (1-2), 111. (RN)

2008, *Bedellia somnulentella* (Zeller) (Lepidoptera: Lyonetiidae), una nueva plaga de la batata [*Ipomoea batatas* (L.)] introducida en Puerto Rico, 92 (1-2), 115. (RN)

2008, *Holopothrips tabebuia* sp.n. Cabrera & Segarra (Thysanoptera: Phlaeothripidae) en los robles *Tabebuia heterophylla* y *Tabebuia aurea* en Puerto Rico, 92 (3-4), 225. (RN)