

INDEX TO VOLUME 92 (2008)

SUBJECTS

J. Agric. Univ. P.R. 92 (3-4):263-267 (2008)

- Allium cepa* (See Onion)
- Anastrepha* (See Fruit flies)
- Apical tip necrosis
First report of, of mango seedlings caused by *Fusarium lateritium* Ness [= *Gibberella baccata* (Wallr.) Sacc.] in Puerto Rico, 92 (3-4), 241.
- Aulacaspis yasumatsui* (See Cycad scale)
- Banana
Morphoanatomic changes in shoot and root apices of banana Williams (AAA, *Musa* sp.) cultured on different N⁶-benzyladenine concentrations, 92 (1-2), 53. (Spanish)
- Bean
Development of linear models for estimation of leaflet area in common bean, 92 (3-4), 171.
- Benzyladenine
Morphoanatomic changes in shoot and root apices of banana Williams (AAA, *Musa* sp.) cultured on different N⁶-benzyladenine concentrations, 92 (1-2), 53. (Spanish)
- Bemisia* spp. (See White flies)
- Capsicum annuum* (See Pepper)
- Coffea arabica* (See Coffee)
- Coffee
Erosion and nutrient loss reduction with an alternative planting method for, 92 (3-4), 153.
- Computer use
In farm management: Empirical study of Puerto Rico's agriculture computer use, logistic regression, farm management, 92 (3-4), 215. (Spanish)
- Concentrate supplementation
Influence of season and stocking rate on pasture herbage availability and milk yield, 92 (1-2), 15.
- Corn
Silage yield, fermentation characteristics and aerobic stability of two corn hybrids, 92 (1-2), 131.
Sequential sampling plan for the corn earworm, *Helicoverpa zea* (Boddie) (Lepidoptera: Noctuidae) in corn fields on the south coast of Puerto Rico, 92 (3-4), 207.
- Corn earworm
Sequential sampling plan for, in corn fields on the south coast of Puerto Rico, 92 (3-4), 207.
- Cycad scale
The cycad scale, *Aulacaspis yasumatsui* Takagi (Homoptera: Diaspididae): A new invasive pest to Puerto Rico, 92 (1-2), 123.
- Dairy cows
Influence of season and stocking rate on pasture herbage availability and milk yield, 92 (1-2), 15.
Incidence of metabolic diseases of dairy cows in Puerto Rico and its relationship with production and reproduction behavior, 92 (1-2), 39. (Spanish)
- Dairy sludge
Effectiveness of grass filter strips for runoff nutrient and sediment reduction in dairy sludge-amended pastures, 92 (1-2), 1.
- Diabrotica balteata*
New report of a leaf beetle pest from North America in Puerto Rico, 92 (1-2), 119.
- Erosion
Nutrient loss and, reduction with an alternative planting method for coffee, 92 (3-4), 153.
- Farm management
Computer use in empirical study of Puerto Rico's agriculture, 92 (3-4), 215. (Spanish)

Ficus benjamina

Gynaikothrips uzeli Zimmerman (Thysanoptera: Phlaeothripidae) and *Montandoniola moraguezi* Puton (Hemiptera: Anthocoridae): New record in Puerto Rico, 92 (1-2), 111. (Spanish)

Field dissipation

Of prometryn, oxyfluorfen and imazethapyr in Mollisol and Vertisol soils, 92 (3-4), 183.

Frankliniella spp.

In crops in Puerto Rico, 92 (1-2), 107.

Fruit flies

Solar sterilization of abscised fruit: A cultural practice to reduce infestations of *Anastrepha* spp. around orchards, 92 (3-4), 197.

Fungi

First report of apical tip necrosis of mango seedlings caused by *Fusarium lateritium* Ness [= *Gibberella baccata* (Wallr.) Sacc.] in Puerto Rico, 92 (3-4), 241.

Fusarium lateritium

First report of apical tip necrosis of mango seedlings caused by, in Puerto Rico, 92 (3-4), 241.

Gibberella baccata (See *Fusarium lateritium*)

Grass

Influence of season and stocking rate on pasture herbage availability and milk yield, 92 (1-2), 15.

Intake and nutrient digestibility of tropical grasses and legume hay supplemented with tilapia fish silage, 92 (1-2), 27. (Spanish)

Grass filter strips

Effectiveness of grass filter strips for runoff nutrient and sediment reduction in dairy sludge-amended pastures, 92 (1-2), 1.

Gynaikothrips uzeli

New record in Puerto Rico, 92 (1-2), 111. (Spanish)

Helicoverpa zea (See Corn earworm)

Herbicide

Field dissipation of prometryn, oxyfluorfen and imazethapyr in Mollisol and Vertisol soils, 92 (3-4), 183.

Holopothrips

In *Tabebuia heterophylla* and *Tabebuia aurea* in Puerto Rico, 92 (3-4), 225. (Spanish)

Hypocalcaemia

Incidence of metabolic diseases of dairy cows in Puerto Rico and its relationship with production and reproduction behavior, 92 (1-2), 39. (Spanish)

Insect

Insecticides and populations of *Thrips tabaci* (Lindermann) and *Liriomyza trifolii* (Burgess) in onions, 92 (1-2), 87. (Spanish)

Populations and seasonal abundance of Thysanoptera: Thripidae in flowers of cooking peppers, 92 (1-2), 103. (Spanish)

Frankliniella occidentalis, *F. schultzei* and *F. fusca* (Thysanoptera: Thripidae) in Puerto Rico, 92 (1-2), 107.

Gynaikothrips uzeli Zimmerman (Thysanoptera: Phlaeothripidae) and *Montandoniola moraguezi* Puton (Hemiptera: Anthocoridae): New record in Puerto Rico, 92 (1-2), 111. (Spanish)

Bedellia somnulentella (Zeller) (Lepidoptera: Lyonetiidae), sweet potato [*Ipomoea batatas* (L.)] pest newly introduced into Puerto Rico, 92 (1-2), 115. (Spanish)

New report of a leaf beetle pest from North America in Puerto Rico: *Diabrotica balteata* Le Conte (Coleoptera: Chrysomelidae) and its chemical control, 92 (1-2), 119.

The cycad scale, *Aulacaspis yasumatsui* Takagi (Homoptera: Diaspididae): A new invasive pest to Puerto Rico, 92 (1-2), 123.

Sequential sampling plan for the corn earworm, *Helicoverpa zea* (Boddie) (Lepidoptera: Noctuidae) in corn fields on the south coast of Puerto Rico, 92 (3-4), 207.

Holopothrips tabebuia sp.n. Cabrera & Segarra (Thysanoptera: Phlaeothripidae) in *Tabebuia heterophylla* and *Tabebuia aurea* in Puerto Rico, 92 (3-4), 225. (Spanish)

- Weed hosts for white flies in tomato plantings in southern Puerto Rico, 92 (3-4), 231. (Spanish)
- Insecticide
- Populations of *Thrips tabaci* (Lindermann) and *Liriomyza trifolii* (Burgess) and, in onions, 92 (1-2), 87. (Spanish)
- New report of a leaf beetle pest from North America in Puerto Rico: *Diabrotica balteata* Le Conte (Coleoptera: Chrysomelidae) and its chemical control, 92 (1-2), 119.
- Ipomoea batatas* (See sweet potato)
- IPM
- Solar sterilization of abscised fruit: A cultural practice to reduce infestations of *Anastrepha* spp. around orchards, 92 (3-4), 197.
- Irrigation
- Nitrate leaching under different levels of irrigation for three turfgrasses in southern Puerto Rico, 92 (3-4), 135.
- Leaf blight
- Of onion, caused by *Pleospora eturmiuna* Simm. (Teleomorph of *Stemphylium eturmiunum*) in Puerto Rico, 92 (3-4), 235.
- Legume hay
- Intake and nutrient digestibility of tropical grasses and legume hay supplemented with tilapia fish silage, 92 (1-2), 27. (Spanish)
- Logistic regression
- Computer use in farm management: Empirical study of Puerto Rico's agriculture, 92 (3-4), 215. (Spanish)
- Lycopersicon esculentum* (See Tomato)
- Mango
- Solar sterilization of abscised fruit: A cultural practice to reduce infestations of *Anastrepha* spp. around orchards, 92 (3-4), 197.
- First report of apical tip necrosis of mango seedlings caused by *Fusarium lateritium* Ness [= *Gibberella baccata* (Wallr.) Sacc.] in Puerto Rico, 92 (3-4), 241.
- Milk yield
- Influence of season and stocking rate on pasture herbage availability and milk yield, 92 (1-2), 15.
- Incidence of metabolic diseases of dairy cows in Puerto Rico and its relationship with production and reproduction behavior, 92 (1-2), 39. (Spanish)
- Molecular characterization
- Morphological, pathogenic and, of *Phoma* spp. isolated from onion field soils in Puerto Rico, 92 (1-2), 73.
- Montandoniola moraguezi*
- New record in Puerto Rico, 92 (1-2), 111. (Spanish)
- Morphogenesis
- Morphoanatomic changes in shoot and root apices of banana Williams (AAA, *Musa* sp.) cultured on different N²-benzyladenine concentrations, 92 (1-2), 53. (Spanish)
- Musa* sp. (See Banana)
- Nitrate leaching
- Under different levels of irrigation for three turfgrasses in southern Puerto Rico, 92 (3-4), 135.
- Necrosis
- First report of apical tip necrosis of mango seedlings caused by *Fusarium lateritium* Ness [= *Gibberella baccata* (Wallr.) Sacc.] in Puerto Rico, 92 (3-4), 241.
- Nutrient loss
- Erosion and, reduction with an alternative planting method for coffee, 92 (3-4), 153
- Oaks
- Holopothrips tabebuia* sp.n. Cabrera & Segarra (Thysanoptera: Phlaeothripidae) in *Tabebuia heterophylla* and *Tabebuia aurea* in Puerto Rico, 92 (3-4), 225. (Spanish)
- Onion
- Morphological, pathogenic and molecular characterization of *Phoma* spp. isolated from onion field soils in Puerto Rico, 92 (1-2), 73.
- Insecticides and populations of *Thrips tabaci* (Lindermann) and *Liriomyza trifolii* (Burgess) in onions, 92 (1-2), 87. (Spanish)
- Leaf blight of, caused by *Pleospora eturmiuna* Simm. (Teleomorph of *Stemphylium eturmiunum*) in Puerto Rico, 92 (3-4), 235.

Parasitoid

Gynaikothrips uzeli Zimmerman (Thysanoptera: Phlaeothripidae) and *Montandoniola moraguezi* Puton (Hemiptera: Anthocoridae): New record in Puerto Rico, 92 (1-2), 111. (Spanish)

Pathogenicity tests

Morphological, pathogenic and molecular characterization of *Phoma* spp. isolated from onion field soils in Puerto Rico, 92 (1-2), 73.

Pepper, cooking

Populations and seasonal abundance of Thysanoptera: Thripidae in flowers of, 92 (1-2), 103. (Spanish)

Percolation

Nitrate leaching under different levels of irrigation for three turfgrasses in southern Puerto Rico, 92 (3-4), 135.

Phaseolus vulgaris L. (See Bean)*Phoma* spp.

Morphological, pathogenic and molecular characterization of *Phoma* spp. isolated from onion field soils in Puerto Rico, 92 (1-2), 73.

Planting method

For coffee, for erosion and nutrient loss reduction, 92 (3-4), 153.

Pleospora eturmiuna

Leaf blight of onion caused by, in Puerto Rico, 92 (3-4), 235.

Rams

Intake and nutrient digestibility of tropical grasses and legume hay supplemented with tilapia fish silage, 92 (1-2), 27. (Spanish)

Runoff

Effectiveness of grass filter strips for runoff nutrient and sediment reduction in dairy sludge-amended pastures, 92 (1-2), 1.

Sequential sampling

Plan for the corn earworm, *Helicoverpa zea* (Boddie) (Lepidoptera: Noctuidae) in corn fields on the south coast of Puerto Rico, 92 (3-4), 207.

Silage, corn

Silage yield, fermentation characteristics and aerobic stability of two corn hybrids, 92 (1-2), 131.

Soil

Nitrate leaching under different levels of irrigation for three turfgrasses in southern Puerto Rico, 92 (3-4), 135.

Erosion and nutrient loss reduction with an alternative planting method for coffee, 92 (3-4), 153.

Field dissipation of prometryn, oxyfluorfen and imazethapyr in Mollisol and Vertisol soils, 92 (3-4), 183.

Solar sterilization

A cultural practice to reduce infestations of *Anastrepha* spp. of abscised fruit around orchards, 92 (3-4), 197.

Stemphylium eturmiunum (See *Pleospora eturmiuna*)

Stocking rate

Influence of season and, on pasture herbage availability and milk yield, 92 (1-2), 15.

Sweet potato

Bedellia somnulentella (Zeller) (Lepidoptera: Lyonetiidae), sweet potato [*Ipomoea batatas* (L.)] pest newly introduced into Puerto Rico, 92 (1-2), 115. (Spanish)

Tabebuia spp. (See Oaks)

Thrips

Insecticides and populations of *Thrips tabaci* (Lindermann) and *Liriomyza trifolii* (Burgess) in onions, 92 (1-2), 87. (Spanish)

Populations and seasonal abundance of Thysanoptera: Thripidae in flowers of cooking peppers, 92 (1-2), 103. (Spanish)

Frankliniella occidentalis, *F. schultzei* and *F. fusca* (Thysanoptera: Thripidae) in Puerto Rico, 92 (1-2), 107.

Gynaikothrips uzeli Zimmerman (Thysanoptera: Phlaeothripidae) and *Montandoniola moraguezi* Puton (Hemiptera: Anthocoridae): New record in Puerto Rico, 92 (1-2), 111. (Spanish)

Holopothrips tabebuia sp.n. Cabrera & Segarra (Thysanoptera: Phlaeothripidae) in *Tabebuia heterophylla* and *Tabebuia aurea* in Puerto Rico, 92 (3-4), 225. (Spanish)

Tilapia fish silage

Intake and nutrient digestibility of tropical grasses and legume hay supplemented with, 92 (1-2), 27. (Spanish)

Tissue culture

Morphoanatomic changes in shoot and root apices of banana Williams (AAA, *Musa* sp.) cultured on different N⁶-benzyladenine concentrations, 92 (1-2), 53. (Spanish)

Tomato

Weed hosts for white flies in tomato plantings in southern Puerto Rico, 92 (3-4), 231. (Spanish)

Turfgrass

Nitrate leaching under different levels of irrigation for three turfgrasses in southern Puerto Rico, 92 (3-4), 135.

Virkki, N. E.

Cytogeneticist: In Memoriam (1924-2005), 92 (3-4), 245.

Water balance

Nitrate leaching under different levels of irrigation for three turfgrasses in southern Puerto Rico, 92 (3-4), 135.

Water quality

Effectiveness of grass filter strips for runoff nutrient and sediment reduction in dairy sludge-amended pastures, 92 (1-2), 1.

Weeds

Hosts for white flies in tomato plantings in southern Puerto Rico, 92 (3-4), 231. (Spanish)

White flies

Weed hosts for, in tomato plantings in southern Puerto Rico, 92 (3-4), 231 (Spanish)