Index to volume 99 (2015)

SUBJECTS

J. Agric. Univ. P.R. 99 (2):191-194 (2015)

Anthelmintic, resitance

Use of larval migration inhibition assay for the evaluation of anthelmintic resistance in dairy heifers in Puerto Rico, 99 (2), 117.

Aromatase

Expression of pregnancy-specific beta-1-glycoprotein, aromatase and nitric oxide synthase in bovine sperm, 99 (1), 1.

Bacterial endophytes

Effect of shade and season on bacterial endophytes isolated from coffee (*Coffea arabica*) trees in Puerto Rico, 99 (1), 37.

Beef cattle

Effect of polymorphisms in the µ-calpain and calpastatin genes on economically important traits of beef cattle in Puerto Rico, 99 (2), 87. (Spanish)

Segregation of polymorphisms in µ-calpain and calpastatin in beef cattle in Puerto Rico, 99 (2), 105. (Spanish)

Beta-1-glycoprotein

Expression of pregnancy-specific beta-1-glycoprotein, aromatase and nitric oxide synthase in bovine sperm, 99 (1), 1.

Bovines

Expression of pregnancy-specific beta-1-glycoprotein, aromatase and nitric oxide synthase in bovine sperm, 99 (1), 1.

Calliandra calothyrsus

Effect of the physical form of the tropical legumes Cratylia argentea (Desv.) Kuntze, Calliandra calothyrsus Meisn., and Leucaena leucocephala (Lam. de Wit) on selective consumption by lambs, 98 (2), 179.

Calpastatin, µ-calpain genes

Effect of polymorphisms in the µ-calpain and calpastatin genes on economically important traits of beef cattle in Puerto Rico, 99 (2), 87. (Spanish)

Segregation of polymorphisms in µ-calpain and calpastatin in beef cattle in Puerto Rico, 99 (2), 105. (Spanish)

Coffea arabica L. (See Coffee)

Coffee

Effect of shade and season on bacterial endophytes isolated from coffee (*Coffea arabica*) trees in Puerto Rico, 99 (1), 37.

Spatial distribution of coffee trees (Coffea arabica L.) potentially diseased with coffee leaf scorch caused by Xylella fastidiosa in Puerto Rico, 99 (2), 157. (Spanish)

Coffee leaf scorch

Spatial distribution of coffee trees (Coffea arabica L.) potentially diseased with coffee leaf scorch caused by Xylella fastidiosa in Puerto Rico, 99 (2), 157. (Spanish)

Cover crop

Soil microbial communities as affected by a commercial organic fertilizer and Sunn hemp as a cover crop in organic sweet pepper production in Puerto Rico, 99 (1), 53.

Cratylia argentea

Effect of the physical form of the tropical legumes Cratylia argentea (Desv.)
Kuntze, Calliandra calothyrsus
Meisn., and Leucaena leucocephala (Lam. de Wit) on selective consumption by lambs, 98 (2), 179.

Dairy cattle

Correlation of hair length and width with genetic potential for productive traits in Puerto Rican Holstein cattle, 99 (1), 13.

Prevalence of postpartum subclinical endometritis in three dairy farms of Puerto Rico, 99 (2), 125. (Spanish)

Use of larval migration inhibition assay for the evaluation of anthelmintic resistance in dairy heifers in Puerto Rico, 99 (2), 117.

Endometritis

Prevalence of postpartum subclinical endometritis in three dairy farms of Puerto Rico, 99 (2), 125. (Spanish)

Fertilizer, organic

Soil microbial communities as affected by a commercial organic fertilizer and Sunn hemp as a cover crop in organic sweet pepper production in Puerto Rico, 99 (1), 53.

Forage

Biomass and nutritive value of forage soybean lines [Glycine max L. (Merr.)] in northwestern Puerto Rico, 99 (1), 19.

Effects of seeding density, cutting height and month of harvest on the dry matter yield and protein content of Ubon Stylo, 99 (2), 147, (Spanish)

Seeding rates of Ubon Stylo (Stylosanthes guianensis) on density of plant population, growth and dry matter yield, 99 (2), 135. (Spanish)

Genetic potential, dairy cattle

Correlation of hair length and width with genetic potential for productive traits in Puerto Rican Holstein cattle, 99 (1), 13.

Herbicide

Use of clomazone in plantain (Musa acuminata), 99 (1), 59.

Holstein cattle

Correlation of hair length and width with genetic potential for productive traits in Puerto Rican Holstein cattle, 99 (1), 13.

Legumes, tropical

Effect of the physical form of the tropical legumes Cratylia argentea (Desv.) Kuntze, Calliandra calothyrsus Meisn., and Leucaena leucocephala (Lam. de Wit) on selective consumption by lambs, 98 (2), 179.

Leucaena leucocephala

Effect of the physical form of the tropical legumes Cratylia argentea (Desv.) Kuntze, Calliandra calothyrsus Meisn., and Leucaena leucocephala (Lam. de Wit) on selective consumption by lambs, 98 (2), 179.

Insects

New records for stink bugs (Heteroptera: Pentatomidae) in Puerto Rico, 99 (2), 167.

Musa acuminata (See Plantain)

Nitric oxide synthase

Expression of pregnancy-specific beta-1-glycoprotein, aromatase and nitric oxide synthase in bovine sperm, 99 (1), 1.

Numeric nutrient criteria

Nutrient levels associated with ecological thresholds of impairment: An approach to estimate numeric nutrient criteria for reservoirs of Puerto Rico, 99 (2), 63.

Organic fertilizer

Soil microbial communities as affected by a commercial organic fertilizer and Sunn hemp as a cover crop in organic sweet pepper production in Puerto Rico, 99 (1), 53.

Pentatomidae

New records for stink bugs (Heteroptera: Pentatomidae) in Puerto Rico, 99 (2), 167.

Pepper, sweet

by a communities as affected by a commercial organic fertilizer and Sunn hemp as a cover crop in organic sweet pepper production in Puerto Rico, 99 (1), 53.

Plantain

Behavior of plantain clones Maricongo and FHIA 21 under the presence of black Sigatoka at the humid uplands of Puerto Rico, 98 (1), 21. (Spanish)

Use of clomazone in plantain (Musa acuminata), 99 (1), 59.

Polymorphisms

Effect of polymorphisms in the u-calpain and calpastatin genes on economically important traits of beef cattle in Puerto Rico, 99 (2), 87. (Spanish)

Segregation of polymorphisms in µ-calpain and calpastatin in beef cattle in Puerto Rico, 99 (2), 105. (Spanish)

Puerto Rico

Biomass and nutritive value of forage soybean lines [Glycine max L. (Merr.)] in northwestern Puerto Rico, 99 (1), 19.

Correlation of hair length and width with genetic potential for productive traits in Puerto Rican Holstein cattle, 99 (1), 13.

Effect of polymorphisms in the µ-calpain and calpastatin genes on economically important traits of beef cattle in Puerto Rico, 99 (2), 87. (Spanish)

Effect of shade and season on bacterial endophytes isolated from coffee (Coffea arabica) trees in Puerto Rico, 99 (1), 37.

New records for stink bugs (Heteroptera: Pentatomidae) in Puerto Rico, 99 (2), 167.

Nutrient levels associated with ecological thresholds of impairment: An approach to estimate numeric nutrient criteria for reservoirs of Puerto Rico, 99 (2), 63.

Prevalence of postpartum subclinical endometritis in three dairy farms of Puerto Rico, 99 (2), 125. (Spanish)

Segregation of polymorphisms in µ-calpain and calpastatin in beef cattle in Puerto Rico, 99 (2), 105. (Spanish)

Soil microbial communities as affected by a commercial organic fertilizer and Sunn hemp as a cover crop in organic sweet pepper production in Puerto Rico, 99 (1), 53.

Spatial distribution of coffee trees (Coffea arabica L.) potentially diseased with coffee leaf scorch caused by Xylella fastidiosa in Puerto Rico, 99 (2), 157. (Spanish)

Use of larval migration inhibition assay for the evaluation of anthelmintic resistance in dairy heifers in Puerto Rico, 99 (2), 117.

Reservoirs, Puerto Rico

Nutrient levels associated with ecological thresholds of impairment:
An approach to estimate numeric nutrient criteria for reservoirs of Puerto Rico, 99 (2), 63.

Sheep

Effect of the physical form of the tropical legumes Cratylia argentea (Desv.) Kuntze, Calliandra calothyrsus Meisn., and Leucaena leucocephala (Lam. de Wit) on selective consumption by lambs, 98 (2), 179.

Soil, microbial communities

Soil microbial communities as affected by a commercial organic fertilizer and Sunn hemp as a cover crop in organic sweet pepper production in Puerto Rico, 99 (1), 53.

Soybeans

Biomass and nutritive value of forage soybean lines [Glycine max L. (Merr.)] in northwestern Puerto Rico, 99 (1), 19.

Sperm, bovine

Expression of pregnancy-specific beta-1-glycoprotein, aromatase and nitric oxide synthase in bovine sperm, 99 (1), 1.

Stink bugs

New records for stink bugs (Heteroptera: Pentatomidae) in Puerto Rico, 99 (2), 167.

Stylosanthes guianensis

Effects of seeding density, cutting height and month of harvest on the dry matter yield and protein content of Ubon Stylo, 99 (2), 147. (Spanish)

Seeding rates of Ubon Stylo (Stylosanthes guianensis) on density of plant population, growth and dry matter yield, 99 (2), 135. (Spanish) Sunn Hemp

Soil microbial communities as affected by a commercial organic fertilizer and Sunn hemp as a cover crop in organic sweet pepper production in Puerto Rico, 99 (1), 53.

Xylella fastidiosa

Spatial distribution of coffee trees (Coffea arabica L.) potentially diseased with coffee leaf scorch caused by Xylella fastidiosa in Puerto Rico, 99 (2), 157. (Spanish)

Water, nutrient levels

Nutrient levels associated with ecological thresholds of impairment:
An approach to estimate numeric nutrient criteria for reservoirs of Puerto Rico, 99 (2), 63.

ERRATA

In: Negrete, A., E. Valencia-Chin and V. Acosta-Martínez, 2015. Soil microbial communities as affected by a commercial organic fertilizer and Sunn Hemp as a cover crop in organic sweet pepper production in Puerto Rico. J. Agric. Univ. P.R. 99(1): 53-57.

Page 53-Addition to footnote #5

"Additionally, USDA is an equal opportunity provider and employer. Mention of trade names or commercial products in this publication is solely for the purpose of providing specific information and does not imply recommendation or endorsement by the U.S. Department of Agriculture."