

INDEX TO VOLUME 86 (2002)

SUBJECTS

J. Agric. Univ. P. R. 86 (3-4): 189-191 (2002)

- Algal leaf spot
On longan trees, 86 (1-2), 65.
- Anthraxnose
Hypovirulent isolates of *Colletotrichum gloeosporioides* induce resistance to, in mango fruits and seedlings, 86 (1-2), 55.
- Banana
Nitrogen fertilization in, on a highly weathered soil, 86 (1-2), 15.
- Bean
Heterodera glycines race 2 and the yield of common, 86 (3-4), 117.
- Biography
Luis Felipe Martorell-Dávila, 86 (1-2), 85. (Spanish)
- 'Calabaza'
Clomazone and oxyfluorfen as preplant herbicides for *Cucurbita moschata*, 86 (1-2), 73.
- Cajanus cajan* (See Pigeon pea)
- Capsicum annuum* (See Pepper, sweet)
- Cassava
Short season genotypes, 86 (3-4), 159. (Spanish)
Yield performance of introduced clones in an Ultisol, 86 (1-2), 27.
- Cephaloceros virescens* (See Algal leaf spot)
- Citrus, Orlando tangelo
Production, fruit quality and growth, in five rootstocks, 86 (3-4), 131. (Spanish)
- Climatology
Estimating evapotranspiration in Puerto Rico, 86 (1-2), 35.
- Coffea arabica* (See Coffee)
- Coffee, plantations
Weed suppression and soil erosion control by living mulches, 86 (3-4), 155.
- Colletotrichum gloeosporioides* (See Anthracnose)
- Colocasia esculenta* var. *antiquorum* (See Eddoe)
- Compost, sewage sludge
Weed incidence after application of, 86 (1-2), 67.
- Contamination, water body
Development of numeric nutrient criteria for lakes in Puerto Rico, 86 (3-4), 139.
- Copper
Plasma selenium and, in dairy cattle, 86 (3-4), 179.
- Crop nutrient requirement
Interpretations of field fertility research on Solanaceae, 86 (3-4), 95.
- Crop rotation
Of tomato with *Mucuna*, 86 (1-2), 81.
Of yam cultivars for the control of dry-rot disease, 86 (3-4), 123.
- Crop, water use
Estimating evapotranspiration in Puerto Rico, 86 (1-2), 35.
- Cucurbita moschata* (See 'Calabaza')
- Dairy cattle
Aroma and flavor enhancers in a liquid feed supplement containing liquid streptomycetes solubles, 86 (3-4), 173.
Plasma selenium and copper in, 86 (3-4), 179.
- Dimocarpus longan* (See Longan tree)
- Dioscorea* spp. (See Yam)
- Dry-rot, disease
Rotation of yam cultivars for the control of, 86 (3-4), 123.
- Eddoe
Potential crop in Puerto Rico, 86 (1-2), 77. (Spanish)
- Eggplant
Interpretations of field fertility research on Solanaceae, 86 (3-4), 95.
- Erosion control
Weed suppression and, by living mulches on upland coffee plantations, 86 (3-4), 155.

- Eutrophication
 Development of numeric nutrient criteria for lakes in Puerto Rico, 86 (3-4), 139.
- Evapotranspiration
 Estimation of, in Puerto Rico, 86 (1-2), 35.
- Feed, supplement
 Aroma and flavor enhancers in, containing liquid streptomyces solubles, 86 (3-4), 173.
- Fertilization (See also Soil fertility)
 Application of the Caribbean P Index to soils receiving organic amendments, 86 (3-4), 145.
 Interpretations of field fertility research on Solanaceae, 86 (3-4), 95.
 Nitrogen fertilization in banana grown on a highly weathered soil, 86 (1-2), 15.
- Growth regulator, mix
 Reduces leaf lesions on pepper, 86 (3-4), 163.
- Herbicide
 Clomazone and oxyfluorfen applied preplant, in *Cucurbita moschata*, 86 (1-2), 73.
 Response of pigeon pea to prometryn, metribuzin and imazethapyr, 86 (1-2), 69.
- Heterodera glycines*, race 2 (See Soybean cyst nematode)
- Hypovirulence
 Isolates of *Colletotrichum gloeosporioides* induce resistance to anthracnose in mango fruits and seedlings, 86 (1-2), 55.
- Leaf lesions
 Growth regulator mix reduces, on pepper, 86 (3-4), 163.
- Lesion nematode
 Rotation of cultivars for the control of dry-rot disease, 86 (3-4), 123.
 Yam treatment during storage to control, 86 (3-4), 169. (Spanish)
- Longan tree
 Algal leaf spot on, 86 (1-2), 65.
- Lycopersicon esculentum* (See Tomato)
- Magnesium
 Factors affecting availability to plantains in highly weathered soils, 86 (1-2), 1.
- Mangifera indica* (See Mango)
- Mango
 Hypovirulent isolates of *Colletotrichum gloeosporioides* induce resistance to anthracnose in, 86 (1-2), 55.
- Manihot esculenta* (See Cassava)
- Mucuna
 Tomato yields and economic benefits of, incorporated, 86 (1-2), 81.
- Mucuna deeringiana* (See Mucuna)
- Mulch, living
 Weed suppression and soil erosion control by, on upland coffee plantations 86 (3-4), 155.
- Musa acuminata* (See Banana)
- Musa spp. (See Plantain)
- Nematicide
 Aldicarb, for the control of lesion nematode in yam, 86 (3-4), 123.
 Oxamil, yam seed treatment during storage to control lesion nematode, 86 (3-4), 169. (Spanish)
- Nematode
 Lesion nematode incidence, and rotation of yam cultivars, 86 (3-4), 123.
 Lesion nematode, yam seed treatment during storage to control, 86 (3-4), 169. (Spanish)
 Soybean cyst nematode, yield of common bean, and, 86 (3-4), 117.
- Nitrogen
 Fertilization, in banana grown on a highly weathered soil, 86 (1-2), 15.
- Nutrient criteria, numeric
 Development of, for lakes in Puerto Rico, 86 (3-4), 139.
- Organic, amendments
 Application of the Caribbean P Index to soils receiving, 86 (3-4), 145.
- Palatability, cow feed
 Aroma and flavor enhancers in a liquid feed supplement containing liquid streptomyces solubles, 86 (3-4), 173.
- Penman-Monteith, method
 For estimating evapotranspiration in Puerto Rico, 86 (1-2), 35.
- Pepper, sweet
 Growth regulator mix reduces leaf lesions on, 86 (3-4), 163.
 Interpretations of field fertility research on Solanaceae, 86 (3-4), 95.

- Phosphorus
Application of the Caribbean P Index to soils receiving organic amendments, 86 (3-4), 145.
- P Index, Caribbean
Application of the, to soils receiving organic amendments, 86 (3-4), 145.
- Phaseolus vulgaris* L. (See Bean)
- Pigeon pea
Response of, to prometryn, metribuzin and imazethapyr, 86 (1-2), 69.
- Plantains
Factors affecting magnesium availability to, in highly weathered soils, 86 (1-2), 1.
- Pratylenchus coffeae* (See Lesion nematode)
- Rootstocks
Production, fruit quality and growth of Orlando tangelo in five rootstocks, 86 (3-4), 131. (Spanish)
- Rotation (See Crop rotation)
- Selenium
Plasma copper and, in dairy cattle, 86 (3-4), 179.
- Sludge, sewage
Weed incidence after application of compost, 86 (1-2), 67.
- Soil, fertility
Factors affecting magnesium availability to plantains in highly weathered soils, 86 (1-2), 1.
- Solanaceae
Interpretations of field fertility research on, 86 (3-4), 95.
- Solanum melongena* (See Eggplant)
- Soybean cyst nematode
Yield of common bean, and, 86 (3-4), 117.
- Streptomyces solubles
Aroma and flavor enhancers in a liquid feed supplement containing liquid, 86 (3-4), 173.
- Tomato
Interpretations of field fertility research on Solanaceae, 86 (3-4), 95.
Yield response of, when in rotation with *Mucuna deeringiana*, 86 (1-2), 81.
- Ultisol
Yield performance of introduced cassava clones in an, 86 (1-2), 27.
- Water quality
Development of numeric nutrient criteria for lakes in Puerto Rico, 86 (3-4), 139.
- Weathered soils
Factors affecting magnesium availability to plantains in, 86 (1-2), 1.
Nitrogen fertilization in banana grown on, 86 (1-2), 15.
- Weed, incidence
After application of sewage sludge compost, 86 (1-2), 67.
- Weed, suppression
Soil erosion control and, by living mulches on upland coffee plantations, 86 (3-4), 155.
- Xanthomonas campestris* pv. *vesicatoria*
Growth regulator mix reduces leaf lesions on peppers caused by, 86 (3-4), 163.
- Yam
Rotation of cultivars for the control of dry-rot disease, 86 (3-4), 123.
Seed treatment during storage to control lesion nematode, 86 (3-4), 169. (Spanish)