

# INDEX TO VOLUME 89 (2005)

## AUTHORS<sup>1</sup>

J. Agric. Univ. P.R. 89(3-4):271-274 (2005)

### Arocho, L. A.

\*2005, Rol patogénico de la micoflora asociada a las manchas de las frutas de café, 89 (1-2), 85.

### Bastidas, H.

2005, Development of *Tibraca obscurata* and *Tibraca limbativentris* (Hemiptera: Pentatomidae) in rice in southwestern Colombia, 89 (3-4), 221.

### Beaver, J. S.

\*2005, Liberación del cultivar de frijol [*Vigna unguiculata* L. (Walp.)] 'Gorda', 89 (3-4), 267 (C & GR).

### Betancourt, C.

2005, Rol patogénico de la micoflora asociada a las manchas de las frutas de café, 89 (1-2), 85.

### Blount, A. R.

2005, Potential for year-round forage production in Puerto Rico and St. Croix, 89 (3-4), 133.

### Ciomperlik, M. A.

\*2005, Establishment and distribution of exotic biological control agents for silverleaf whitefly in Puerto Rico, 89 (1-2), 67.

### Cortés, M.

\*2005, Importancia del control de garrapatas en Puerto Rico, 89 (1-2), 59.

\*2005, Estimados de la elasticidad de la oferta para el cultivo de guineo en Puerto Rico, 89 (3-4), 181.

### Cruz-Castillo, J. G.

2005, Raw coffee processing yield affected more by cultivar than by harvest date, 89 (3-4), 169.

### De la Torre, W.

2005, Gibberellic acid, paclobutrazol, fluridone, abscisic acid affecting flowering and fruit set of coffee, 89 (3-4), 159.

### Díaz, M. del P.

2005, Dietetic supplementation of weanling piglets with caramel plant wastewater: growth and components of the insulin-like growth factor axis, 89 (3-4), 123.

### Duque, M. C.

2005, Development of *Tibraca obscurata* and *Tibraca limbativentris* (Hemiptera: Pentatomidae) in rice in southwestern Colombia, 89 (3-4), 221.

### Espinosa-Solares, T.

\*2005, Raw coffee processing yield affected more by cultivar than by harvest date, 89 (3-4), 169.

### Figueroa, L.

\*2005, Preferencia alimentaria del pega-pega de la remolacha (*Spoladea recurvalis* F.) (Lepidoptera: Pyralidae) por *Trianthema portulacastrum* L. (Aizoaceae) y otros posibles hospederos en Puerto Rico, 89 (3-4), 211.

### Flores, C. A.

\*2005, Gibberellic acid, paclobutrazol, fluridone, abscisic acid affecting flowering and fruit set of coffee, 89 (3-4), 159.

2005, Liberación del cultivar de frijol [*Vigna unguiculata* L. (Walp.)] 'Gorda', 89 (3-4), 267.

<sup>1</sup>An author's name may appear in more than one form. Although all first names are abbreviated, an author may appear with one or two initials. Last names may appear single or compound. When compound, they are hyphenated regardless of how they appear in the original. Alphabetically, names with a single initial precede two-initial ones (Y. Badillo precedes Y. A. Badillo); single names precede hyphenated ones (Abreu, Z., precedes Abreu-Abadía, A.). Articles under one name are organized chronologically; those in number 1 precede those in number 2 and those on page 1 precede those on page 2).

**Gabriel, N.**

2005, Establishment and distribution of exotic biological control agents for silverleaf whitefly in Puerto Rico, 89 (1-2), 67.

**Gallardo-Covas, F.**

/2005, Parasitoids of *Pseudoplusia includens* Walker (Lepidoptera: Noctuidae) larvae on the south coast of Puerto Rico, 89 (1-2), 119 (RN).

**García, C.**

2005, Development of *Tibraca obscurata* and *Tibraca limbativentris* (Hemiptera: Pentatomidae) in rice in southwestern Colombia, 89 (3-4), 221.

**Goenaga, R.**

\*2005, Growth and nutrient uptake of mangosteen grown under shade levels, 89 (3-4), 149.

**González, A.**

/2005, Caracterización y reacción natural a la Sigatoka amarilla (*Mycosphaerella musicola*) de cuatro clones de guineos exóticos, 89 (3-4), 193.

**González, L.**

2005, Preferencia alimentaria del pega-pega de la remolacha (*Spoladea recurvalis* F.) (Lepidoptera: Pyralidae) por *Trianthema portulacastrum* L. (Aizoaceae) y otros posibles hospederos en Puerto Rico, 89 (3-4), 211.

**González, W.**

2005, Gibberellic acid, paclobutrazol, fluoridone, abscisic acid affecting flowering and fruit set of coffee, 89 (3-4), 159.

**González-Pérez, A. L.**

2005, Computer program for estimating crop evapotranspiration in Puerto Rico, 89 (1-2), 107 (RN).

**González-Rodríguez, Á. L.**

2005, Preferencia alimentaria del pega-pega de la remolacha (*Spoladea recurvalis* F.) (Lepidoptera: Pyralidae) por *Trianthema portulacastrum* L. (Aizoaceae) y otros posibles hospederos en Puerto Rico, 89 (3-4), 211.

**Harmsen, E. W.**

\*2005, Computer program for estimating crop evapotranspiration in Puerto Rico, 89 (1-2), 107 (RN).

**Hernández-Castro, E.**

\*2005, Extractos de neem en el comportamiento de *Aphis nerii* y la transmisión del virus de la mancha anular del papayo, 89 (1-2), 75.

**Hernández-Montes, A.**

2005, Raw coffee processing yield affected more by cultivar than by harvest date, 89 (3-4), 169.

**Jiménez, E.**

\*2005, Efecto de la adición dietética de aguas residuales de una planta productora de caramelo sobre el desempeño y características de canal en cerdos, 89 (1-2), 23.

**Lugo, M. de L.**

2005, Potential for year-round forage production in Puerto Rico and St. Croix, 89 (3-4), 133.

**Monroig, M.**

2005, Gibberellic acid, paclobutrazol, fluoridone, abscisic acid affecting flowering and fruit set of coffee, 89 (3-4), 159.

**Montesinos-López, O. A.**

2005, Raw coffee processing yield affected more by cultivar than by harvest date, 89 (3-4), 169.

**Newman, Y. C.**

2005, Potential for year-round forage production in Puerto Rico and St. Croix, 89 (3-4), 133.

**Nieves-Rivera, Á. M.**

\*2005, Aquatic fungi from estuaries in Puerto Rico: Mouth of the Manatí River, 89 (1-2), 97.

**Ojeda-Ramírez, M. M.**

2005, Extractos de neem en el comportamiento de *Aphis nerii* y la transmisión del virus de la mancha anular del papayo, 89 (1-2), 75.

**Ortiz, J.**

2005, *Mucuna deeringiana* (Bort) Merr. y el picudo del cormo, *Cosmopolites sordidus* Germar (Coleoptera: Curculionidae), en plátano, 89 (3-4), 201.

**Pagán, M.**

- \*2005, Dietetic supplementation of weanling piglets with caramel plant wastewater: growth and components of the insulin-like growth factor axis, 89 (3-4), 123.

**Pantoja, A.**

- 2005, Importancia del control de garrapatas en Puerto Rico, 89 (1-2), 59.
- \*2005, Establishment and distribution of exotic biological control agents for silverleaf whitefly in Puerto Rico, 89 (1-2), 67.
- 2005, *Mucuna deeringiana* (Bort) Merr. y el picudo del cormo, *Cosmopolites sordidus* Germar (Coleoptera: Curculionidae), en plátano, 89 (3-4), 201.
- \*2005, Development of *Tibraca obscurata* and *Tibraca limbativentris* (Hemiptera: Pentatomidae) in rice in southwestern Colombia, 89 (3-4), 221.

**Pantoja, J.**

- \*2005, Responses to inclusion of fat of different saturation degrees in concentrates offered to lactating grazing cows, 89 (1-2), 39.
- 2005, Importancia del control de garrapatas en Puerto Rico, 89 (1-2), 59.

**Pantoja-Dávila, Y.**

- \*2005, Evaluation of dried liquid streptomycetes solubles as a ruminant feed, 89 (1-2), 115 (RN).

**Parés, H. M.**

- 2005, Evaluación de suero de leche hidratado/fermentado como aditivo para ensilaje de gramíneas tropicales, 89 (1-2), 1.

**Pérez-Muñoz, F.**

- 2005, Evaluación de suero de leche hidratado/fermentado como aditivo para ensilaje de gramíneas tropicales, 89 (1-2), 1.

**Randel, P.**

- 2005, Responses to inclusion of fat of different saturation degrees in concentrates offered to lactating grazing cows, 89 (1-2), 39.

**Randel, P. F.**

- \*2005, Comparison of concentrate feeds with different levels of SynerMax® inclusion for dairy cows, 89 (1-2), 51.
- 2005, Evaluation of dried liquid streptomycetes solubles as a ruminant feed, 89 (1-2), 115 (RN).

**Rivera, E.**

- 2005, Growth and nutrient uptake of mangosteen grown under shade levels, 89 (3-4), 149.

**Robles, W.**

- 2005, Importancia del control de garrapatas en Puerto Rico, 89 (1-2), 59.
- 2005, Establishment and distribution of exotic biological control agents for silverleaf whitefly in Puerto Rico, 89 (1-2), 67.

**Rodríguez, A. A.**

- \*2005, Evaluación de suero de leche hidratado/fermentado como aditivo para ensilaje de gramíneas tropicales, 89 (1-2), 1.
- 2005, Efecto de la adición dietética de aguas residuales de una planta productora de caramelo sobre el desempeño y características de canal en cerdos, 89 (1-2), 23.
- 2005, Dietetic supplementation of weanling piglets with caramel plant wastewater: growth and components of the insulin-like growth factor axis, 89 (3-4), 123.

**Rodríguez, R. del P.**

- 2005, Rol patogénico de la microflora asociada a las manchas de las frutas de café, 89 (1-2), 85.
- /2005, Comparative variation of *Phoma medicaginis* Malbr. & Roum. var. *medicaginis* Boerema for cultural characteristics and virulence to roots and crowns of alfalfa, 89 (3-4), 229.
- /2005, Pathological anatomy of the upper taproot and stems of alfalfa afflicted with crown rot induced by *Phoma medicaginis* Malbr. & Roum. var. *medicaginis* Boerema, 89 (3-4), 243.

- /2005, Histological studies on the development of Phoma root rot of alfalfa, 89 (3-4), 251.
- Rodríguez-Lagunes, D. A.**  
2005, Extractos de neem en el comportamiento de *Aphis nerii* y la transmisión del virus de la mancha anular del papayo, 89 (1-2), 75.
- Ruiz, T.**  
2005, Responses to inclusion of fat of different saturation degrees in concentrates offered to lactating grazing cows, 89 (1-2), 39.
- Salazar, A.**  
\*2005, *Mucuna deeringiana* (Bort) Merr. y el picudo del cormo, *Cosmopolites sordidus* Germar (Coleoptera: Curculionidae), en plátano, 89 (3-4), 201.
- Santana, C.**  
2005, Dietetic supplementation of weanling piglets with caramel plant wastewater: growth and components of the insulin-like growth factor axis, 89 (3-4), 123.
- Santana-Nieves, C. S.**  
2005, Efecto de la adición dietética de aguas residuales de una planta productora de caramelo sobre el desempeño y características de canal en cerdos, 89 (1-2), 23.
- Santos-Flores, C. J.**  
2005, Aquatic fungi from estuaries in Puerto Rico: Mouth of the Manatí River, 89 (1-2), 97.
- Semidey, N.**  
2005, Preferencia alimentaria del pegasa de la remolacha (*Spoladea recurvalis* F.) (Lepidoptera: Pyralidae) por *Trianthema portulacastrum* L. (Aizoaceae) y otros posibles hospederos en Puerto Rico, 89 (3-4), 211.
- Sinclair, T. R.**  
\*2005, Potential for year-round forage production in Puerto Rico and St. Croix, 89 (3-4), 133.
- Soltero, M. de los M.**  
2005, Dietetic supplementation of weanling piglets with caramel plant wastewater: growth and components of the insulin-like growth factor axis, 89 (3-4), 123.
- Triana, M.**  
2005, Development of *Tibraca obscurata* and *Tibraca limbativentris* (Hemiptera: Pentatomidae) in rice in southwestern Colombia, 89 (3-4), 221.
- Utrera-Landa, V.**  
2005, Extractos de neem en el comportamiento de *Aphis nerii* y la transmisión del virus de la mancha anular del papayo, 89 (1-2), 75.
- Valencia, E.**  
2005, Potential for year-round forage production in Puerto Rico and St. Croix, 89 (3-4), 133.
- Vázquez, P.**  
2005, Establishment and distribution of exotic biological control agents for silverleaf whitefly in Puerto Rico, 89 (1-2), 67.
- Villagómez, R.**  
2005, Estimados de la elasticidad de la oferta para el cultivo de guineo en Puerto Rico, 89 (3-4), 181.
- Villanueva-Jiménez, J. A.**  
2005, Extractos de neem en el comportamiento de *Aphis nerii* y la transmisión del virus de la mancha anular del papayo, 89 (1-2), 75.
- Wessel-Beaver, L.**  
/2005, Release of 'Soler' tropical pumpkin, 89 (3-4), 263 (C & GR).
- Wiscovitch, L.**  
2005, Establishment and distribution of exotic biological control agents for silverleaf whitefly in Puerto Rico, 89 (1-2), 67.