INDEX TO VOLUME 93 (2009)

SUBJECTS

J. Agric. Univ. P.R. 93 (3-4):317-321 (2009)

Abruña-Rodríguez, F.

In Memoriam, 93 (3-4), 301. (Spanish) Anemia

FAMACHA© as a tool to detect, in meat goats in Puerto Rico, 93 (1-2), 61. (Spanish)

Anthracnose

Response to anthracnose infection for a subset of Ethiopian sorghum germplasm, 93 (3-4), 195.

Asian soybean rust

Monitoring Phakopsora rust in Puerto Rico, 92 (3-4), 125.

Avocado

Evaluation of microirrigation levels for growth and productivity of avocado trees, 93 (3-4), 173.

Bacteria

Bacterial diversity in potential cicadellids vectors of *Xylella fastidiosa* Wells et al. in coffee plants in Puerto Rico, 93 (1-2), 101. (Spanish)

Banana

Distribution of Black Sigatoka (*My-cosphaerella fijensis*) in Puerto Rico, 93(3-4), 269. (Spanish)

Beetles

Structure of the beetle fauna (Insecta: Coleoptera) in forest remnants of western Puerto Rico, 93 (1-2), 83.

Biodiversity

Structure of the beetle fauna (Insecta: Coleoptera) in forest remnants of western Puerto Rico, 93 (1-2), 83.

Black Sigatoka

Distribution of, in Puerto Rico, 93(3-4), 269. (Spanish)

Calliandra

Calliandra calothyrsus supplementation effects on weight gain and efficacy of control of gastrointestinal nematodes in weanling goats, 93 (1-2), 51.

Capsicum chinense (See Sweet pepper)

CC traps

A survey of insect populations in *Capsicum chinense* L. plantings in Georgetown, St. Vincent, using modified CC traps, 93 (3-4), 207.

Citrus

Performance of chironja (clone 2-4) on five rootstocks after eight years of growth in two zones of Puerto Rico, 93 (3-4), 187.

Citrus Tristeza Virus

Performance of chironja (clone 2-4) on five rootstocks after eight years of growth in two zones of Puerto Rico, 93 (3-4), 187.

Cladosporium tenuissimum

Causing leaf spots in taro: A new disease in Puerto Rico, 93 (1-2), 123.

Clitoria

Voluntary intake and digestibility of guineagrass (*Panicum maximum*, Jacq.)-clitoria (*Clitoria ternatea* L Dne.) hay and rhodesgrass (*Chloris gayana*, Kunth) cv. Callide hay fed to sheep, 93 (1-2), 41. (Spanish)

Coffea arabica (See Coffee)

Coffee

- Bacterial diversity in potential cicadellids vectors of *Xylella fastidiosa* Wells et al. in coffee plants in Puerto Rico, 93 (1-2), 101. (Spanish)
- Host instar preference of *Mirax insularis* (Muesebeck) (Hymenoptera: Braconidae), a koinobiont parasitoid of *Leucoptera coffeella* Guerin-Ménéville (Lepidoptera: Lyonetiidae), 93 (3-4), 139.
- Colletotrichum sublineolum (See Anthracnose)

Colocasia esculenta (See Taro)

Compost

Quality evaluation of slaughterhouse waste compost, 93 (3-4), 223. Consumer preferences

- Descriptive analysis of, for root and tuber crops in Puerto Rico, 93 (3-4), 273. (Spanish)
- Consumer testing of commercial medium grain rice varieties, 93 (3-4), 277.

Dairy farms

- Evidence for excess dietary phosphorus on dairy farms with rotational grazing of tropical grasses, 93 (1-2), 23.
- The proposed reduction in the upper limit of somatic cell counts in raw milk and its effect on the milk industry in Puerto Rico, 93 (3-4), 239. (Spanish)

Dichlorvos

A survey of insect populations in *Capsicum chinense* L. plantings in Georgetown, St. Vincent, using modified CC traps, 93 (3-4), 207.

Diseases, plant

- Behavior of five plantain clones (*Musa* AAB) grown without Yellow Sigatoka (*Mycosphaerella musicola* Leach) control, 93 (3-4), 263. (Spanish)
- Cladosporium tenuissimum Cooke causing leaf spots in taro: A new disease in Puerto Rico, 93 (1-2), 123.
- Distribution of Black Sigatoka (Mycosphaerella fijensis) in Puerto Rico, 93(3-4), 269. (Spanish)

Disease evaluation

Response to anthracnose infection for a subset of Ethiopian sorghum germplasm, 93 (3-4), 195.

Evapotranspiration

Evaluation of microirrigation levels for growth and productivity of avocado trees, 93 (3-4), 173.

FAMACHA

- As a tool to detect anemia in meat goats in Puerto Rico, 93 (1-2), 61. (Spanish) Fecal egg count
 - Calliandra calothyrsus supplementation effects on weight gain and efficacy of control of gastrointestinal nematodes in weanling goats, 93 (1-2), 51.

Flow cytometry

Ploidy level and genomic composition of Musa spp. accessions at the USDA- ARS Tropical Agriculture Research Station, 93 (1-2), 1.

Fungi

Distribution of Black Sigatoka (Mycosphaerella fijensis) in Puerto Rico, 93(3-4), 269. (Spanish)

Gastrointestinal nematodes

Calliandra calothyrsus supplementation effects on weight gain and efficacy of control of, in weanling goats, 93 (1-2), 51.

Genetic resources

Response to anthracnose infection for a subset of Ethiopian sorghum germplasm, 93 (3-4), 195.

Goats, meat

FAMACHA© as a tool to detect anemia in meat goats in Puerto Rico, 93 (1-2), 61. (Spanish)

Goats, weanling

Calliandra calothyrsus supplementation effects on weight gain and efficacy of control of gastrointestinal nematodes in weanling goats, 93 (1-2), 51.

Guineagrass

Voluntary intake and digestibility of guineagrass (*Panicum maximum*, Jacq.)-clitoria (*Clitoria ternatea* L Dne.) hay and rhodesgrass (*Chloris* gayana, Kunth) cv. Callide hay fed to sheep, 93 (1-2), 41. (Spanish)

Voluntary intake and digestibility of guineagrass (*Panicum maximum*, Jacq.)-clitoria (*Clitoria ternatea* L Dne.) hay and rhodesgrass (*Chloris* gayana, Kunth) cv. Callide hay fed to sheep, 93 (1-2), 41. (Spanish)

Host plant resistance

Response to anthracnose infection for a subset of Ethiopian sorghum germplasm, 93 (3-4), 195.

Insects

- A survey of insect populations in *Capsicum chinense* L. plantings in Georgetown, St. Vincent, using modified CC traps, 93 (3-4), 207.
- Bacterial diversity in potential cicadellids vectors of *Xylella fastidiosa* Wells et al. in coffee plants in Puerto Rico, 93 (1-2), 101. (Spanish)

Hay

- Host instar preference of *Mirax insularis* (Muesebeck) (Hymenoptera: Braconidae), a koinobiont parasitoid of *Leucoptera coffeella* Guerin-Ménéville (Lepidoptera: Lyonetiidae), 93 (3-4), 139.
- Structure of the beetle fauna (Insecta: Coleoptera) in forest remnants of western Puerto Rico, 93 (1-2), 83.

Isotivity

Soil temperature study in Puerto Rico, 93 (3-4), 149.

Leaf spots

Cladosporium tenuissimum Cooke causing leaf spots in taro: A new disease in Puerto Rico, 93 (1-2), 123.

Leucoptera coffeella

Host instar preference of *Mirax insularis* (Muesebeck) (Hymenoptera: Braconidae), a koinobiont parasitoid of, 93 (3-4), 139.

Lime, Persian

Technological conditions of orchards of Persian lime for the Japanese market in Veracruz, Mexico, 93 (1-2), 143.

Lugo-López, M. A.

In Memoriam, 93 (3-4), 281. (Spanish)

Macrobrachium rosenbergii (See Prawn, freshwater)

Manure

Evidence for excess dietary phosphorus on dairy farms with rotational grazing of tropical grasses, 93 (1-2), 23.

Marketing

Descriptive analysis of consumer preferences for root and tuber crops in Puerto Rico, 93 (3-4), 273. (Spanish)

Microirrigation

Evaluation of microirrigation levels for growth and productivity of avocado trees, 93 (3-4), 173.

Milk production

The proposed reduction in the upper limit of somatic cell counts in raw milk and its effect on the milk industry in Puerto Rico, 93 (3-4), 239. (Spanish)

Mirax insularis

Host instar preference of, a koinobiont parasitoid of Leucoptera coffeella

Guerin-Ménéville (Lepidoptera: Lyonetiidae), 93 (3-4), 139.

- Musa spp. (See Plantain)
- Mycosphaerella fijensis (See Black Sigatoka)
- Mycosphaerella musicola (See Yellow Sigatoka)

Orchards

Technological conditions of orchards of Persian lime for the Japanese market in Veracruz, Mexico, 93 (1-2), 143.

Oryza sativa (See Rice)

Parasitoids

Host instar preference of *Mirax insularis* (Muesebeck) (Hymenoptera: Braconidae), a koinobiont parasitoid of *Leucoptera coffeella* Guerin-Ménéville (Lepidoptera: Lyonetiidae), 93 (3-4), 139.

PCR-RFLP

Ploidy level and genomic composition of *Musa* spp. accessions at the USDA-ARS Tropical Agriculture Research Station, 93 (1-2), 1.

Phosphorus

Evidence for excess dietary phosphorus on dairy farms with rotational grazing of tropical grasses, 93 (1-2), 23.

Phakopsora

Monitoring Phakopsora rust in Puerto Rico, 92 (3-4), 125.

Phytophthora

Performance of chironja (clone 2-4) on five rootstocks after eight years of growth in two zones of Puerto Rico, 93 (3-4), 187.

Plantain

- Ploidy level and genomic composition of Musa spp. accessions at the USDA-ARS Tropical Agriculture Research Station, 93 (1-2), 1.
- Distribution of Black Sigatoka (Mycosphaerella fijensis) in Puerto Rico, 93(3-4), 269. (Spanish)
- Behavior of five plantain clones (*Musa* AAB) grown without control of Yellow Sigatoka (*Mycosphaerella musicola* Leach), 93 (3-4), 263. (Spanish)

Ploidy

Ploidy level and genomic composition of Musa spp. accessions at the USDA- ARS Tropical Agriculture Research Station, 93 (1-2), 1.

Polyculture system

Yield of freshwater prawn *Macrobrachium rosenbergii* (Decapoda) after removing its females from a continuous polyculture system with tilapia (Pisces) in Puerto Rico, 93 (1-2), 69.

Prawn, freshwater

Yield of freshwater prawn *Macrobrachium rosenbergii* (Decapoda) after removing its females from a continuous polyculture system with tilapia (Pisces) in Puerto Rico, 93 (1-2), 69.

Propylene glycol

A survey of insect populations in *Capsicum chinense* L. plantings in Georgetown, St. Vincent, using modified CC traps, 93 (3-4), 207.

Quantitative sampling

Structure of the beetle fauna (Insecta: Coleoptera) in forest remnants of western Puerto Rico, 93 (1-2), 83.

Rhodesgrass

Voluntary intake and digestibility of guineagrass (*Panicum maximum*, Jacq.)-clitoria (*Clitoria ternatea* L Dne.) hay and rhodesgrass (*Chloris* gayana, Kunth) cv. Callide hay fed to sheep, 93 (1-2), 41. (Spanish)

Rice

Consumer testing of commercial medium grain varieties, 93 (3-4), 277.

Root and tuber crops

Descriptive analysis of consumer preferences for, in Puerto Rico, 93 (3-4), 273. (Spanish)

Rootstock

Performance of chironja (clone 2-4) on five rootstocks after eight years of growth in two zones of Puerto Rico, 93 (3-4), 173.

Sheep

Voluntary intake and digestibility of guineagrass (Panicum maximum,

Jacq.)-clitoria (*Clitoria ternatea* L Dne.) hay and rhodesgrass (*Chloris* gayana, Kunth) cv. Callide hay fed to sheep, 93 (1-2), 41. (Spanish)

Sigatoka, yellow

Behavior of five plantain clones (*Musa* AAB) grown without control of, 93 (3-4), 263. (Spanish)

Sigatoka, black

Distribution of Black Sigatoka (Mycosphaerella fijensis) in Puerto Rico, 93(3-4), 269. (Spanish)

Slaughterhouse waste compost

Quality evaluation of, 93 (3-4), 223.

Soil temperature

Soil temperature study in Puerto Rico, 93 (3-4), 149.

Somatic cell count

The proposed reduction in the upper limit of somatic cell counts in raw milk and its effect on the milk industry in Puerto Rico, 93 (3-4), 239. (Spanish)

Sorghum

Response to anthracnose infection for a subset of Ethiopian sorghum germplasm, 93 (3-4), 195.

Sorghum bicolor (See Sorghum)

St. Vincent

A survey of insect populations in *Capsicum chinense* L. plantings in Georgetown, St. Vincent, using modified CC traps, 93 (3-4), 207.

Sweet pepper

A survey of insect populations in *Capsicum chinense* L. plantings in Georgetown, St. Vincent, using modified CC traps, 93 (3-4), 207.

Taro

Cladosporium tenuissimum Cooke causing leaf spots in taro: A new disease in Puerto Rico, 93 (1-2), 123.

Technological conditions

Of orchards of Persian lime for the Japanese market in Veracruz, Mexico, 93 (1-2), 143.

Tensiometers

Evaluation of microirrigation levels for growth and productivity of avocado trees, 93 (3-4), 173.

Scion

Performance of chironja (clone 2-4) on five rootstocks after eight years of growth in two zones of Puerto Rico, 93 (3-4), 173.

Tilapia

Yield of freshwater prawn Macrobrachium rosenbergii (Decapoda) after removing its females from a continuous polyculture system with tilapia (Pisces) in Puerto Rico, 93 (1-2), 69.

Tropical grasses

- Evidence for excess dietary phosphorus on dairy farms with rotational grazing of tropical grasses, 93 (1-2), 23.
- Voluntary intake and digestibility of guineagrass (*Panicum maximum*, Jacq.)-clitoria (*Clitoria ternatea* L Dne.) hay and rhodesgrass (*Chloris* gayana, Kunth) cv. Callide hay fed to sheep, 93 (1-2), 41. (Spanish)

Urban forest

Structure of the beetle fauna (Insecta: Coleoptera) in forest remnants of western Puerto Rico, 93 (1-2), 83.

Voluntary intake

Voluntary intake and digestibility of guineagrass (*Panicum maximum*, Jacq.)-clitoria (*Clitoria ternatea* L Dne.) hay and rhodesgrass (*Chloris* gayana, Kunth) cv. Callide hay fed to sheep, 93 (1-2), 41. (Spanish)

Xylella fastidiosa

Bacterial diversity in potential cicadellids vectors of, in coffee plants in Puerto Rico, 93 (1-2), 101. (Spanish)