

INDEX TO VOLUME 84 (2000)

AUTHORS¹

J. Agric. Univ. P.R. 84(3-4):201-204 (2000)

Acosta, A.

- 2000, Dry weight accumulation in arracacha plant parts, 84(1-2), 87. (RN)
2000, Influence of sett fresh weight and depth of planting on performance of arracacha, 84(3-4), 143.

Acosta-Villegas, N.

- 2000, Liberación del cultivar Cortada de gandul para uso comercial, 84(3-4), 189. (C&GR)
2000, Liberación del cultivar Guerrero de gandul para uso comercial, 84(3-4), 193. (C&GR)

Alameda-Lozada, M.

- 2000, Characterization of *Rhizoctonia* spp. isolates collected from *Phaseolus vulgaris* in Puerto Rico, 84(1-2), 79.

Antoni, M.

- 2000, The effect of stocking rate, fertilizer level and winter supplementation on the grazing performance of Senepol purebred and crossbred bulls, 84(1-2), 1.

Añeses, L.

- 2000, The effect of stocking rate, fertilizer level and winter supplementation on the grazing performance of Senepol purebred and crossbred bulls, 84(1-2), 1.

* Senior author.

/ Sole author.

RN Research Note.

N Notes.

C&GR Cultivar and Germplasm Release.

Bastidas-López, H.

- 2000, Efecto de *Wedelia trilobata* L. (Asterales: Asteraceae) sobre la mosca blanca *Bemisia tabaci* G. (Homoptera: Aleyrodidae), 84(3-4), 181. (RN)

Bautista-Pérez, M. de J.

- *2000, Methodology for screening common bean resistance to web blight, 84(1-2), 91. (RN)
*2000, Virulence of *Rhizoctonia solani* isolates associated with web blight of common bean, 84(1-2), 95. (RN)

Beaver, J. S.

- /2000, Effect of harvest date and seed type on green-shell and dry bean yield, 84(1-2), 29.

Bosques-Vega, A.

- *2000, Liberación del cultivar Cortada de gandul para uso comercial, 84(3-4), 189. (C&GR)
*2000, Liberación del cultivar Guerrero de gandul para uso comercial, 84(3-4), 193. (C&GR)
*2000, Liberación del cultivar Estela de yautía para uso comercial, 84(3-4), 197. (C&GR)

Cabrera-Asencio, I.

- *2000, Efecto de *Wedelia trilobata* L. (Asterales: Asteraceae) sobre la mosca blanca *Bemisia tabaci* G. (Homoptera: Aleyrodidae), 84(3-4), 181. (RN)

¹An author's name may appear in more than one form. Although all first names are abbreviated, an author may appear with one or two initials. Last names may appear single or compound. When compound, they are hyphenated regardless of how they appear in the original. Alphabetically, names with a single initial precede two-initial ones (Y. Badillo precedes Y. A. Badillo); single names precede hyphenated ones (Abreu, Z. precedes Abreu-Abadía, A.). Articles under one name are organized chronologically; those in number 1 precede those in number 2 and those on page 1 precede those on page 2).

- Canals, M.**
2000, New records of parasitoids of Aculeate Hymenoptera in Puerto Rico, 84(1-2), 99. (RN)
- Cantisani, L.**
2000, The effect of stocking rate, fertilizer level and winter supplementation on the grazing performance of Senepol purebred and crossbred bulls, 84(1-2), 1.
- Casas, A.**
*2000, The effect of stocking rate, fertilizer level and winter supplementation on the grazing performance of Senepol purebred and crossbred bulls, 84(1-2), 1.
- Chardón, U.**
2000, Effectiveness of magnesium source and rate in the fertilization of banana grown on an Ultisol in Puerto Rico, 84(1-2), 35.
- Cianzio, D.**
2000, The effect of stocking rate, fertilizer level and winter supplementation on the grazing performance of Senepol purebred and crossbred bulls, 84(1-2), 1.
- Cuevas-Pérez, F.**
2000, Herencia de la resistencia al daño mecánico por *Tagosodes orizicolus* (Muir) (Homoptera: Delphacidae) en arroz, 84(1-2), 47.
- Echávez-Badel, R.**
*2000, Characterization of *Rhizoctonia* spp. isolates collected from *Phaseolus vulgaris* in Puerto Rico, 84(1-2), 79.
2000, Methodology for screening common bean resistance to web blight, 84(1-2), 91. (RN)
2000, Virulence of *Rhizoctonia solani* isolates associated with web blight of common bean, 84(1-2), 95. (RN)
- Goenaga, R.**
2000, Effectiveness of magnesium source and rate in the fertilization of banana grown on an Ultisol in Puerto Rico, 84(1-2), 35.
2000, Clonal selection in cacao based on early yield performance of grafted trees, 84(3-4), 153.
- González-Vélez, A.**
2000, Mandarina Dancy en cinco patrones: Crecimiento y producción en los primeros cuatro años, 84(1-2), 101. (RN)
2000, Liberación del cultivar Estela de yautía para uso comercial, 84(3-4), 197. (C&GR)
- Gómez-Galván, J. E.**
2000, Characterization of *Rhizoctonia* spp. isolates collected from *Phaseolus vulgaris* in Puerto Rico, 84(1-2), 79.
- Irizarry, H.**
*2000, Effectiveness of magnesium source and rate in the fertilization of banana grown on an Ultisol in Puerto Rico, 84(1-2), 35.
*2000, Clonal selection in cacao based on early yield performance of grafted trees, 84(3-4), 153.
- Lugo-López, M. A.**
*2000, K values of soils of U.S. Virgin Islands, 84(3-4), 185. (N)
- Macchiavelli, R. E.**
*2000, Methods for efficient estimation of rust incidence in coffee plantations, 84(1-2), 65.
2000, Virulence of *Rhizoctonia solani* isolates associated with web blight of common bean, 84(1-2), 95. (RN)
- Martínez, C. P.**
2000, Herencia de la resistencia al daño mecánico por *Tagosodes orizicolus* (Muir) (Homoptera: Delphacidae) en arroz, 84(1-2), 47.
- Moyá, J.**
2000, Milk production and dry matter intake of lactating Holstein cows fed low fiber diets in the tropics, 84(1-2), 17.
2000, Chloride uptake by tropical forage grasses in two soils of Puerto Rico, 84(3-4), 133.
- Orengo-Santiago, E.**
2000, Dry weight accumulation in arracacha plant parts, 84(1-2), 87. (RN)
2000, Influence of sett fresh weight and depth of planting on performance of arracacha, 84(3-4), 143.

- Ortiz, C. E.**
2000, Hongos patógenos del cormo de apio (*Arracacia xanthorrhiza*) en Puerto Rico, 84(1-2), 53.
*2000, Dry weight accumulation in arracacha plant parts, 84(1-2), 87. (RN)
*2000, Influence of sett fresh weight and depth of planting on performance of arracacha, 84(3-4), 143.
- Pantoja, A.**
2000, Herencia de la resistencia al daño mecánico por *Tagosodes orizicolus* (Muir) (Homoptera: Delphacidae) en arroz, 84(1-2), 47.
- Pardey C.**
*2000, Herencia de la resistencia al daño mecánico por *Tagosodes orizicolus* (Muir) (Homoptera: Delphacidae) en arroz, 84(1-2), 47.
- Ramos-Santana, R.**
2000, Establishment of rhizoma perennial peanut (*Arachis glabrata*) under irrigation at two semiarid sites in the Caribbean, 84(3-4), 105.
2000, Dry matter yield of rhizoma perennial peanut (*Arachis glabrata*) harvested at six, nine and 12 weeks at two semiarid sites, 84(3-4), 115.
- Randel, P. F.**
/2000, Live weight and body condition changes in dry cows at pasture and effects on subsequent performance, 84(3-4), 165.
- Rivera, A.**
2000, The effect of stocking rate, fertilizer level and winter supplementation on the grazing performance of Senepol purebred and crossbred bulls, 84(1-2), 1.
- Rivera, L. I.**
2000, Hongos patógenos del cormo de apio (*Arracacia xanthorrhiza*) en Puerto Rico, 84(1-2), 53.
- Rodríguez, A.**
2000, Hongos patógenos del cormo de apio (*Arracacia xanthorrhiza*) en Puerto Rico, 84(1-2), 53.
- Rodríguez, R. del P.**
2000, Methods for efficient estimation of rust incidence in coffee plantations, 84(1-2), 65.
- Román-Pérez, F. M.**
*2000, Mandarina Dancy en cinco patrones: Crecimiento y producción en los primeros cuatro años, 84(1-2), 101. (RN)
- Rosa-Márquez, E.**
*2000, Hongos patógenos del cormo de apio (*Arracacia xanthorrhiza*) en Puerto Rico, 84(1-2), 53.
- Ruiz, T. M.**
*2000, Milk production and dry matter intake of lactating Holstein cows fed low fiber diets in the tropics, 84(1-2), 17.
*2000, Establishment of rhizoma perennial peanut (*Arachis glabrata*) under irrigation at two semiarid sites in the Caribbean, 84(3-4), 105.
*2000, Dry matter yield of rhizoma perennial peanut (*Arachis glabrata*) harvested at six, nine and 12 weeks at two semiarid sites, 84(3-4), 115.
- Snelling, R. R.**
2000, New records of parasitoids of Aculeate Hymenoptera in Puerto Rico, 84(1-2), 99. (RN)
- Sotomayor-Ramírez, D.**
*2000, Chloride uptake by tropical forage grasses in two soils of Puerto Rico, 84(3-4), 133.
2000, K values of soils of U.S. Virgin Islands, 84(3-4), 185. (N)
- Sotomayor-Ríos, A.**
2000, Establishment of rhizoma perennial peanut (*Arachis glabrata*) under irrigation at two semiarid sites in the Caribbean, 84(3-4), 105.
2000, Dry matter yield of rhizoma perennial peanut (*Arachis glabrata*) harvested at six, nine and 12 weeks at two semiarid sites, 84(3-4), 115.

Torres, J. A.

*2000, New records of parasitoids of Aculeate Hymenoptera in Puerto Rico, 84(1-2), 99. (RN)

Vélez-Colón, R.

2000, Liberación del cultivar Cortada de gandul para uso comercial, 84(3-4), 189. (C&GR)

2000, Liberación del cultivar Guerrero de gandul para uso comercial, 84(3-4), 193. (C&GR)

Viera, L.

2000, Milk production and dry matter intake of lactating Holstein cows fed low fiber diets in the tropics, 84(1-2), 17.