

# INDEX TO VOLUME 91 (2007)

## AUTHORS<sup>1</sup>

J. Agric. Univ. P.R. 91(3-4):231-235 (2007)

### Abreu, E.

2007, *Paracoccus marginatus* Williams and Granara de Willink (Homoptera: Pseudococcidae) affecting papaya in Puerto Rico, 91 (3-4), 223. (RN)

### Acevedo, E.

2007, Estrategias químicas de manejo de malezas en la habichuela (*Phaseolus vulgaris* L.) con riego por goteo, 91 (1-2), 1.

### Alexandre, G.

\*2007, Age of regrowth of irrigated *Digitaria decumbens* pastures, season of kidding, milk production and growth rate of Creole goats in Guadeloupe (FWI), 91 (3-4), 169.

### Aponte, A.

2007, Estrategias químicas de manejo de malezas en la habichuela (*Phaseolus vulgaris* L.) con riego por goteo, 91 (1-2), 1.

### Archimède, H.

2007, Age of regrowth of irrigated *Digitaria decumbens* pastures, season of kidding, milk production and growth rate of Creole goats in Guadeloupe (FWI), 91 (3-4), 169.

### Aumont, G.

2007, Age of regrowth of irrigated *Digitaria decumbens* pastures, season of kidding, milk production and growth rate of Creole goats in Guadeloupe (FWI), 91 (3-4), 169.

### Balzarini, M.

2007, Models for multi-environment yield trials with fixed and random block effects and homogeneous and heterogeneous residual variances, 91 (3-4), 117.

### Bastidas, H.

2007, Damage by *Tibraca limbativentris* (Hemiptera: Pentatomidae) to rice in Southwestern Colombia, 91 (1-2), 11.

### Beaver, J. S.

2007, Temporal and spatial dissemination of bean golden yellow mosaic virus (Begomovirus) in *Phaseolus vulgaris* 'Jamaica Red', 91 (3-4), 207. (RN)

### Bernsten, R.

2007, Climate change and the potential economic benefits of heat-tolerant bean varieties for farmers in Atlántida, Honduras, 91 (3-4), 133

\*Senior author

/ Sole author

RN Research Note

N Note

C&GR Cultivar and Germplasm Release

<sup>1</sup>An author's name may appear in more than one form. Although all first names are abbreviated, an author may appear with one or two initials. Last names may appear single or compound. When compound, they are hyphenated regardless of how they appear in the original. Alphabetically, names with a single initial precede two-initial ones (Y. Badillo precedes Y. A. Badillo); single names precede hyphenated ones (Abreu, Z., precedes Abreu-Abadía, A.). Articles under one name are organized chronologically; those in number 1 precede those in number 2 and those on page 1 precede those on page 2).

- Bracero-Acosta, V.**  
 2007, Temporal and spatial dissemination of bean golden yellow mosaic virus (Begomovirus) in *Phaseolus vulgaris* 'Jamaica Red', 91 (3-4), 207. (RN)
- Cabrera-Asencio, I.**  
 \*2007, *Scirtothrips dorsalis* Hood (Thysanoptera: Thripidae) un nuevo récord para Puerto Rico, 91 (1-2), 49. (RN)  
 \*2007, Reporte de nuevos hospederos de *Spissistilus festinus* Say (Homoptera: Membracidae) para Puerto Rico, 91 (1-2), 53. (RN)
- Cardona-Colón, J.**  
 /2007, Distancia de siembra en la producción y calidad de ñame Guinea Negro (*D. rotundata*), 91 (1-2), 61. (RN)  
 \*2007, Aplicaciones foliares de cloruro de calcio y el cuaje de frutas de aguacate, 91 (1-2), 67. (RN)
- Casanoves, F.**  
 \*2007, Models for multi-environment yield trials with fixed and random block effects and homogeneous and heterogeneous residual variances, 91 (3-4), 117.
- Casas, A.**  
 2007, Physical and sensory characteristics of hindquarter muscles of young Holstein, Brahman and Charbray bulls grown under grazing, 91 (3-4), 183.
- Cianzio, D.**  
 2007, Physical and sensory characteristics of hindquarter muscles of young Holstein, Brahman and Charbray bulls grown under grazing, 91 (3-4), 183.
- Coppny, O.**  
 2007, Age of regrowth of irrigated *Digitaria decumbens* pastures, season of kidding, milk production and growth rate of Creole goats in Guadeloupe (FWI), 91 (3-4), 169.
- Díaz, M.**  
 2007, Patogenicidad de bacterias aisladas de plátano 'Hua Moa' con síntomas de pudrición blanda y aborto del racimo inoculadas en otros clones de plátano y guineo, 91 (1-2), 19.
- 2007, Weed control in sweet potato [*Ipo-moea batatas* (L.) Lam.], 91 (3-4), 161.
- Duque, M. C.**  
 2007, Damage by *Tibraca limbaticentrism* (Hemiptera: Pentatomidae) to rice in Southwestern Colombia, 91 (1-2), 11.
- Estévez, E. C.**  
 2007, Reporte de nuevos hospederos de *Spissistilus festinus* Say (Homoptera: Membracidae) para Puerto Rico, 91 (1-2), 53. (RN)
- Fleury, J.**  
 2007, Age of regrowth of irrigated *Digitaria decumbens* pastures, season of kidding, milk production and growth rate of Creole goats in Guadeloupe (FWI), 91 (3-4), 169.
- Flores, L. E.**  
 2007, Estrategias químicas de manejo de malezas en la habichuela (*Phaseolus vulgaris* L.) con riego por goteo, 91 (1-2), 1.
- Franqui, R. A.**  
 2007, Recovery of *Plaesius javanus* Erichson from plantains in Puerto Rico, 91 (3-4), 215. (RN)
- García, C.**  
 2007, Damage by *Tibraca limbaticentrism* (Hemiptera: Pentatomidae) to rice in Southwestern Colombia, 91 (1-2), 11.
- González-Vélez, A.**  
 /2007, Rendimiento de dos cultivares de yautía (*Xanthosoma* spp.) utilizando dos tamaños de material de propagación en la zona central de Puerto Rico, 91 (1-2), 57. (RN)  
 /2007, Producción y reacción natural a la Sigatoka amarilla (*Mycosphaerella musicola* Leach) de cinco cultivares de guineo, 91 (3-4), 201. (RN)
- Guzmán, J. L.**  
 2007, Use of polyacrylamide as an erosion control strategy in a highly eroded soil of Puerto Rico, 91 (3-4), 87.

**Hernández, E.**

- 2007, Seasonal abundance of *Anastrepha suspensa* (Diptera: Tephritidae) from citrus in Puerto Rico, 91 (3-4), 219. (RN)  
2007, *Pseudaulacaspis pentagona* from peaches in Puerto Rico, 91 (3-4), 227. (RN)

**Inglés, R.**

- 2007, Patogenicidad de bacterias aisladas de plátano 'Hua Moa' con síntomas de pudrición blanda y aborto del racimo inoculadas en otros clones de plátano y guineo, 91 (1-2), 19.

**Jahn, M.**

- 2007, Climate change and the potential economic benefits of heat-tolerant bean varieties for farmers in Atlántida, Honduras, 91 (3-4), 133.

**Librán, M. del C.**

- 2007, *Pseudaulacaspis pentagona* from peaches in Puerto Rico, 91 (3-4), 227. (RN)

**Lugo, M. de L.**

- 2007, Release of 'Henorico' rhizome perennial peanut (*Arachis glabrata* Benth.), 91 (1-2), 81. (CGR)  
2007, Tiempos de aplicación de oxyfluorfen y halosulfuron-methyl en cebolla (*Allium cepa* L.), 91 (3-4), 149.  
\*2007, Weed control in sweet potato [*Ipomoea batatas* (L.) Lam.], 91 (3-4), 161.

**Macchiavelli, R.**

- 2007, Models for multi-environment yield trials with fixed and random block effects and homogeneous and heterogeneous residual variances, 91 (3-4), 117.  
2007, Seasonal abundance of *Anastrepha suspensa* (Diptera: Tephritidae) from citrus in Puerto Rico, 91 (3-4), 219. (RN)

**Maldonado-Ramírez, S. L.**

- 2007, First report of *Leptosphaerulina crassiasca* (Ascomycota) in Puerto Rico, 91 (1-2), 47. (RN)

**Martínez-Rodríguez, G. A.**

- \*2007, Use of polyacrylamide as an erosion control strategy in a highly eroded soil of Puerto Rico, 91 (3-4), 87.

- 2007, Nutrient concentrations in runoff from different manure amended fields of the tropics under natural rainfall conditions, 91 (3-4), 101.

**Mejía, O. I.**

- 2007, Damage by *Tibraca limbativentris* (Hemiptera: Pentatomidae) to rice in Southwestern Colombia, 91 (1-2), 11.

**Muñoz-Muñoz, M. A.**

- 2007, Nutrient concentrations in runoff from different manure amended fields of the tropics under natural rainfall conditions, 91 (3-4), 101.

**Navas, V.**

- 2007, Efecto de las hormonas oxitocina y prostaglandina F<sub>2α</sub> durante la inseminación artificial sobre la eficiencia reproductiva en cerdas, 91 (1-2), 73. (RN)

**Ortega-Achury, S. L.**

- \*2007, Nutrient concentrations in runoff from different manure amended fields of the tropics under natural rainfall conditions, 91 (3-4), 101.

**Ortiz, J.**

- 2007, *Pseudaulacaspis pentagona* from peaches in Puerto Rico, 91 (3-4), 227. (RN)

**Pagán, M.**

- 2007, Efecto de las hormonas oxitocina y prostaglandina F<sub>2α</sub> durante la inseminación artificial sobre la eficiencia reproductiva en cerdas, 91 (1-2), 73. (RN)

- \*2007, Physical and sensory characteristics of hindquarter muscles of young Holstein, Brahman and Charbray bulls grown under grazing, 91 (3-4), 183.

**Pantoja, A.**

- \*2007, Damage by *Tibraca limbaticornis* (Hemiptera: Pentatomidae) to rice in Southwestern Colombia, 91 (1-2), 11.
- \*2007, Recovery of *Plaesijs javanus* Erichson from plantains in Puerto Rico, 91 (3-4), 215. (RN)
- \*2007, Seasonal abundance of *Anastrepha suspensa* (Diptera: Tephritidae) from citrus in Puerto Rico, 91 (3-4), 219. (RN)
- \*2007, *Paracoccus marginatus* Williams and Granara de Willink (Homoptera: Pseudococcidae) affecting papaya in Puerto Rico, 91 (3-4), 223. (RN)
- \*2007, *Pseudaulacaspis pentagona* from peaches in Puerto Rico, 91 (3-4), 227. (RN)

**Peña, J.**

- 2007, *Paracoccus marginatus* Williams and Granara de Willink (Homoptera: Pseudococcidae) affecting papaya in Puerto Rico, 91 (3-4), 223. (RN)

**Porch, T. G.**

- \*2007, Climate change and the potential economic benefits of heat-tolerant bean varieties for farmers in Atlántida, Honduras, 91 (3-4), 133.

**Ramírez, A.**

- 2007, *Scirtothrips dorsalis* Hood (Thysanoptera: Thripidae) un nuevo récord para Puerto Rico, 91 (1-2), 49. (RN)

**Ramos-Santana, R.**

- 2007, Release of 'Henorico' rhizome perennial peanut (*Arachis glabrata* Benth.), 91 (1-2), 81. (CGR)
- 2007, Use of polyacrylamide as an erosion control strategy in a highly eroded soil of Puerto Rico, 91 (3-4), 87.

**Randel, P. F.**

- /2007, Suplementación con *Leucaena leucocephala* y consumo voluntario de heno de gramíneas tropicales por vacunos lecheros, 91 (3-4), 197. (RN)

**Rengifo, J.**

- \*2007, Patogenicidad de bacterias aisladas de plátano 'Hua Moa' con síntomas de pudrición blanda y aborto del racimo inoculadas en otros clones de plátano y guineo, 91 (1-2), 19.

**Rivera-Vargas, L. I.**

- 2007, Recent studies of fungal pathogens of onion in Puerto Rico, 91 (1-2), 31.

- \*2007, Temporal and spatial dissemination of bean golden yellow mosaic virus (Begomovirus) in *Phaseolus vulgaris* 'Jamaica Red', 91 (3-4), 207. (RN)

**Robles, W.**

- 2007, *Paracoccus marginatus* Williams and Granara de Willink (Homoptera: Pseudococcidae) affecting papaya in Puerto Rico, 91 (3-4), 223. (RN)

**Román-Paoli, E.**

- 2007, Tiempos de aplicación de oxyfluorfen y halosulfuron-methyl en cebolla (*Allium cepa* L.), 91 (3-4), 149.

**Román-Pérez, F.**

- 2007, Aplicaciones foliares de cloruro de calcio y el cuaje de frutas de aguacate, 91 (1-2), 67. (RN)

**Rosado-Rodríguez, G.**

- \*2007, First report of *Leptosphaerulina crassiasca* (Ascomycota) in Puerto Rico, 91 (1-2), 47. (RN)

**Rosas, J. C.**

- 2007, Climate change and the potential economic benefits of heat-tolerant bean varieties for farmers in Atlántida, Honduras, 91 (3-4), 133.

**Rouse, B.**

- 2007, *Pseudaulacaspis pentagona* from peaches in Puerto Rico, 91 (3-4), 227. (RN)

**Ruiz, T. M.**

- \*2007, Release of 'Henorico' rhizome perennial peanut (*Arachis glabrata* Benth.), 91 (1-2), 81. (CGR)

**Ruiz-Vargas, C. J.**

- \*2007, Tiempos de aplicación de oxyfluorfen y halosulfuron-methyl en cebolla (*Allium cepa* L.), 91 (3-4), 149.

- Salazar, A.**  
2007, Recovery of *Plaesijs javanus* Erichson from plantains in Puerto Rico, 91 (3-4), 215. (RN)
- Santana, C.**  
2007, Efecto de las hormonas oxitocina y prostaglandina F<sub>2α</sub> durante la inseminación artificial sobre la eficiencia reproductiva en ceras, 91 (1-2), 73. (RN)
- Santana, O.**  
2007, Use of polyacrylamide as an erosion control strategy in a highly eroded soil of Puerto Rico, 91 (3-4), 87.
- Segarra, A.**  
2007, Reporte de nuevos hospederos de *Spissistilus festinus* Say (Homoptera: Membracidae) para Puerto Rico, 91 (1-2), 53. (RN)
- Semidey, N.**  
\*2007, Estrategias químicas de manejo de malezas en la habichuela (*Phaseolus vulgaris* L.) con riego por goteo, 91 (1-2), 1.  
2007, Tiempos de aplicación de oxyfluorfen y halosulfuron-methyl en cebolla (*Allium cepa* L.), 91 (3-4), 149.
- Soto-Vélez, J. O.**  
\*2007, Efecto de las hormonas oxitocina y prostaglandina F<sub>2α</sub> durante la inseminación artificial sobre la eficiencia reproductiva en ceras, 91 (1-2), 73. (RN)
- Sotomayor-Ramírez, D.**  
2007, Release of 'Henorico' rhizome perennial peanut (*Arachis glabrata* Benth.), 91 (1-2), 81. (CGR)
- 2007, Nutrient concentrations in runoff from different manure amended fields of the tropics under natural rainfall conditions, 91 (3-4), 101.
- Sotomayor-Ríos, A.**  
2007, Release of 'Henorico' rhizome perennial peanut (*Arachis glabrata* Benth.), 91 (1-2), 81. (CGR)
- Stansly, P.**  
2007, *Pseudaulacaspis pentagona* from peaches in Puerto Rico, 91 (3-4), 227. (RN)
- Triana, M.**  
2007, Damage by *Tibraca limbativentris* (Hemiptera: Pentatomidae) to rice in Southwestern Colombia, 91 (1-2), 11.
- Valencia, E.**  
2007, Release of 'Henorico' rhizome perennial peanut (*Arachis glabrata* Benth.), 91 (1-2), 81. (CGR)
- Vázquez, M. A.**  
2007, Use of polyacrylamide as an erosion control strategy in a highly eroded soil of Puerto Rico, 91 (3-4), 87.
- Vélez-Rodríguez, L.**  
\*2007, Recent studies of fungal pathogens of onion in Puerto Rico, 91 (1-2), 31.
- Zapata, M.**  
2007, Patogenicidad de bacterias aisladas de plátano 'Hua Moa' con síntomas de pudrición blanda y aborto del racimo inoculadas en otros clones de plátano y guineo, 91 (1-2), 19.

