

# INDEX TO VOLUME 91 (2007)

## SUBJECTS

J. Agric. Univ. P.R. 91(3-4):237-240 (2007)

- Anastrepha suspensa* (See Caribbean fruit fly)
- Arachis glabrata* (See Rhizoma perennial peanut)
- Artificial insemination  
Effect of oxytocin and prostaglandin F<sub>2α</sub> hormones during, on the reproductive efficiency of sow, 91 (1-2), 73. (Spanish)
- Avocado  
Foliar applications of calcium chloride and fruit set of, 91 (1-2), 67. (Spanish)
- Bacteria  
Pathogenicity of, isolated from 'Hua Moa' plantain with soft rot and bunch abortion symptoms inoculated into other clones of plantain and banana, 91 (1-2), 19. (Spanish)
- Banana  
Pathogenicity of bacteria isolated from 'Hua Moa' plantain with soft rot and bunch abortion symptoms inoculated into other clones of plantain and, 91 (1-2), 19. (Spanish)  
Yield and natural reaction to Yellow Sigatoka (*Mycosphaerella musicola* Leach) of five banana cultivars, 91 (3-4), 201. (Spanish)
- Bean  
Chemical weed management strategies in, under drip irrigation, 91 (1-2), 1. (Spanish)  
Climate change and the potential economic benefits of heat-tolerant bean varieties for farmers in Atlántida, Honduras, 91 (3-4), 133.  
Temporal and spatial dissemination of bean golden yellow mosaic virus (Begomovirus) in *Phaseolus vulgaris* 'Jamaica Red', 91 (3-4), 207.
- Bean golden yellow mosaic virus  
Temporal and spatial dissemination of, in *Phaseolus vulgaris* 'Jamaica Red', 91 (3-4), 207.
- Beef, tenderness  
Physical and sensory characteristics of hindquarter muscles of young Holstein, Brahman and Charbray bulls grown under grazing, 91 (3-4), 183.
- Begomovirus  
Temporal and spatial dissemination of bean golden yellow mosaic virus (Begomovirus) in *Phaseolus vulgaris* 'Jamaica Red', 91 (3-4), 207.
- Bulls  
Physical and sensory characteristics of hindquarter muscles of young Holstein, Brahman and Charbray bulls grown under grazing, 91 (3-4), 183.
- Bunch abortion symptoms  
Pathogenicity of bacteria isolated from 'Hua Moa' plantain with, inoculated into other clones of plantain and banana, 91 (1-2), 19. (Spanish)
- Cajanus cajan* (See Pigeon pea)
- Calcium chloride  
Foliar applications of, and fruit set of avocado, 91 (1-2), 67. (Spanish)
- Caribbean fruit fly  
Seasonal abundance of *Anastrepha suspensa* (Diptera: Tephritidae) from citrus in Puerto Rico, 91 (3-4), 219.
- Citrus  
Seasonal abundance of *Anastrepha suspensa* (Diptera: Tephritidae) from citrus in Puerto Rico, 91 (3-4), 219.
- Climate change  
The potential economic benefits of heat tolerant bean varieties for farmers in Atlántida, Honduras, and, 91 (3-4), 133.
- Cost benefit analysis  
Climate change and the potential economic benefits of heat-tolerant bean varieties for farmers in Atlántida, Honduras, 91 (3-4), 133.

## Dairy cows

Supplementation with *Leucaena leucocephala* and voluntary intake of tropical grasses hay by, 91 (3-4), 197. (Spanish)

*Digitaria decumbens* (See Pangola grass)

*Dioscorea rotundata* (See Yam)

## Erosion

Use of polyacrylamide as a control strategy in a highly eroded soil of Puerto Rico, 91 (3-4), 87.

## Fruit set

Foliar applications of calcium chloride and, of avocado, 91 (1-2), 67. (Spanish)

## Fungi

First report of *Leptosphaerulina crassiasca* (Ascomycota) in Puerto Rico, 91 (1-2), 47.

Recent studies of fungal pathogens of onion in Puerto Rico, 91 (1-2), 31.

## Grazing, rotational

Physical and sensory characteristics of hindquarter muscles of young Holstein, Brahman and Charbray bulls grown under grazing, 91 (3-4), 183.

## Goat

Age of regrowth of irrigated *Digitaria decumbens* pastures, season of kidding, milk production and growth rate of Creole goats in Guadeloupe (FWI), 91 (3-4), 169.

## Guadeloupe (FWI)

Age of regrowth of irrigated *Digitaria decumbens* pastures, season of kidding, milk production and growth rate of Creole goats in Guadeloupe (FWI), 91 (3-4), 169.

## Hay

Release of 'Henorico' rhizoma perennial peanut (*Arachis glabrata* Benth.), 91 (1-2), 81.

Supplementation with *Leucaena leucocephala* and voluntary intake of tropical grasses hay by dairy cows, 91 (3-4), 197. (Spanish)

## Heat tolerance

Climate change and the potential economic benefits of heat-tolerant bean varieties for farmers in Atlántida, Honduras, 91 (3-4), 133.

## Herbicides

Chemical weed management strategies in bean (*Phaseolus vulgaris* L.) under drip irrigation, 91 (1-2), 1. (Spanish)

Application time of oxyfluorfen and halosulfuron-methyl in onion (*Allium cepa*), 91 (3-4), 149. (Spanish)

Weed control in sweet potato [*Ipomoea batatas* (L.) Lam.], 91 (3-4), 161.

## Honduras

Climate change and the potential economic benefits of heat tolerant-bean varieties for farmers in Atlántida, Honduras, 91 (3-4), 133.

## Insects

Damage by *Tibraca limbativentris* (Hemiptera: Pentatomidae) to rice in Southwestern Colombia, 91 (1-2), 11.

New hosts of *Spissistilus festinus* Say (Homoptera: Membracidae) in Puerto Rico, 91 (1-2), 53. (Spanish)

*Paracoccus marginatus* Williams and Granara de Willink (Homoptera: Pseudococcidae) affecting papaya in Puerto Rico, 91 (3-4), 223.

*Pseudaulacaspis pentagona* from peaches in Puerto Rico, 91 (3-4), 227.

Recovery of *Plaesus javanus* Erichson from plantains in Puerto Rico, 91 (3-4), 215.

*Scirtothrips dorsalis* (Hood) (Thysanoptera: Thripidae) a new record in Puerto Rico, 91 (1-2), 49. (Spanish)

Seasonal abundance of *Anastrepha suspensa* (Diptera: Tephritidae) from citrus in Puerto Rico, 91 (3-4), 219.

## Intramuscular fat

Physical and sensory characteristics of hindquarter muscles of young Holstein, Brahman and Charbray bulls grown under grazing, 91 (3-4), 183.

## Leguminous trees

Supplementation with *Leucaena leucocephala* and voluntary intake of tropical grasses hay by dairy cows, 91 (3-4), 197. (Spanish)

## Leucaena

Supplementation with, and voluntary intake of tropical grasses hay by dairy cows, 91 (3-4), 197. (Spanish)

*Leptosphaerulina crassiasca*

First report of, in Puerto Rico, 91 (1-2), 47.

Manure

Nutrient concentrations in runoff from different manure amended fields of the tropics under natural rainfall conditions, 91 (3-4), 101.

Milk production

Age of regrowth of irrigated *Digitaria decumbens* pastures, season of kidding, growth rate and, of Creole goats in Guadeloupe (FWI), 91 (3-4), 169.

Multi-environment, yield trials

Models for, with fixed and random block effects and homogeneous and heterogeneous residual variances, 91 (3-4), 117.

*Mycosphaerella musicola* (See Sigatoka, yellow)

Nutrient concentrations

In runoff from different manure amended fields of the tropics under natural rainfall conditions, 91 (3-4), 101.

Onion

Recent studies of fungal pathogens of, in Puerto Rico, 91 (1-2), 31.

Application time of oxyfluorfen and halosulfuron-methyl in, 91 (3-4), 149. (Spanish)

Oxytocin

Effect of oxytocin and prostaglandin  $F_{2\alpha}$  hormones during artificial insemination on the reproductive efficiency of sow, 91 (1-2), 73. (Spanish)

*Paracoccus marginatus* (See Papaya mealybug)

Pangola grass

Age of regrowth of irrigated *Digitaria decumbens* pastures, season of kidding, milk production and growth rate of Creole goats in Guadeloupe (FWI), 91 (3-4), 169.

Papaya

*Paracoccus marginatus* Williams and Granara de Willink (Homoptera: Pseudococcidae) affecting papaya in Puerto Rico, 91 (3-4), 223.

Papaya mealybug

*Paracoccus marginatus* Williams and Granara de Willink (Homoptera:

Pseudococcidae) affecting papaya in Puerto Rico, 91 (3-4), 223.

Pastures

Age of regrowth of irrigated *Digitaria decumbens* pastures, season of kidding, milk production and growth rate of Creole goats in Guadeloupe (FWI), 91 (3-4), 169.

Peaches

*Pseudaulacaspis pentagona* from peaches in Puerto Rico, 91 (3-4), 227.

*Phaseolus vulgaris* (See Bean)

Pig

Effect of oxytocin and prostaglandin  $F_{2\alpha}$  hormones during artificial insemination on the reproductive efficiency of sow, 91 (1-2), 73. (Spanish)

Pigeon pea

New hosts of *Spissistilus festinus* Say (Homoptera: Membracidae) in Puerto Rico, 91 (1-2), 53. (Spanish)

*Plaesius javanus*

Recovery of, from plantains in Puerto Rico, 91 (3-4), 215.

Plantain

Pathogenicity of bacteria isolated from 'Hua Moa' plantain with soft rot and bunch abortion symptoms inoculated into other clones of plantain and banana, 91 (1-2), 19. (Spanish)

Recovery of *Plaesius javanus* Erichson from, in Puerto Rico, 91 (3-4), 215.

Polyacrylamide

The use of, as an erosion control strategy in a highly eroded soil of Puerto Rico, 91 (3-4), 87.

Predatory beetles

Recovery of *Plaesius javanus* Erichson from plantains in Puerto Rico, 91 (3-4), 215.

Prostaglandin

Effect of oxytocin and prostaglandin  $F_{2\alpha}$  hormones during artificial insemination on the reproductive efficiency of sow, 91 (1-2), 73. (Spanish)

*Pseudaulacaspis pentagona* (See White peach scale)

Reproduction

Effect of oxytocin and prostaglandin  $F_{2\alpha}$  hormones during artificial insemina-

- tion on the reproductive efficiency of sow, 91 (1-2), 73. (Spanish)
- Rhizoma perennial peanut  
Release of 'Henrico' (*Arachis glabrata* Benth.), 91 (1-2), 81.
- Rice  
Damage by *Tibraca limbativentris* (Hemiptera: Pentatomidae) to, in Southwestern Colombia, 91 (1-2), 11.
- Runoff  
Nutrient concentrations in, from different manure amended fields of the tropics under natural rainfall conditions, 91 (3-4), 101.
- Scirtothrips dorsalis*  
A new record in Puerto Rico, 91 (1-2), 49. (Spanish)
- Sett size  
Yield of two tanier (*Xanthosoma* spp.) cultivars using two sett sizes in the central zone of Puerto Rico, 91 (1-2), 57. (Spanish)
- Sigatoka, yellow  
Yield and natural reaction to, of five banana cultivars, 91 (3-4), 201. (Spanish)
- Soft rot  
Pathogenicity of bacteria isolated from 'Hua Moa' plantain with soft rot and bunch abortion symptoms inoculated into other clones of plantain and banana, 91 (1-2), 19. (Spanish)
- Soil erosion  
The use of polyacrylamide as a control strategy in a highly eroded soil of Puerto Rico, 91 (3-4), 87.
- Statistical models  
Models for multi-environment yield trials with fixed and random block effects and homogeneous and heterogeneous residual variances, 91 (3-4), 117.
- Spissistilus festinus*  
New hosts of, in Puerto Rico, 91 (1-2), 53. (Spanish)
- Sweet potato  
Weed control in, 91 (3-4), 161.
- Tanier  
Yield of two tanier (*Xanthosoma* spp.) cultivars using two sett sizes in the central zone of Puerto Rico, 91 (1-2), 57. (Spanish)
- Thrips  
*Scirtothrips dorsalis* (Hood) (Thysanoptera: Thripidae) a new record in Puerto Rico, 91 (1-2), 49. (Spanish)
- Tibraca limbativentris*  
Damage by, to rice in Southwestern Colombia, 91 (1-2), 11.
- Weed, control  
Chemical weed management strategies in bean (*Phaseolus vulgaris* L.) under drip irrigation, 91 (1-2), 1. (Spanish)  
Application time of oxyfluorfen and halosulfuron-methyl in onion (*Allium cepa* L.), 91 (3-4), 149. (Spanish)  
Weed control in sweet potato [*Ipomoea batatas* (L.) Lam.], 91 (3-4), 161.
- White peach scale  
*Pseudaaulacaspis pentagona* from peaches in Puerto Rico, 91 (3-4), 227.
- Xanthosoma* spp. (See Tanier)
- Yam  
Planting distances and yield and quality of Guinea Negro yam (*D. rotundata*), 91 (1-2), 61. (Spanish)













