

SUBJECTS

- Ajíes dulces
Herbicidas, 75(3), 261.
- Aleurocanthus woglumi*
Mosca negra de los cítricos en Puerto Rico, 75(3), 301.
- Aleurodicus dispersus*
New whitefly records in Puerto Rico, 75(3), 297.
- Aleuroglandulus malangae*
New whitefly records in Puerto Rico, 75(3), 297.
- Allium cepa*
Cuatro niveles de nitrógeno, 75(1), 1.
- Ananas comosus*, productos de humedad intermedia
Escaldadura, vida útil y aspectos químicos, 75(1), 25.
- Anthonomus eugenii*
Nuevo hospedero alterno, 75(4), 423.
- Anticarsia gemmatalis*
New host plant in Puerto Rico, 75(3), 295.
Two bird predators in Puerto Rico, 75(3), 295.
- Apronius*
New species from Peru, 75(4), 407.
- Avocado
Lacewing bug in Puerto Rico, 75(2), 185.
- Bacillus coagulans*
Growth potential in acid and acidified foods, 75(2), 191.
- Bacillus macerans*
Growth potential in acid and acidified foods, 75(2), 191.
- Bacillus spp.*
Spore age and thermal resistance in ripe plantain acid puree, 75(3), 205.
- Banana, drip-irrigated field
Persistence of three herbicides, 75(1), 19.
- Batatas, cultivo intercalado con ñames
Control de malezas y producción, 75(1), 11.
- Bean
Damage caused by *Xanthomonas campestris*, 75(4), 353.
- Bean, dry
Seed quality in Honduras, 75(2), 125.
- Beans, red kidney, canned
Blanching and niacin concentration, 75(4), 417.
- Beans, semivine and common bush types
Incorporation of genes for resistance to *Xanthomonas campestris*, 75(4), 345.
- Blackstrap molasses
Fermentation by *Zymomonas mobilis*, 75(1), 43.
- Cajanus cajan*
Lack of response to nitrogen and potassium fertilizer, 75(1), 89.
- Capsicum annuum*
Evaluation of herbicides, 75(4), 391.
- Cassava
Post harvest behavior of 4 cultivars, 75(3), 269.
- Cations
Alternative method for determination in solution, 75(3), 223.
- Cebolla, 2 variedades
Cuatro niveles de nitrógeno, 75(1), 1.
- Ciencias agrícolas, profesionales en
Opiniones de sus patronos, 75(2), 139.
- Cítricos, mosca negra de
Aleurocanthus woglumi en Puerto Rico, 75(3), 301.
- Citrulus vulgaris*
Granular nematicides and fungus *Paecilomyces lilacinus* for nematode control, 75(3), 307.
- Citrus grandis*
Processing, canning and evaluation of rinds, 75(2), 189.
- Chayote
Angular leaf spot in Puerto Rico, 75(2), 195.

- Coffee
Black twig borer in Puerto Rico, 75(2), 183.
- Coleoptera: Scolytidae
Xylosandrus compactus, black twig coffee borer, 75(2), 183.
- Contaminants, in aged dichloromethane
Interfering in herbicide residue analysis, 75(4), 329.
- Coriander
Light intensity and flowering and growth, 75(4), 383.
- Corn
Soil moisture level and phosphorus rate on phosphorus uptake and growth, 75(2), 153.
- Cows, dairy
Complete rations with coarsely chopped or ground hay in confinement or conventional grazing, 75(3), 241.
- Cricetopareis*
Ectrichodiinae, Hemiptera: Reduviidae, 75(1), 81.
- Cucumber
Growth in soil from a drip-irrigated banana field to which herbicides had been applied, 75(1), 19.
- Cucumis melo*
Angular leaf spot in Puerto Rico, 75(2), 195.
- Cucurbita moschata*
Angular leaf spot in Puerto Rico, 75(2), 195.
- Cucurbits
Angular leaf spot in Puerto Rico, 75(2), 195.
- Culantro
Intensidad de luz y florecida y crecimiento, 75(4), 000.
- Cynodon* cultivars
Persistence in mob grazing, 75(2), 147.
- Cynodon*, 5 species
Mineral content at different cutting intervals, 75(2), 181.
- Dessert, based on sweet potato
Canning and quality evaluation, 75(3), 817.
- Dialeurodes citri*
New whitefly records in Puerto Rico, 75(3), 297.
- Dialeurodes kirkaldi*
New whitefly records in Puerto Rico, 75(3), 297.
- Dichloromethane, pesticide grade, aged
Interference in herbicide residue analysis, 75(4), 329.
- Dioscorea*
Control de malezas y producción en cultivo intercalado con batatas, 75(1), 11.
- Ectrichodiinae*
Genus *Cricetopareis* (Hemiptera: Reduviidae), 75(1), 81.
- Erygium foetidum*
Intensidad de luz y florecida y crecimiento, 75(4), 383.
- Ethiothrips* sp.
New thrips records in Puerto Rico, 75(3), 311.
- Etiella zinckenella*
Pigeon pea genotypes resistance to pod borers, 75(1), 73.
- Evapotranspiration, potential
Estimation with Hargreaves-Samani Model, 75(1), 107.
- Fasciola hepatica*
Variation of ovarian position of species found in Puerto Rican cattle, 75(1), 67.
- Frankliniella bispinosa*
New thrips records in Puerto Rico, 75(3), 311.
- Habichuela
Daños causados por *Xanthomonas campestris*, 75(4), 353.
- Hargreaves-Samani Model
Estimation of potential evaporation at various locations, 75(1), 107.
- Heliothis virescens*
Pigeon pea genotypes resistance to pod borers, 75(1), 73.
- Hemarthria* cultivars
Persistence in mob grazing, 75(2), 147.
- Hemarthria*, 5 species
Mineral content at different cutting intervals, 75(2), 181.
- Hemiptera: Reduviidae
Ectrichodiinae, the genus *Cricetopareis*, 75(1), 81.

- Hemiptera: Tingidae
Pseudacysta perseae, the avocado lacewing bug in Puerto Rico, 75(2), 185.
- Homoptera: Aleyrodidae
 New records of whiteflies in Puerto Rico, 75(3), 297.
Aleurocanthus woglumi, la mosca negra de los cítricos en Puerto Rico, 75(3), 301.
- Ipomoea batatas*
 Control de malezas y producción en cultivo intercalado con ñames, 75(1), 11.
 Canning and quality evaluation, 75(3), 317.
- Itchgrass
 Herbicides to control it in sugarcane fields, 75(3), 253.
- Kinetics, osmotic drying
 Pineapple and papaya, 75(4), 371.
- Leaf blight of *Syngonium podophyllum* 75(1), 97.
- Lepidoptera: Noctuidae
Anticarsia gemmatalis, a new hostplant in Puerto Rico, 75(3), 295.
- Leveillula taurica* (powdery mildew)
 Evaluation of fungicides to control it in peppers, 75(2), 119.
- Liming
 Effect on exchangeable magnesium levels in two highly weathered soils, 75(1), 101.
- Macrophomina phaseolina*
 Characterization and comparative pathogenicity, 75(4), 418.
- Macrophthalmothrips helenae*
 New thrips records in Puerto Rico, 75(3), 311.
- Magnesium, exchangeable, levels
 Effect of liming in two highly weathered soils, 75(1), 101.
- Manihot esculenta*
 Post harvest behavior of 4 cultivars, 75(3), 269.
- Melon
 Angular leaf spot in Puerto Rico, 75(2), 195.
- Metaleurodicus* sp.
 New whitefly records in Puerto Rico, 75(3), 297.
- Molasses, blackstrap
 Fermentation by *Zymomonas mobilis*, 75(1), 43.
- Mosca negra de los cítricos
Aleurocanthus woglumi en Puerto Rico, 75(3), 301.
- Nematodos, niveles poblacionales
 Efecto de los sistemas de rotación de cosechas, 75(4), 399.
- Nitrogen and potassium levels
 Effect on pineapple yield and quality, 75(4), 319.
- Ñame, cultivo intercalado con batatas
 Control de malezas y producción, 75(1), 11.
- Onion, 2 varieties
 Four nitrogen levels, 75(1), 1.
- Paecilomyces lilacinus*
 Nematode control in watermelon, 75(3), 307.
- Panicum maximum*, 11 cultivars
 Seasonal production when harvested at a 45-day interval, 75(1), 61.
- Papaya
 Osmotic drying kinetics, 75(4), 371.
- Patronos, profesionales ciencias agrícolas, de Expectativas y opiniones, 75(2), 139.
- Pepper cultivars
 Plant population and pruning, 75(3), 199.
- Pepper, snout beetle
 New alternative host, 75(4), 423.
- Peppers
 Evaluation of fungicides to control powdery mildew, 75(2), 119.
 Evaluation of herbicides, 75(4), 391.
- Peppers, canned
 Still retort sterilization, 75(2), 173.
- Peppers, sweet cherry
 Chemical weed control, 75(3), 261.
- Persea americana*
 Lacewing bug in Puerto Rico, 75(2), 185.
- Peru
 New species of *Apronius*, 75(4), 407.
- Phaseolus vulgaris*
 Damage caused by *Xanthomonas campestris*, 75(4), 353.
 Daños causados por *Xanthomonas campestris*, 75(4), 353.

- Incorporating of genes for resistance to *Xanthomonas campestris*, 75(4), 345.
- Pigeon pea
Lack of response to nitrogen and potassium fertilizer, 75(1), 89.
- Pigeon pea, genotypes
Resistance to pod borers, 75(1), 73.
- Pimiento, picudo del
Nuevo hospedero alterno, 75(4), 423.
- Pineapple
Effect of nitrogen and potassium levels on fruit yield and quality, 75(4), 319.
Effect of plant density on yield and quality, 75(4), 319.
Osmotic drying kinetics, 75(4), 371.
- Pineapple, intermediate moisture products
Blanching, shelf life and chemical composition, 75(1), 25.
Efficiency of preservatives during storage, 75(4), 411.
- Pineapple, Red Spanish variety
Degreening after field heat removal, 75(1), 37.
- Piña
Escaldadura, vida útil y aspectos químicos de productos de humedad intermedia, 75(1), 25.
- Piña, cabezona
Aspectos económicos de la inducción de la floración, 75(1), 105.
- Piña, productos de humedad intermedia
Efectividad de preservativos durante el almacenamiento, 75(4), 411.
- Plantain, French type
Proper bunch management, 75(2), 163.
- Plantain, ripe, acid puree
Spore age and thermal resistance of *Bacillus coagulans* and *Bacillus macerans*, 75(3), 205.
- Poda
Efecto sobre el deterioro de la yuca, 75(3), 269.
- Potassium and nitrogen levels
Effect on pineapple yield and quality, 75(4), 319.
- Powdery mildew, control in peppers
Evaluation of fungicides, 75(2), 119.
- Pruning
Effect on post-harvest behavior of 4 cassava cultivars, 75(3), 199.
Effect on yield of pepper cultivars, 75(3), 199.
- Pseudacysta perseae*
Avocado lacewing bug, 75(2), 185.
- Pseudomonas syringae*
Causal agent of angular leaf spot in cucurbits, 75(2), 195.
- Pseudothrips* sp.
New thrips record in Puerto Rico, 75(3), 311.
- Pummelo
Processing, canning and evaluation of rinds, 75(2), 189.
- Reduviidae
New species of *Apronius*, 75(4), 407.
- Rice
Canned native-style Puerto Rican dishes, 75(4), 363.
- Rotación de cosechas
Efectos sobre los niveles poblacionales de nemátodos, 75(4), 399.
- Rottboellia exaltata*
Herbicides to control it in sugarcane fields, 75(3), 253.
- Rum, composition
Indirect preparative-analytical gas chromatography for mass spectrometry, 75(1), 51.
- Rust
Resistance of sugarcane hybrids, 75(3), 287.
- Sechium edule*
Angular leaf spot in Puerto Rico, 75(2), 195.
- Seed, bean
Quality in Honduras, 75(2), 125.
- Smut
Resistance of sugarcane hybrids, 75(3), 287.
- Smut mycelia
Detection in apical meristems of sugarcane buds, 75(3), 281.
- Sorghum
Rust losses of hybrids in semi-arid conditions, 75(3), 233.

- Squash
Angular leaf spot in Puerto Rico, 75(2), 195.
- Stenopodainae
New species of *Apronius*, 75(4), 407.
- Sugarcane
Detection of smut mycelia in apical buds, 75(3), 281.
- Sugarcane fields
Survey of pH status and related fertility status, 75(3), 213.
Herbicides to control itchgrass, 75(3), 253.
- Sugarcane, hybrids
Productivity in the Lajas valley, 75(3), 287.
Resistance to smut and rust, 75(3), 287.
- Sugarcane, juice
Fermentation by *Zymomonas mobilis*, 75(1), 43.
- Sweet potato
Weed control and production intercropped with yam (*Dioscorea* sp.) 75(1), 11.
- Sweet potato, dessert
Canning and quality evaluation, 75(3), 317.
- Syngonium podophyllum* "White Butterfly"
Leaf blight in Puerto Rico, 75(1), 97.
- Tanier
Crop rotation and production, 75(1), 87.
- Tanier, cultivars
Estimation of leaf area, 75(3), 313.
- Tomato, cultivar Duke
Field and levels and methods of potassium fertilization, 75(2), 111.
- Thrips
New record in Puerto Rico, 75(3), 311.
- Thysanoptera*
New thrips record in Puerto Rico, 75(3), 311.
- Watermelon
Granular nematicides and fungus *Paecilomyces lilacinus* for nematode control, 75(3), 307.
- Whiteflies
New records from Puerto Rico, 75(3), 297.
- Xanthomonas campestris*
Damage in beans and its effect on yield, 75(4), 353.
Daños causados en la habichuela y su efecto sobre el rendimiento, 75(4), 353.
Incorporation of resistance genes into bean types, 75(4), 345.
- Xanthosoma* sp.
Rotación de cultivos y producción, 75(1), 87.
Estimation of leaf area, 75(3), 313.
- Xylosandrus compactus*
The black twig borer of coffee in Puerto Rico, 75(2), 183.
- Yam (*Dioscorea* sp)
Weed control and production intercropped with sweet potatoes, 75(1), 11.
- Yautías
Rotación de cultivos y producción, 75(1), 87.
- Yuea
Deterioro de 4 cultivares, 75(3), 269.
- Zea mays*
Soil moisture level and phosphorus rate on phosphorus uptake and growth, 75(2), 153.
- Zymomonas mobilis*
Fermentation of sugarcane juice and blackstrap molasses, 75(1), 43.