

INDEX TO VOLUME 81 (1997)

SUBJECTS

J. Agric. Univ. P.R. 81(3-4):243-245 (1997)

- Aldicarb
Control of nematodes and the corm-weevil in plantain, 81(1-2), 43.
- Allium cepa* (See Onion)
- Arachis glabrata* (See Rhizoma perennial peanut)
- Arracacha
Mineral concentration in plant parts of, 81(1-2), 71.
- Arracacha, weed control
Evaluation of clomazone, 81(3-4), 223.
- Arracacia xanthorrhiza* (See Arracacha)
- Banana corm-weevil
Pesticide control of in plantain, 81(1-2), 43.
- Bean
Intercropping with plantain, 81(3-4), 151.
- Bean blight, common (See Common bean blight)
- Beef, production
Comparison of Holstein, Charbray and Zebu bulls for beef production, grazing performance and economic evaluation, 81(3-4), 101.
Comparison of Holstein, Charbray and Zebu bulls for beef production, offal components and carcass composition, 81(3-4), 115.
- Bioregulators (See Growth regulators)
- Brassica oleracea* g. *italica* (L.) (See Broccoli)
- Brassica oleracea* L., (See Cabbage)
- Broccoli
Insects present in commercial varieties in P.R., 81(1-2), 87. (Spanish)
- Brentid
Chromosome number of, 81(3-4), 191.
- Bulls, beef production
Comparison of Holstein, Charbray and Zebu bulls for beef production, grazing performance and economic evaluation, 81(3-4), 101.
Comparison of Holstein, Charbray and Zebu bulls for beef production, offal components and carcass composition, 81(3-4), 115.
- Cabbage
Damage in, by larva of *Plutella xylostella*, 81(1-2), 83. (Spanish)
- Cabbage, weed control
Clomazone and oxyfluorfen, 81(3-4), 203.
- Carbofuran
Control of nematodes and the corm-weevil in plantain, 81(1-2), 43.
- Cassava, weed control
Evaluation of clomazone, 81(3-4), 223.
- Chayote
External fruit characteristics of landraces collected in Puerto Rico, 81(3-4), 227.
- Chicken manure
Amendment for soil acidity, fertility, 81(1-2), 1.
- Chromosome number
Brentid and curculionid weevils from Puerto Rico and U.S. Virgin Islands, 81(3-4), 191.
- Citrus sinensis* (See Orange)
- Clomazone
For weed control in cabbage, 81(3-4), 203.
In arracacha and cassava, 81(3-4), 223.
- Cocoyam (See Taniar)
- Coffee, plantations
Efficiency of fungicide spraying equipment in coffee plantations, 81(1-2), 95. (Spanish)
- Colocasia esculenta* (See Taro)
- Common bean blight
Hypersensitive reaction of the tepary bean upon the inoculation of, 81(3-4), 181.
- Cosmopolites sordidus* Germar (See Banana corm weevil)
- Curculionid
Chromosome number of, 81(3-4), 191.
- Dairy cows
Total mixed rations for, 81(1-2), 31.

- Ethoprop
Control of nematodes and the corm-weevil in plantain, 81(1-2), 43.
- Euphorbia pulcherrima* Willd ex. Klotzch
(See Poinsettia)
- Fungicide
Effect on radial growth of *Myrothecium roridum* and *Rhizoctonia solani*, 81(1-2), 91.
Efficiency of equipment to apply fungicides in coffee plantations, 81(1-2), 95. (Spanish)
- Grasses
Agronomic comparison of dwarf and tall napiergrass in Puerto Rico, 81(1-2), 9.
Ground johnson grass hay and long hay addition to total mixed rations for dairy cows, 81(1-2), 31.
Propagation of guinea grass in three stages of maturity, 81 (3-4), 237. (Spanish)
- Glycine max* (See Soybean)
- Groundwater contamination
From picloram on pasture, 81(3-4), 211.
- Growth regulators
Effect on poinsettia plant quality, 81(1-2), 53.
- Guinea grass
Propagation in three stages of maturity, 81(3-4), 237. (Spanish).
- Hay
Addition to total mixed rations for dairy cows, 81(1-2), 31.
- Hen
Yeast in rum must as a protein source for, 81(1-2), 63. (Spanish)
- Herbicide
Clomazone and oxyfluorfen for weed control in transplanted cabbage, 81(3-4), 203.
Clomazone in arracacha and cassava, 81(3-4), 223.
Picloram groundwater contamination from pasture use, 81(3-4), 211.
- Honduras pine
Growth and yield, 81(3-4), 125.
- Hydrogen ion efflux
In soybean roots, associated with yield, 81(3-4), 159.
- Insecticide
Rates, application intervals and rotation of four granular pesticides to control nematodes and the corm-weevil in plantain, 81(1-2), 43.
- Intercropping
Bean with plantain, 81(3-4), 151.
- Irrigation, supplemental
Yield and fruit quality of Superplátano, grown on an Ultisol with, 81(3-4), 141.
- Johnson grass
Addition to total mixed rations for dairy cows, 81(1-2), 31.
- Lepidoptera: Plutellidae
Natural enemies of *Plutella xylostella*, 81(1-2), 83.
- Leucaena leucocephala*
Dry matter, radical growth with different levels of residual water, 81(3-4), 231. (Spanish)
- Manure, chicken (See Chicken manure)
- Mixed rations, cows
Ground johnson grass hay and long hay addition to, 81(1-2), 31.
- Musa* spp. (See Plantain)
- Myrothecium roridum*
Effect of fungicides on radial growth of, 81(1-2), 91. (Spanish)
- Napier grass
Dwarf and tall, comparison of, in Puerto Rico, 81(1-2), 9.
- Nematicide
Rates, application intervals and rotation of four granular pesticides to control nematodes and the corm-weevil in plantain, 81(1-2), 43.
- Nematode
Pesticide control of in plantain, 81(1-2), 43.
- Onion
Intermediate days cultivars behavior in south Puerto Rico, 81(1-2), 75. (Spanish)
- Orange
Evaluation of twelve genotypes in two rootstalks, 81(1-2), 79.
- Oxyfluorfen
For weed control in cabbage, 81(3-4), 203.
- Panicum maximum* (See Guinea grass)
- Peanut, Rhizoma perennial (See Rhizoma perennial peanut)
- Pennisetum purpureum* Schum. (See Napiergrass), 81(1-2), 9.
- Pesticides, granular
Control of nematodes and the corm-weevil in plantain, 81(1-2), 43.
- Phaseolus acutifolius* (See Tepary bean)
- Phaseolus vulgaris* (See Bean)
- Phenamiphos
Control of nematodes and the corm-weevil in plantain, 81(1-2), 43.

- Picloram
Contamination of groundwater, 81(3-4), 211.
- Pinus caribaea* var. *hondurensis* (See Honduras pine)
- Plantain
Intercropping with bean cultivars, 81(3-4), 151.
Yield and fruit quality, on an Ultisol with supplemental irrigation, 81(3-4), 141.
- Plutella xylostella*
Natural enemies of, in Puerto Rico, 81(1-2), 83. (Spanish)
- Poinsettia
Bioregulators and plant quality, 81(1-2), 53.
- Rhizoctonia solani*
Effect of fungicides on radial growth of, 81(1-2), 91.
- Rhizoma perennial peanut
Establishment and effect of cutting interval on yield and nutritive value of, 81(1-2), 19.
- Sechium edule* (See Chayote)
- Soil acidity
Chicken manure as an amendment to correct, 81(1-2), 1.
- Soil fertility
Chicken manure as an amendment to correct, 81(1-2), 1.
- Sorghum halepense* (See Johnson grass)
- Soybean
Hydrogen ion efflux differences in roots, associated with yields, 81(3-4), 159.
- Tanier
Field performance of tissue culture derived cocoyam, 81(3-4), 133.
- Taro, upland
Relationship between leaf area index and weed suppression, 81(3-4), 219.
- Tepary bean
Hypersensitive reaction upon inoculation with the common bean blight pathogen, 81(3-4), 181.
- Tissue culture
Field performance of tissue culture derived cocoyam, 81(3-4), 133.
- Weed, control
Clomazone and oxyfluorfen in transplanted cabbage, 81(3-4), 203.
Clomazone in arracacha and cassava, 81(3-4), 223.
- Weed, suppression
Leaf area index relates to weed suppression in upland taro, 81(3-4), 219.
- Weevil, Brentid and Curculionid
Chromosome number, 81(3-4), 191.
- Xanthosoma sagittifolium* (See Tanier)
- Yam
Growth with and without vine support on an Ultisol, 81(1-2), 67.
- Yeast, in rum
Protein source for laying hens, 81(1-2), 63. (Spanish)