

INDEX TO VOLUME 83 (1999)

SUBJECTS

J. Agric. Univ. P. R. 83(3-4):233-235 (1999)

- Allelopathy
Yield and weed suppression by pigeon pea cultivars, 83(1-2), 55.
- Ametryn
Selection of a sugarcane cellular line tolerant to, 83(1-2), 47.
- Banana
Planting dates, frequencies of intercropping and yield and income of, 83(3-4), 209.
- Bean
Planting dates, frequencies of intercropping and yield and income of, 83(3-4), 209.
- Bolus
Effect of number and time of administration on ruminants' fecal excretion pattern, 83(3-4), 123.
Supplementation of selenium via, for milk cows, 83(3-4), 223. (Spanish)
- Brassica oleracea* var. *capitata* (See Cabbage)
- Broiler litter (See Manure)
- Cabbage
Clomazone and oxyfluorfen: Application timing, 83(3-4), 175.
- Cajanus cajan* (See Pigeon pea)
- Calf, dairy
Use of leucaena leaves in feed concentrate for, 83(1-2), 97.
- Capsicum annuum* (See Pepper)
- Carica papaya* (See Papaya)
- Chromium oxide, bolus (See Bolus)
- Clomazone
Application timing in cabbage, 83(3-4), 175.
- Coffea arabica* (See Coffee)
- Coffee
Rhizoctonia solani, *Myrothecium roridum*, inoculum and relationship with plantules of, 83(3-4), 181.
Sulfosate for weed control in, 83(3-4), 217.
- Colocasia esculenta* (See Taro)
- Compost (See Sewage sludge)
- Cotton
Early growth of seedlings: visible true leaf at emergence vs. normal phenotype, 83(1-2), 19.
- Cow, dairy
Supplementation of selenium via bolus or injection, 83(3-4), 223. (Spanish)
- Crop rotation (See Rotation)
- Diptera: Tachinidae
Vibrissina sp. a favorite of seagrape sawfly, 83(1-2), 75.
- Draeculacephala soluta*
Action thresholds in rice, 83(1-2), 65. (Spanish)
- Empoasca fabalis*
In papaya in Puerto Rico, 83(1-2), 79.
- Ensiling
Cell wall disappearance in forage sorghum and Johnson grass, treated with enzymes, 83(1-2), 89.
- Explant, leaf
Micropropagation of *Liriope muscari*, via, 83(3-4), 169.
- Feed
Use of leucaena leaves in concentrate for dairy calves, 83(1-2), 97.
- Forage
Cell wall disappearance in forage sorghum and Johnson grass, treated with enzymes, 83(1-2), 89.
- Fungi
Chitinolytic capacity of, from soils infested with nematodes, 83(3-4), 189. (Spanish)
- Glycine max* (See Soybean)
- Gossypium hirsutum* (See Cotton)
- Herbicide
Ametryn tolerant sugarcane cellular line, 83(1-2), 47.
Clomazone and oxyfluorfen in cabbage, 83(3-4), 175.
Sulfosate in coffee, 83(3-4), 217.
- Homoptera: Cicadellidae

- Action thresholds of *Hortensia similis* and *Draeculacephala soluta* in rice, 83(1-2), 65. (Spanish)
- Hortensia similis*
Action thresholds in rice, 83(1-2), 65. (Spanish)
- Hymenoptera: Argidae
Vibrissina sp. a parasite of seagrape sawfly, 83(1-2), 75.
- Insects
Hortensia similis and *Draeculacephala soluta* in rice, 83(1-2), 65.
Vibrissina sp. a parasite of the seagrape sawfly, 83(1-2), 75.
Empoasca fabalis in papaya, 83(1-2), 79.
- Intercropping
Planting dates and frequencies of, yield and income of bean and banana, 83(3-4), 209.
- Johnson grass
Cell wall disappearance after treatment with enzyme preparation, 83(1-2), 89.
- Leucaena
Use of leaf flour in calf feed concentrate, 83(1-2), 97.
Leucaena leucocephala (See Leucaena)
- Liriope muscari*
Micropropagation of, via leaf explant, 83(3-4), 169.
- Lycopersicon esculentum* (See Tomato)
- Manure, chicken
Phosphorus status of soils from the poultry zone in Puerto Rico, 83(1-2), 1.
- Meloidogine* spp. (See Root knot nematode)
- Mollisol
Chemical and physical properties of a, treated with sewage sludge compost, 83(3-4), 103.
- Musa* spp. (See Banana)
- Myrothecium roridum* (See Root rot, coffee)
- Nematode
Chitinolytic capacity of fungi isolated from soils infested with, 83(3-4), 189. (Spanish)
Population dynamics of, in pigeon pea, 83(3-4), 201. (Spanish)
- Oryza sativa* (See Rice)
- Oxyfluorfen
Application timing in cabbage, 83(3-4), 175.
- Papaya
Host of *Empoasca fabalis*, new record in Puerto Rico, 83(1-2), 79. (Spanish)
- Pepper
Weed suppression by pigeon pea cultivars in rotation with, 83(1-2), 55.
- Phaseolus vulgaris* (See Bean)
- Phosphorus
In soils from the poultry zone in Puerto Rico, 83(1-2), 1.
- Pigeon pea
Yield and weed suppression in rotation with tomato and pepper, 83(1-2), 55.
Population dynamics of phytoparasitic nematodes in, 83(3-4), 201. (Spanish)
- Pollution
Phosphorus status of soils from the poultry zone in Puerto Rico, 83(1-2), 1.
- Poultry
Phosphorus status of soils from the poultry zone in Puerto Rico, 83(1-2), 1.
- Propagation, plant
Micropropagation of *Liriope muscari* via leaf explant, 83(3-4), 169.
- Rhizoctonia solani* (See Root rot, coffee)
- Rice
Action thresholds of *Hortensia similis* and *Draeculacephala soluta* in rice, 83(1-2), 65. (Spanish)
- Root knot nematode
Chitinolytic capacity of fungi, from soils infested with, 83(3-4), 189. (Spanish)
- Root rot, coffee
Rhizoctonia solani, *Myrothecium roridum*, inoculum and relationship with coffee plantules, 83(3-4), 181. (Spanish)
- Rotation
Yield and weed suppression by pigeon pea cultivars in, with tomato and pepper, 83(1-2), 55.
- Ruminant
Number and time of administration of boluses of chromium oxide, and fecal excretion pattern, 83(3-4), 123.
- Saccharum* sp. (See Sugarcane)
- Seagrape sawfly
Host to *Vibrissina* sp., first record of parasite of this sawfly, 83(1-2), 75.

- Selenium
Supplement for milk cows, via bolus or injection, 83(3-4), 223. (Spanish)
- Sericoceros krugii* (See Seagrave sawfly)
- Sewage sludge, compost
Chemical and physical properties of two tropical soils treated with, 83(3-4), 103.
- Silage (See Ensiling)
- Soil
Phosphorus status of, from the poultry zone in Puerto Rico, 83(1-2), 1.
- Soil, properties
Of two tropical soils treated with sewage sludge compost, 83(3-4), 103.
- Sorghum bicolor* (See Sorghum)
- Sorghum, forage
Cell wall disappearance after treatment with enzymes preparation, 83(1-2), 89.
- Sorghum, grain
Fermentation characteristics, aerobic stability of, ensiled with commercial inoculum, 83(3-4), 135. (Spanish)
- Sorghum halepense* (See Johnson grass)
- Soybean
Agronomic evaluation and genetic parameters in, for human consumption, 83(3-4), 153. (Spanish)
- Sugarcane
Selection of an ametryn tolerant cellular line, 83(1-2), 47.
- Sulfosate
For weed control in coffee, 83(3-4), 217.
- Taro
Response to sett size, plant spacing, 83(1-2), 33.
Yield and foliar concentration of nutrients at two plant spacings, three fertilizer levels, 83(1-2), 41. (Spanish)
- Tissue culture
Selection of an ametryn tolerant sugarcane cellular line, 83(1-2), 47.
- Tomato
Weed suppression by pigeon pea cultivars in rotation with, 83(1-2), 55.
Virus detection in tomato producing zones of Venezuela, 83(1-2), 83. (Spanish)
- Ultisol
Chemical and physical properties of an, treated with sewage sludge compost, 83(3-4), 103.
- Vibrissina* sp.
Parasite of the seagrave sawfly, 83 (1-2), 75.
- Virus
Detection, in tomato production zones of Venezuela, 83(1-2), 83.
- Weed, control
Clomazone and oxyfluorfen in cabbage, 83(3-4), 175.
Sulfosate in coffee, 83(3-4), 217.
- Weed, suppression
By pigeon pea cultivars in rotation with tomato and pepper, 83(1-2), 55.