

INDEX TO VOLUME 81 (1997)

AUTHORS¹

J. Agric. Univ. P.R. 81(3-4):239-242 (1997)

Abreu-Rodríguez, E.

*1997, Enemigos naturales de *Plutella xylostella* (L.) (Lepidoptera: Plutellidae) en Puerto Rico, 81(1-2), 83. (RN)

Acevedo, R.

*1997, Ground johnson grass hay and long hay addition to total mixed rations for dairy cows, 81(1-2), 31.

Acín, N. M.

1997, Mineral concentration in arracacha plant parts, 81(1-2), 71. (RN)

Angulo, R.

1997, Materia seca y crecimiento radical de *Leucaena leucocephala* bajo diferentes niveles de aguas residuales, 81(3-4), 231. (RN)

Antoni, M.

1997, Comparison of Holstein, Charbray and Zebu bulls for beef production under rotational grazing. I. Grazing performance and economic evaluation, 81(3-4), 101.

Bautista-Pérez, F.

*1997, Efecto de varios fungicidas en el crecimiento radial del *Myrothecium roridum* y *Rhizoctonia solani*, 81(1-2), 91. (RN)

* Senior author

/ Sole author

RN Research note

Bosques, O.

1997, Eficiencia de varios equipos para aplicar fungicidas en los cafetales, 81(1-2), 95. (RN)

Cabrera-Asencio, I.

/1997, Comportamiento de cultivares de cebolla de días intermedios en el sur de Puerto Rico, 81(1-2), 75. (RN)

Cabrera-Asencio, I.

*1997, Insectos presentes en variedades comerciales de *Brassica oleracea* g. itálica (L.) en diferentes áreas de Puerto Rico, 81(1-2), 87. (RN)

Cacho, C. L.

1997, Picloram groundwater contamination from pasture use, 81(3-4), 211.

Casas, A.

*1997, Comparison of Holstein, Charbray and Zebu bulls for beef production under rotational grazing. I. Grazing performance and economic evaluation, 81(3-4), 101.

*1997, Comparison of Holstein, Charbray and Zebu bulls for beef production under rotational grazing. II. Components and carcass composition, 81(3-4), 115.

Chavarria-Carvajal, J. A.

*1997, Rates, application intervals and rotation of four granular pesticides to control nematodes and

¹An author's name may appear in more than one form. Although all first names are abbreviated, an author may appear with one or two initials. Last names may appear single or compound. When compound, they are hyphenated regardless of how they appear in the original. Alphabetically, names with a single initial precede two-initial ones (Y. Badillo precedes Y. A. Badillo); single names precede hyphenated ones (Abreu, Z. precedes Abreu-Abadía, A.). Articles under one name are organized chronologically (those in volume I precede those in volume II; those in number 1 precede those in number 2 and those on page 1 precede those on page 2).

- González, W.**
1997, Eficiencia de varios equipos para aplicar fungicidas en los cafetales, 81(1-2), 95. (RN)
- Hanna, W.**
1997, Agronomic comparison of dwarf and tall napiergrass in Puerto Rico, 81(1-2), 9.
- Irizarry, H.**
1997, Rates, application intervals and rotation of four granular pesticides to control nematodes and the corm-weevil (*Cosmopolites sordidus* Germar) in plantain, 81(1-2), 43.
*1997, Yield of Diamante and Kinabayo yam cultivars grown with and without vine support on an Ultisol, 81(1-2), 67. (RN)
- *1997, Yield and fruit quality of the Superplátano grown on an Ultisol with supplemental irrigation, 81(3-4), 141.
- Liu, L. C.**
*1997, Intercropping bean cultivars with plantain, 81(3-4), 151.
*1997, Picloram groundwater contamination from pasture use, 81(3-4), 211.
*1997, An evaluation of clomazone in arracacha and cassava, 81(3-4), 223. (RN)
- Lugo, M. de L.**
*1997, Leaf area index relates to weed suppression in upland taro, 81(3-4), 219. (RN)
1997, An evaluation of clomazone in arracacha and cassava, 81(3-4), 223. (RN)
- Márquez, P. E.**
1997, Chicken manure as an amendment to correct soil acidity and fertility, 81(1-2), 1.
- Marrero, E.**
1997, Comparison of Holstein, Charbray and Zebu bulls for beef production under rotational grazing. I. Grazing performance and economic evaluation, 81(3-4), 101.
- Martínez, S.**
1997, Insectos presentes en variedades comerciales de *Brassica oleracea* g. itálica (L.) en diferentes áreas de Puerto Rico, 81(1-2), 87. (RN)
- the corm-weevil (*Cosmopolites sordidus* Germar) in plantain, 81(1-2), 43.**
- Cianzio, D.**
1997, Comparison of Holstein, Charbray and Zebu bulls for beef production under rotational grazing. I. Grazing performance and economic evaluation, 81(3-4), 101.
1997, Comparison of Holstein, Charbray and Zebu bulls for beef production under rotational grazing. II. Components and carcass composition, 81(3-4), 115.
- Clavero, T.**
1997, Materia seca y crecimiento radical de *Leucaena leucocephala* bajo diferentes niveles de aguas residuales, 81(3-4), 231. (RN)
- Cruz, C.**
1997, Enemigos naturales de *Plutella xylostella* (L.) (Lepidoptera: Plutellidae) en Puerto Rico, 81(1-2), 83. (RN)
- Del Valle, R.**
1997, Mineral concentration in arracacha plant parts, 81(1-2), 71. (RN)
- Dumas, J. A.**
1997, Picloram groundwater contamination from pasture use, 81(3-4), 211.
- Flores, C.**
1997, Evaluación de doce genotipos de china (*Citrus sinensis*) en dos patrones, 81(1-2), 79. (RN)
1997, Eficiencia de varios equipos para aplicar fungicidas en los cafetales, 81(1-2), 95. (RN)
- Francis, J. K.**
/1997, Growth and yield of unthinned Honduras pine grown to small sawlog sizes, 81(3-4), 125.
- Goenaga, R.**
1997, Yield and fruit quality of the Superplátano grown on an Ultisol with supplemental irrigation, 81(3-4), 141.
- González, A.**
1997, Leaf area index relates to weed suppression in upland taro, 81(3-4), 219. (RN)
1997, External fruit characteristics of chayote landraces collected in Puerto Rico, 81(3-4), 227. (RN)

- Montilla, Y.**
1997, Materia seca y crecimiento radicular de *Leucaena leucocephala* bajo diferentes niveles de aguas residuales, 81(3-4), 231. (RN)
- Muñoz, M. A.**
1997, Chicken manure as an amendment to correct soil acidity and fertility, 81(1-2), 1.
- Ndzana, X.**
1997, Field performance of tissue culture derived cocoyam [*Xanthosoma sagittifolium* (L.) Schott], 81(3-4), 133.
- Nyochembeng, L.**
1997, Field performance of tissue culture derived cocoyam [*Xanthosoma sagittifolium* (L.) Schott], 81(3-4), 133.
- O'Brien, C. W.**
1997, Chromosome number of some brentid and curculionid weevils from Puerto Rico and the U.S. Virgin Islands, 81(3-4), 191.
- O'Hallorans, J. M.**
*1997, Chicken manure as an amendment to correct soil acidity and fertility, 81(1-2), 1.
- Orengo, E.**
1997, Insectos presentes en variedades comerciales de *Brassica oleracea* g. itálica (L.) en diferentes áreas de Puerto Rico, 81(1-2), 87. (RN)
- Orengo-Santiago, E.**
1997, Hydrogen ion efflux differences in soybean roots associated with yields, 81(3-4), 159.
1997, An evaluation of elomazone in arracacha and cassava, 81(3-4), 219. (RN)
- Ortiz, C. E.**
*1997, Mineral concentration in arracacha plant parts, 81(1-2), 71. (RN)
1997, Leaf area index relates to weed suppression in upland taro, 81(3-4), 219. (RN)
*1997, External fruit characteristics of chayote landraces collected in Puerto Rico, 81(3-4), 227. (RN)
- Ortiz, J.**
1997, Intercropping bean cultivars with plantain, 81(3-4), 151.
- Quiles-Belén, A.**
1997, Agronomic comparison of dwarf and tall napiergrass in Puerto Rico, 81(1-2), 9.
- Ramírez-Oliveras, G.**
*1997, Hydrogen ion efflux differences in soybean roots associated with yields, 81(3-4), 159.
- Ramírez-Ramos, L. V.**
1997, Bioregulators and poinsettia plant quality, 81(1-2), 53.
- Ramos, R.**
1997, Comparison of Holstein, Charbray and Zebu bulls for beef production under rotational grazing. I. Grazing performance and economic evaluation, 81(3-4), 101.
- Ramos-Santana, R.**
*1997, Propagación de *Panicum maximum* (yerba guinea) en tres etapas de madurez, 81(3-4), 237. (RN)
- Randel, P. F.**
1997, Ground johnson grass hay and long hay addition to total mixed rations for dairy cows, 81(1-2), 31.
/1997, Levadura torula cultivada en mosto de destilería de ron como fuente proteica para gallinas ponedoras, 81(1-2), 63. (RN).
- Razz, R.**
*1997, Materia seca y crecimiento radicular de *Leucaena leucocephala* bajo diferentes niveles de aguas residuales, 81(3-4), 231. (RN)
- Rivas, M.**
1997, Materia seca y crecimiento radicular de *Leucaena leucocephala* bajo diferentes niveles de aguas residuales, 81(3-4), 231. (RN)
- Rivera, A.**
1997, Comparison of Holstein, Charbray and Zebu bulls for beef production under rotational grazing. II. Components and carcass composition, 81(3-4), 115.
- Rivera, E.**
1997, Yield of Diamante and Kinabayo yam cultivars grown with and without vine support on an Ultisol, 81(1-2), 67. (RN)
- Rodríguez, J. A.**
1997, Intercropping bean cultivars with plantain, 81(3-4), 151.

- Rodríguez, J. E.**
 1997, Propagación de *Panicum maximum* (yerba guinea) en tres etapas de madurez, 81(3-4), 237. (RN)
- Rodríguez, R. del P.**
 1997, Efecto de varios fungicidas en el crecimiento radial del *Myrothecium roridum* y *Rhizoctonia solani*, 81(1-2), 91. (RN)
 *1997, Eficiencia de varios equipos para aplicar fungicidas en los cafetales, 81(1-2), 95. (RN)
- Román, F. M.**
 *1997, Evaluación de doce genotipos de china (*Citrus sinensis*) en dos patrones, 81(1-2), 79. (RN)
- Ruiz-Sifre, G.**
 *1997, Bioregulators and poinsettia plant quality, 81(1-2), 53.
 1997, Evaluación de doce genotipos de china (*Citrus sinensis*) en dos patrones, 81(1-2), 79. (RN)
- Santiago-Santos, L. R.**
 1997, Bioregulators and poinsettia plant quality, 81(1-2), 53.
- Semidey, N.**
 /1997, Clomazone and oxyfluorfen for weed control in transplanted cabbage (*Brassica oleracea* L.), 81(3-4), 203.
- Sotomayor-Ríos, A.**
 *1997, Agronomic comparison of dwarf and tall napiergrass in Puerto Rico, 81(1-2), 9.
 1997, Establishment and effect of cutting interval on yield and nutritive value of Rhizoma perennial peanut in northwestern Puerto Rico, 81(1-2), 19.
- Stutte, C. A.**
 1997, Hydrogen ion efflux differences in soybean roots associated with yields, 81(3-4), 159.
- Torres-Cardona, S.**
 1997, Agronomic comparison of dwarf and tall napiergrass in Puerto Rico, 81(1-2), 9.
 1997, Establishment and effect of cutting interval on yield and nutritive value of Rhizoma perennial peanut in northwestern Puerto Rico, 81(1-2), 19.
- Valencia, E.**
 *1997, Establishment and effect of cutting interval on yield and nutritive value of Rhizoma perennial peanut in northwestern Puerto Rico, 81(1-2), 19.
- Virkki, N.**
 *1997, Chromosome number of some brentid and curculionid weevils from Puerto Rico and the U.S. Virgin Islands, 81(3-4), 191.
- Zapata, M.**
 /1997, Hypersensitive reaction of the tepary bean upon inoculation with the common bean blight pathogen, 81(3-4), 181.
- Zok, S.**
 *1997, Field performance of tissue culture derived cocoyam [*Xanthosoma sagittifolium* (L.) Schott], 81(3-4), 133.