## **INDEX TO VOLUME 82 (1998)**

## SUBJECTS

## J. Agric. Univ. 82(3-4):229-231 (1998)

Acarus (See Schizotetranychus oryzae) Anthracnose

In pigeonpea long-day trials, 82 (3-4), 209.

Beetle, leaf (See Leaf beetle)

Bermuda grass

Fertilizer rates, yield and quality of grass hays, 82(1-2), 17.

Brassica oleracea (See Cabbage)

Burkholderia cepacia

Cause of bacterial blotch of oyster mushroom, 82(1-2), 109.

Butterfly pea

Chemical composition and in vitro digestibility, in diets based on tropical grasses, 82(1-2), 25. (Spanish)

Cabbage

Response in the mountainous and coastal areas of Puerto Rico, 82(1-2), 113.

Cacao

Early yield of five families, 82(3-4), 163.

Cajanus cajan (See Pigeonpea) Capsicum annuum (See Pepper) Carica papaya (See Papaya)

Centrosema pubescens (See Butterfly pea) Ceratiomyxa fruticulosa (See Myxomycetes) Coleoptera: Chrysomelidae

Chromosome numbers in 71 Puerto Rican species of leaf bettles, 82(1-2), 69.

Colletotrichum gloesporioides (See Anthracnose)

Cribaria intricata (See Myxomycetes)
Cynodon dactylon (See Bermuda grass)
Cynodon nlenfuensis (See Star grass)
Dictydium cancellatum (See Myxomycetes)
Digitaria decumbens (See Pangola grass)
Digitaria eriantha

Fertilizer rates, yield and quality of grass hays, 82(1-2), 17.

Dolichothrips indicus

New report in pepper and eggplant, 82(1-2), 111. (Spanish)

Dry root rot

Sclerotium rolfsii as a component in the pathological complex causing, 82(1-2), 85. (Spanish)

Eggplant

Dolichothrips indicus (Hood), new report in, 82(1-2), 111. (Spanish)
Population dynamics of Thrips palmi

in, 82(3-4), 217. (Spanish)

Elephant grass

Chemical composition and in vitro digestibility, in diets with leguminous forages, 82(1-2), 25. (Spanish)

Forages

Chemical composition and in vitro digestibility, 82(1-2), 25. (Spanish)

Dry matter intake and nutrient digestibility, 82(1-2), 39. (Spanish)

Agronomic potential of stylo, 82(1-2), 1. Stem propagation of guinea grass, 82(1-2), 117.

Fuligo septica (See Myxomycetes)

Guinea grass

Chemical composition and in vitro digestibility, in diets with leguminous forages, 82(1-2), 25. (Spanish)

Stem propagation at six maturity stages and two cutting heights, 82(1-2), 117.

Hay, grass

Fertilizer rates, yield and quality in southern Puerto Rico, 82(1-2), 17.

Hens, Cornish

Diets, energy: protein ratio, 82(1-2), 51. (Spanish)

Herbicide

. Oxyfluorfen in tanier, 82(3-4), 221.

Leaf beetle

Chromosome numbers in 71 Puerto Rican species, 82(1-2), 69.

Leucaena leucocephala

Chemical composition and in vitro digestibility, in diets based on tropical grasses, 82(1-2), 25. (Spanish)

Dry matter intake and nutrient digestibility, 82(1-2), 39. (Spanish)

Lycogala sp (See Myxomycetes)

Musa (See Plantain)

Mushroom, oyster

Bacterial blotch caused by Burkholderia cepacia, 82(1-2), 109.

Myxomycetes

New records from Mona Island, 82(3-4), 189.

Neonotonia wightii

Chemical composition and in vitro digestibility, in diets based on tropical grasses, 82(1-2), 25. (Spanish)

Oryza sativa (See Rice)

Oxyfluorfen

Efficacy and phytotoxicity in tanier, 82(3-4), 221.

Pangola grass

Fertilizer rates, yield and quality of grass hays, 82(1-2), 17.

Panicum

Agronomic comparison of four hybrids and two cultivars at three cutting intervals, 82(3-4), 141.

Panicum maximum (See Guinea grass)

Papaya

Performance, unaffected by lateral shoot pruning, 82(1-2), 63.

Paraguat

Low inhalation exposure when sprayed properly with knapsacks, 82(1-2),

Pennisetum purpureum (See Elephant grass)

Pepper

Dolichthrips indicus (Hood), new report in, 82(1-2), 111. (Spanish)

Population dynamics of Thrips palmi in, 82(3-4), 217. (Spanish)

Pigeonpea

Reaction of new long-day genotypes to rust, 82(3-4), 201.

Incidence of anthracnose in, 82(3-4), 209.

Plantain, dwarf superplátano

Yield potential and fruit traits, at three locations, 82(3-4), 173.

Rice

Development of Schizotetranychus oryzae in, 82(3-4), 183. (Spanish)

Behavior of Schizotetranychus oryzae in nine varieties, 82(3-4), 213. (Spanish)

Rust

Reaction of new long-day pigeonpea genotypes to, 82(3-4), 201.

Schizotetranychus oryzae

Behavior in nine rice varieties, 82(3-4), 213. (Spanish)

Development in rice, 82(3-4), 183. (Spanish)

Sclerotium rolfsii

Component in the pathological complex that causes dry root rot in tanier, 82(1-2), 85. (Spanish)

Sewage sludge

Humic acid, evaluation of proton and europium (III) binding reactions in, 82(3-4), 121.

Solanum melongena (See Eggplant)

Sorghum

Chemical composition and in vitro digestibility, in diets with leguminous forages, 82(1-2), 25. (Spanish)

Response of forage sorghums Millo Blanco and Greenleaf sudangrass and their hybrids to planting dates, 82(3-4), 151,

Sorghum bicolor (See Sorghum) Sorghum sudanense (See Sorghum)

Star grass

Chemical composition and in vitro digestibility, in diets with leguminous forages, 82(1-2), 25. (Spanish)

Stemonitis axifera (See Myxomycetes) Stylo

Agronomic potential in Puerto Rico, 82(1-2), 1. Chemical composition and in vitro di-

gestibility, 82(1-2), 25. (Spanish) Dry matter intake and nutrient digestibility, 82(1-2), 39. (Spanish)

Tanier

Oxyfluorfen in, 82(3-4), 221.

Sclerotium rolfsii as a component in the pathological complex causing dry root rot, 82(1-2), 85. (Spanish)

Theobroma cacao (See Cacao)

Thrips palmi

In eggplant and pepper, 82(3-4), 217. (Spanish)

Thysanoptera: Phlaeothripidae

Dolichothrips indicus, new report in pepper and eggplant, 82(1-2), 111. (Spanish) Tubifera ferruginosa (See Myxomycetes)
Uredo cajani (See Rust)
Weed, control
Oxyfluorfen in tanier, 82(3-4), 221.

Xanthosoma sagittifolium (See Tanier)