

INDEX TO THE JOURNAL OF AGRICULTURE OF THE UNIVERSITY OF PUERTO RICO, VOLUMES 70 TO 80 (1986 to 1996)

SUBJECTS

J. Agric. Univ. P.R. 80(4):259-293 (1996)

- Abelmoschus esculentus* (L.) (See Okra)
- Acacia whitefly
New whitefly records in Puerto Rico, 1991, 75(3), 297.
- Acari, Eriophyidae
Geographical and seasonal distribution in Puerto Rico and Florida, 1990, 74(3), 237.
- Acari, Ixodidae
Permethrin for control of southern cattle tick, in Holstein heifers, 1995, 79 (3-4), 93.
- Acaricidal powders, collars and sprays
Failure to reduce brown dog tick, 1986, 70(4), 299.
- Acariformes
New mite records for Puerto Rico, 1987, 71(4), 399.
- Acarina, Eriophyidae
Eriophyid mite of the coconut palm, 1986, 70(3), 223.
- Acephate
Insect and nematode control in cucumber, 1986, 70(1), 19.
To control *Liriomyza* and *Lepidoptera* larvae on tomato, 1988, 72(1), 169.
- Aceria guerreronis*
Geographical and seasonal distribution in Puerto Rico and Florida, 1990, 74(3), 237.
- Achras zapota* (See Sapodilla)
- Achrysonocharoides* sp.
Coffee leaf miner parasitoid in Puerto Rico, 1988, 72(2), 255.
- Aeschynomene sensitiva* (See Joinvetch)
- Aglaonema
Gross income generated by cultivars "Silver Queen" and "María", 1989, 73(4), 399. (Spanish)
Shade requirements, 1990, 74(2), 95.
Aglaonema commutatum (See Aglaonema)
- Agricultural Sciences, professionals in
Opinions of their patrons, 1991, 75(2), 139. (Spanish)
- Alachlor
Control of *Echinochloa colonum*, 1986, 70(4), 311.
- Albizia procera*
Chemical control in pastures, 1990, 74(4), 433.
Production, dispersal, dormancy of seeds, 1995, 79(3-4), 163.
- Alcohol
Validation of HPLC method in analysis of alcoholic beverage production, 1990, 74(4), 357.
- Aldicarb
Insect and nematode control in cucumber, 1986, 70(1), 19.
To control coffee leaf miner, 1987, 71(2), 185.
- Aleurocanthus woglumi* (See Citrus black fly)
- Aleurodicus dispersus*
New whitefly records in Puerto Rico, 1991, 75(3), 297.
- Aleuroglandulus malangae*
New whitefly records in Puerto Rico, 1991, 75(3), 297.
- Aleurothrix floccosus* (See Woolly whitefly)
- Alexander grass
Herbicides, control by several in greenhouse, 1986, 70(3), 207.
- Alfalfa
Forage production of nine cultivars in semiarid region, 1988, 72(2), 221.
- Allelopathy
Pumpkin, effect of seven weeds species on, 1988, 72(3), 491.
- Allium cepa* (See Onion)

- Allium* spp.
Pathogenicity of *Burkholderia cepacia* (*Pseudomonas cepacia*) in, 1996, 80(3), 123. (Spanish)
- Alternaria*
Cause of blight in pigeon pea in Puerto Rico, 1986, 70(1), 79.
- Alternaria solani*
Tomato, sources of resistance in, 1987, 71(1), 85.
- Alticinae
Storage and activation of large sperm cells in male, 1987, 71(4), 415.
- Amaranthus dubius* (See Pigweed)
- Amaranthus hybridus* (See Smooth pigweed)
- Ametryn
Control of alexander grass, in the greenhouse, 1986, 70(3), 207.
Control of vasey grass, 1987, 71(2), 233.
Evaluation in yam, 1990, 74(3), 221.
Persistence of in a banana field, 1991, 75(1), 19.
Preemergent control in arracacha (Peruvian carrot), 1990, 74(3), 273. (Spanish)
Sugarcane, in, 1986, 70(4), 235.
- Ananas comosus* (See Pineapple)
- Anastrepha obliqua* (See West Indian fruit fly)
- Anastrepha* spp. (See Fruit fly)
- Angular leaf spot
Cucurbits, in Puerto Rico, 1991, 75(2), 195.
- Annona fruit chalcid
Insect pests of soursop and their natural enemies, 1989, 73(4), 383.
- Annona muricata* (See Soursop)
- Ant
Fungi-grower ant in Puerto Rico and adjacent islands, 1989, 73(4), 401.
- Ant, Brazilian
Ecological, toxicological and agricultural aspects, 1990, 74(4), 375. (Spanish)
- Anthonomus eugenii* (See Pepper weevil)
- Anthraxnose
Damage to immature soybean seeds, 1988, 72(1), 73.
Resistance of five yam cultivars, 1989, 73(4), 381. (Spanish)
Yield and profit in monocultures and interplantings of yams, 1988, 72(2), 179.
- Anticarsia gemmatalis* (See Velvet bean caterpillar)
- Apate monacha* (See Coffee stem borer)
- Aphis citricola* (See Spirea aphid)
- Apoidea, Hymenoptera
Xylocopa brasilianorum, 1986, 70(4), 255.
- Apronius
New species from Peru, 1991, 75(4), 407.
- Aquaculture
Tilapia hybrids and *Macrobrachium rosenbergii*, 1987, 71(2), 225.
- Armyworms
Additional new records in cabbage, 1994, 78(1-2), 69.
- Arracacha
Fertilization of, in an Ultisol, 1995, 79(3-4), 183.
Preemergent control of weeds with ametryn, 1990, 74(3), 273. (Spanish)
Sensory evaluation of cultivars, 1989, 73(3), 291.
- Arracacia xanthorrhiza* (See Arracacha)
- Arthrobotrys* spp.
Biocontroller of *Meloidogyne incognita* in tomato, 1989, 73(3), 281.
Levels in a population of *Meloidogyne incognita* in tomato, 1990, 74(3), 261. (Spanish)
- Ascochyta phaseolorum*
Bean infected with, effect of fungicide on, 1986, 70(2), 127.
- Ashy stem blight
Bean resistance and susceptibility, 1987, 71(4), 403.
Dry bean genotypes susceptibility to, 1987, 71(4), 385.
Evaluation for resistance in beans, 1990, 74(4), 349.
- Asparagus
Seed production, 1988, 72(4), 619.
- Asparagus officinalis* (See Asparagus)
- Asperisporium caricae* (See Black rust)
- Asulam
Candidate herbicide to control itchgrass, 1990, 74(2), 145.
Sugarcane, in, 1986, 70(4), 235.
- Atrazine
Control of alexander grass, in the greenhouse, 1986, 70(3), 207.
Control of *Echinochloa colonum*, 1986, 70(4), 311.
Establishment and forage yield of guinea grass, effect on, 1992, 76(1), 15.
Establishment and forage yield of stargrass, effect on, 1989, 73(2), 149.
- Avocado
Lacewing bug in Puerto Rico, 1991, 75(2), 185.

- Bacillus coagulans*
 Growth potential in acid and acidified foods, 1991, 75(2), 191.
 Recovery from food refrigerated before incubation, 1988, 72(4), 617.
 Spore age and thermal resistance in acid ripe plantain puree, 1991, 75(3), 205.
 Thermal resistance of spores, 1986, 70(3), 189.
- Bacillus macerans*
 Growth potential in acid and acidified foods, 1991, 75(2), 191.
 Recovery from food refrigerated before incubation, 1988, 72(4), 617.
 Spore age and thermal resistance in ripe plantain acid puree, 1991, 75(3), 205.
 Thermal resistance of spores, 1986, 70(3), 189.
- Bacillus thuringiensis*
 Susceptibility of diamondback moth in cabbage, 1990, 74(2), 153.
- Bacteria
 Conventional versus petrifilm method for enumeration, 1989, 73(3), 183.
- Bacterial basal rot
 Straw mushrooms, of, 1986, 70(3), 219.
- Bacterial blight
 Inheritance and relationship of the reaction to in dry beans, 1996, 80(3), 95. (Spanish)
- Bacterial diseases
 Crops affected in Puerto Rico, 1992, 76(3-4), 187.
- Bacterial leaf spot
 In coffee, 1988, 72(4), 621.
 In pigeon pea, 1987, 71(2), 177.
- Bacterial rot
 Sorghum, whorl and stalk, 1987, 71(3), 265.
- Bacterial spot
 Pepper, caused by *Xanthomonas campestris*, 1995, 79(1-2), 41.
 Resistance of six pepper varieties, 1992, 76(2), 97. (Spanish)
- Banana
 Drip irrigation recommendations and production cost, 1995, 79(1-2), 13.
 In vitro propagation, 1989, 73(1), 51.
 Nutrient uptake and dry matter composition, 1988, 72(3), 337.
 Persistence of three herbicides in a drip-irrigated field, 1991, 75(1), 19.
- Banana dwarf cultivars
 Bunch and ratoon management, 1992, 76(3-4), 119.
 Performance of elite cultivars at four locations, 1989, 73(3), 209.
- Response to Mg fertilization, 1990, 74(4), 419.
 Yield with minimum tillage in mountain region, 1994, 78(1-2), 1.
- Banana root borer weevil
 Biocontrol with Steinernematid nematodes, 1990, 74(1), 15.
 Mortality of larvae caused by entomogenous nematodes *Heterorhabditis* spp., 1993, 77(1-2), 53.
 Pesticides and methods for control in plantain, 1989, 73(2), 97. (Spanish)
 Resistance of Lacknau plantain cultivars, 1988, 72(3), 353.
- Basidiocarps, Chinese straw mushrooms
 Internal mycoflora, 1987, 71(2), 159.
- Bean
 Acicular pubescence in leaves, 1990, 74(2), 111. (Spanish)
 Determinate and indeterminate, yield stability of, 1996, 80(3), 187.
 Determination of pubescence in four genotypes, 1992, 76(2), 71. (Spanish)
 Development of *Bemisia tabaci* in four bean genotypes with different degrees of pubescence. 1993, 77(1-2), 61. (Spanish)
 Heritabilities and phenotypic correlations for seed yield, 1988, 72(2), 301.
 Heritabilities and phenotypic correlations of morphological traits, 1989, 73(4), 349.
 Imbibition, germination and cooking time of seeds, 1989, 73(4), 327.
 Inoculation with *Rhizobium*, 1988, 72(3), 427.
Mucuna deeringiana effect on, 1995, 79(1-2), 65. (Spanish)
 Nitrogen levels and yields of white bean with *Rhizobium* inoculation, 1987, 71(1), 1.
 Seed quality in Honduras, 1991, 75(2), 125.
 TIBA and nitrogen incorporation, senescence and yield, 1990, 74(3), 311.
 Varying cultural practices at two locations, 1988, 72(4), 521.
 Visual indicator of physiological maturity, 1989, 73(4), 361.
 Yield stability of genotypes in Honduras, 1989, 73(4), 339.
- Bean, disease
 Common bacterial blight reaction and number of days to flowering, inheritance and relationship of, 1996, 80(3), 95. (Spanish)

- Damage caused by *Xanthomonas campestris*, 1991, 75(4), 353. (Spanish)
- Foliar blight, 1990, 74(2), 203.
- Fungicide, effect on disease incidence and yield, 1986, 70(2), 127.
- Genotypes and *Macrophomina phaseolina*, 1987, 71(4), 385.
- Greenhouse screening technique for golden mosaic virus, 1996, 80(1-2), 65. (Spanish)
- Landrace Pompadour reaction to *Macrophomina phaseolina*, 1992, 76(2), 93.
- Microdrops: A method for inoculation with *Rhizoctonia solani* for evaluation of genotypes, 1996, 80(3), 111. (Spanish)
- Pseudomonas cepacia* as a potential bio-fungicide for root rot pathogens, 1994, 78(1-2), 55.
- Root colonization by *Pseudomonas cepacia* UPR, 1994, 78(1-2), 59.
- Systemic and contact fungicides for rust control, 1986, 70(1), 45.
- Bean, disease resistance
- Ashy stem blight, resistance and susceptibility, 1987, 71(4), 403.
 - Evaluation for resistance to ashy stem blight, 1990, 74(4), 349.
 - Incorporation of genes for resistance to *Xanthomonas campestris*, 1991, 75(4), 345.
 - Resistance to *Xanthomonas campestris*, 1996, 80(1-2), 55. (Spanish)
- Bean, green shell
- Optimum stage of development for harvest, 1996, 80(3), 89.
 - Production at different planting dates, 1994, 78(3-4), 131.
- Bean, processing
- Blanching and niacin concentration in canned red kidney bean, 1991, 75(4), 417.
 - Mineral losses in hot water and microwave blanching of white bean, 1993, 77(3-4), 129.
- Bean, snap (See Snap bean)
- Bean, tillage
- Yield response to tillage techniques, 1988, 72(1), 119.
- Bean, winged (See Winged bean)
- Bee, carpenter (See Carpenter bee)
- Beef cattle
- Economic stocking rates when grazing stargrass under two fertilizer levels, 1992, 76(3-4), 131.
- Beetle, cigarette (See Cigarette beetle)
- Bell pepper
- Potato virus and tolerance to, 1987, 71(3), 337.
- Bemisia tabaci* (See Sweet potato whitefly)
- Benomyl
- Control of powdery mildew in pepper, 1991, 75(2), 119.
 - Effect on sorghum seed quality when applied to the panicle, 1987, 71(1), 75.
 - For bean rust control, 1986, 70(1), 45.
- Bensulide
- Cucumber, pumpkin and watermelon, evaluation in, 1986, 70(2), 85.
- Bentazon
- Chemical weed control in sweet cherry peppers, 1991, 75(3), 261.
 - Evaluation in pepper, 1991, 75(4), 391.
 - Mixtures to control weeds in rice, 1987, 71(2), 217.
 - To control jointvetch and waterprimrose in rice fields, 1987, 71(1), 107.
- Bephratelloides cubensis* (See Annona fruit chalcid)
- Bermuda grass
- Flowering pattern, 1989, 73(4), 405.
 - Introductions in the semiarid southern region, 1994, 78(3-4), 137. (Spanish)
 - Production in humid mountains, 1988, 72(1), 99.
 - Production in humid northern coastal plains (Barceloneta), 1988, 72(2), 201.
 - Production in humid northern coastal plains (Toa Baja), 1988, 72(1), 91.
 - Production in semiarid region, 1988, 72(2), 211.
 - Response to potassium fertilization, 1988, 72(2), 81.
 - Simulated grazing for evaluation of two cultivars, 1990, 74(1), 51.
- Bermuda grass, hay
- Storage and digestibility, voluntary intake and chemical components, 1988, 72(4), 531.
 - Yield and nutritive value at three harvesting intervals, 1988, 72(1), 109.
- Besikia aelops*
- Natural enemy of pentatomids, 1988, 72(3), 371.
- Bird
- Damage in 30 sorghum lines, 1986, 70(2), 99.
 - Black fly, of citrus (See Citrus black fly)
 - Black night shade
 - New alternative host of pepper weevil in Puerto Rico, 1991, 75(4), 423. (Spanish)

- Black rust**
Plant pathogenic fungus parasitized by *Hansfordia* sp. 1986, 70(2), 113.
- Black twig borer**
Coffee in Puerto Rico, of, 1991, 75(2), 183.
- Blackstrap molasses (See Molasses)**
- Blight, ashy stem (See Ashy stem blight)**
- Blight, early (See Early blight)**
- Blight, foliar (See Foliar blight)**
- Blight, leaf (See Leaf blight)**
- Boa**
A new host of *Ornithodoros puertoricensis*, 1995, 79(1-2), 91. (Spanish)
- Boophilus microplus* (See Cattle tick)
- Brachiaria brizantha* (See Signal grass)
- Brachiaria humidicola*
Production in humid mountains, 1988, 72(1), 99.
- Brachiaria plantaginea* (See Alexander grass)
- Brachiaria ruziziensis* (See Congo grass)
- Brachiaria* spp.
Flowering pattern, 1989, 73(4), 405.
- Brassica oleracea* var. *capitata* (See Cabbage)
- Broilers, squab**
Dietary protein levels, 1994, 78(1-2), 51.
- Bromacil**
Control of alexander grass, in the greenhouse, 1986, 70(3), 207.
Control of vasey grass, 1987, 71(2), 233.
- Brown dog tick**
Failure of carbaryl powders, collars and sprays to reduce population of, 1986, 70(4), 299.
- Bugs, burrowing (See Burrowing bugs)**
- Burkholderia cepacia*
Pathogenicity of in four onion genotypes, 1996, 80(3), 123. (Spanish)
- Burrowing bugs**
Species in Puerto Rico, synopsis, 1992, 76(3-4), 177.
- Butachlor**
Herbicide evaluation for rice, 1986, 70(4), 293.
- Cabbage**
Bacterial soft rot, 1990, 74(1), 83.
Head characteristics and acceptability of cultivars, 1989, 73(4), 367.
- Cabbage, drip irrigated**
Labor-input requirements for experimental production, 1988, 72(1), 41.
Roots, in situ recovery of, 1987, 71(4), 419.
- Cabbage, insects**
Additional new records of armyworms, 1994, 78(1-2), 69.
New records of *Spodoptera sunia*, 1994, 78(1-2), 67.
Susceptibility of the diamondback moth to insecticide sprays, 1990, 74(2), 153.
- Cacao**
Control of scion dieback when graft-propagated, 1990, 74(2), 207.
- Cacao, bud-grafted**
Gibberellic acid and phyllotaxy, 1992, 76(1), 33.
- Cajanus cajan* (See Pigeon pea)
- Calcium**
Addition of $\text{Ca}(\text{OH})_2$ to an Ultisol, a thermodynamic evaluation of, 1994, 78(3-4),
Addition of CaSO_4 to an Ultisol, a thermodynamic evaluation of, 1996, 80(1-2), 1.
Failure of calcium sources to control blossom-end rot in watermelon, 1989, 73(3), 287.
- Calla lily**
Bacterial soft rot disease, 1990, 74(1), 83.
Propagation by tissue culture, 1996, 80(3), 193.
- Callie**
Persistence in mob grazing, 1991, 75(2), 147.
Production in humid mountains, 1988, 72(1), 99.
Production in humid northern coastal plains (Barceloneta), 1988, 72(2), 201.
Production in humid northern coastal plains (Toa Baja), 1988, 72(1), 91.
Production in semiarid region, 1988, 72(2), 211.
Simulated grazing for evaluation of nine cultivars, 1990, 74(1), 51.
- Callie, hay**
Storage and digestibility, voluntary intake and chemical components, 1988, 72(4), 531.
Yield and nutritive value at three harvesting intervals, 1988, 72(1), 109.
- Candida utilis*
Rum distillery slops to reduce contamination and for feed supplement, growth on, 1987, 71(1), 125.
- Capsicum annuum* (See Pepper)
- Capsicum frutescens* (See Sweet cherry pepper)
- Captan**
Effect on sorghum seed quality when applied to the panicle, 1987, 71(1), 75.

- Carbaryl: powders, collars and sprays
 Brown dog tick, failure to reduce, 1986, 70(4), 299.
- Carbofuran
 Insect and nematode control in cucumber, 1986, 70(1), 19.
 Nematode control in pepper, 1992, 76(3-4), 171.
 Nematode control in watermelon, 1991, 75(3), 307.
 To control coffee leaf miner, 1987, 71(2), 185.
 To control *Liriomyza* and *Lepidoptera* larvae on tomato, 1988, 72(1), 169.
- Carib grass
 Production in the humid northern coastal plains, 1988, 72(1), 91.
- Caribbean rice water weevil
 A new rice pest for Puerto Rico, 1988, 72(2), 333.
- Carica papaya* (See Papaya)
- Carpenter bee
 Additional host plants in Puerto Rico, 1986, 70(4), 255.
- Carrot
 Acceptability of cultivars, 1987, 71(3), 287.
- Cassava
 Effect of pruning and use of polyethylene bags on post harvest behavior, 1991, 75(3), 269. (Spanish)
- Cations
 Alternative method for determination in solution, 1991, 75(3), 223.
- Cattle
 Common helminth parasites, 1987, 71(2), 231.
 Economic stocking rates when grazing stargrass under two fertilizer levels, 1992, 76(3-4), 131.
 Ectrin to control ticks, 1987, 71(3), 241.
 Ivermectin to control ticks, 1986, 70(4), 315.
 Permethrin sprays for control of ticks, 1995, 79(3-4), 93.
- Cattle tick
 Ectrin spray and eartags for control in cattle, 1987, 71(3), 241.
 Permethrin sprays for control of, 1995, 79(3-4), 93.
 Subcutaneously injected Ivermectin to control, 1986, 70(4), 315.
- Cercospora kikuchii* (See Purple seed stain)
- Chaetocnema perplexa*
 Parasitized by *Howardula* sp., 1989, 73(2), 171.
- Chalcolepidius silbermanni*
 Cytology, brief notes on, 1987, 71(3), 323.
- Chayote
 Angular leaf spot in Puerto Rico, 1991, 75(2), 195.
- Chicken
 Quality evaluation, 1990, 74(1), 75.
- Chicken manure
 Chemical properties of a Mollisol and tomato production, effect on, 1993, 77(3-4), 181.
 Organic fertilizer, 1990, 74(2), 139.
- Chicken products
 Canned, 1993, 77(3-4), 137.
 Frozen, 1993, 77(3-4), 145.
- Chloramben
 Cucumber, pumpkin and watermelon, evaluation in, 1986, 70(2), 85.
 For weed control in pumpkin, 1992, 76(2), 55.
- Chlorothalonil
 For bean rust control, 1986, 70(1), 45.
 To control powdery mildew in pepper, 1991, 75(2), 119.
- Chlorpyrifos
 To control *Liriomyza* and *Lepidoptera* larvae on tomato, 1988, 72(1), 169.
- Choanephora cucurbitarum* (See Foliar blight)
- Chrysonotomyia* spp.
 Coffee leaf miner parasitoid in Puerto Rico, 1988, 72(2), 255.
- Cigarette beetle
 Attacked by *Pseudopteromalus calandrae*, 1992, 76(3-4), 209.
- Cilantro (See Coriander)
- Cinnethylin
 Control of broadleaf in pepper, 1989, 73(1), 67.
 Evaluation in yam, 1990, 74(3), 221.
- Cirrospiloideus* spp.
 Coffee leaf miner parasitoid in Puerto Rico, 1988, 72(2), 255.
- Citron
 Freezing and shelf life of bars, 1988, 72(1), 171.
- Citrus vulgaris* (See Watermelon)
- Citrus
 Rootstock behavior in combination with Tangelo Orlando, 1996, 80(3), 203. (Spanish)
- Citrus black fly
Aleurocanthus woglumi in Puerto Rico, 1991, 75(3), 301. (Spanish)
 New whitefly records in Puerto Rico, 1991, 75(3), 297.
- Citrus grandis* (See Pummelo)

- Citrus medica* (See Citron)
- Citrus miner
 In Puerto Rico, 1996, 80(1-2), 85.
 (Spanish)
- Cladosporium cladosporioides*
 Plant pathogenic fungus parasitized by
Hansfordia sp, 1986, 70(2), 113.
- Climbing mimosa
 Chemical control in local pastures, 1988,
 72(4), 615.
- Clomazone
 Chemical weed control in sweet cherry
 peppers, 1991, 75(3), 261.
 Evaluation in pepper, 1991, 75(4), 391.
 Weed control in pumpkin, 1992, 76(2),
 55.
 Weed control trials in sweet cherry pep-
 per, 1994, 78(1-2), 45.
- Clorsulon
 Levels of four inorganic elements in
 milk, effect on, 1990, 74(3), 327.
- Cloudy winged whitefly
 New whitefly records in Puerto Rico,
 1991, 75(3), 297.
- Cocoa (See Cacao)
- Coconut eriophyid mite
Geographical and seasonal distribution
 in Puerto Rico and Florida, 1990, 74(3),
 237.
 In Puerto Rico, 1986, 70(3), 223.
- Coconut palm
 Eriophyid mite, 1986, 70(3), 223.
- Cocos nucifera* (See Coconut palm)
- Cocoyam (See Taniery)
- Coffea arabica* (See Coffee)
- Coffee
 Bacterial leaf spot, 1988, 72(4), 621.
 Fluazifop and quizalofop grass herb-
 icides in, 1993, 77(3-4), 201.
 Hand-operated picker, evaluation, 1987,
 71(1), 121.
 Marginal productivity of research at the
 Agricultural Experiment Station,
 1990, 74(4), 427. (Spanish)
- Coffee, harvested with nets
 Separating machines, 1987, 71(1), 113.
- Coffee, insects
 Black twig borer in Puerto Rico, 1991,
 75(2), 183.
Oxydia vesulia, a geometrid caterpillar
 attacking coffee, 1989, 73(2), 159.
Platyplus ratzeburgi, a new pest, 1987,
 71(3), 335.
- Coffee leaf miner
 Augmentation of *Mirax insularis* for
 population control of, 1992, 76(2), 43.
- Cultivars Cataui, Borbón and Pacas and
 damage by, 1994, 78(3-4), 193.
 (Spanish)
- Distribution of parasitoids in tree can-
 opy, 1988, 72(1), 141.
- Parasitoids in Puerto Rico, 1988, 72(2),
 255.
- Permethrin, fluvalinate aquaflo and
 stages of, 1992, 76(2), 35.
- Soil systemic insecticides to control,
 1987, 71(2), 185.
- Susceptibility of coffee cultivars to, 1988,
 72(1), 165. (Spanish)
- Susceptibility of seven coffee cultivars to,
 1986, 70(4), 307.
- Coffee, nursery plants
 Pathogenicity of *Myrothecium roridum*
 and *Rhizoctonia solani* in, 1996, 80(3),
 135. (Spanish).
- Population dynamics of *Myrothecium*
roridum and *Rhizoctonia solani* in,
 1996, 80(3), 145. (Spanish)
- Soil-less mixtures as growth media of,
 1996, 80(1-2), 13. (Spanish)
- Coffee rust
 Microflora associated with uredospores
 of, 1995, 79(3-4), 153. (Spanish)
- Coffee stem borer
 In mangoes in Puerto Rico, 1996, 80(1-2),
 87. (Spanish)
- Coleoptera: Curculionidae
 A new rice pest for Puerto Rico, 1988,
 72(2), 333.
- Biocontrol of *Diaprepes abbreviatus* with
 entomophilic nematodes, 1990, 74(4),
 395.
- Biology of pepper weevil, 1990, 74(1), 69.
 (Spanish)
- Chromosomes of Puerto Rican "Vaquita",
 1990, 74(2), 121.
- Distribution of *Diaprepes abbreviatus* in
 sugarcane areas, 1987, 71(4), 411.
- Genic and color polymorphism in *Di-*
aprepes abbreviatus, 1987, 71(4), 391.
- Life cycle of sweet potato weevil, 1990,
 74(1), 61. (Spanish)
- Parasitism of entomophilic nematodes,
 1990, 74(2), 197.
- Parasitism of *Tetrastichus haitiensis* on
 egg masses of *Diaprepes abbreviatus*,
 1987, 71(4), 407.
- Sampling methods for population esti-
 mation of pepper weevil, 1988, 72(3),
 387.
- Sampling plan, yield loss components
 and economic thresholds of pepper
 weevil, 1988, 72(3), 375.

- Coleoptera, neotropical
Chalcolepidius silbermanni, 1987, 71(3), 323.
 Cytology, brief notes on, 1987, 71(4), 415.
- Coleoptera: Platypodidae
Platypus ratzeburgi, a new pest, 1987, 71(3), 335.
- Coleoptera: Scolytidae
Xylosandrus compactus, black twig coffee borer, 1991, 75(2), 183.
- Collembola
 Grasses associated with, 1986, 70(1), 75.
- Collembola: Entomobryidae
Seira oceanica, redescription of, 1987, 71(3), 331.
- Colletotrichum dematium*
 Damage to immature soybean seeds, 1988, 72(1), 73.
- Colletotrichum gloeosporioides*
 Resistance of five yam cultivars, 1989, 73(4), 381. (Spanish)
 Yield and profit in monocultures and interplantings of yams, 1988, 72(2), 179.
- Colocasia esculenta* (See Taro)
- Colubrina* spp. (See Mahí)
- Compus maricao*
 Genic and color polymorphism, 1987, 71(4), 391.
- Concentrates, feed (See Feed concentrates)
- Congo grass
 Flowering pattern, 1989, 73(4), 405.
 Production in humid northern coastal plains, 1988, 72(1), 91.
- Coniothyrium* leaf spot
 A newly described disease of sorghum, 1988, 72(2), 319.
- Contarinia sorghicola* (See Sorghum midge)
- Copper hydroxide
 Control of powdery mildew in pepper, 1991, 75(2), 119.
- Coriander
 Herbicide screening for, 1996, 80(1-2), 73.
- Coriander, spiny (See Spiny coriander)
- Coriandrum sativum* (See Coriander)
- Corn weevil (See Banana root borer weevil)
- Corn
 Dipteran species, complex habits, notes on, 1986, 70(2), 155.
Mucuna deeringiana effect on, 1995, 79(1-2), 65 (Spanish)
 Nitrogen applications and population densities, 1988, 72(1), 127.
 Soil moisture level and phosphorus rate on phosphorus uptake and growth, 1991, 75(2), 153.
 Yield response to tillage techniques, 1988, 72(1), 119.
- Corn, opaque-2 populations
 Agronomic performance, 1988, 72(2), 309.
- Corn, seed
 Mycoflora and germination, 1989, 73(2), 115.
- Corn, sweet (See Sweet corn)
- Corythucha gossypii* (See Cotton lace bug)
- Cosmopolites sordidus* (See Banana root borer weevil)
- Cotton lace bug
 Insect pests of soursop and their natural enemies, 1989, 73(4), 383.
- Cotylophoron cotylophorum*
 Cattle in Puerto Rico, prevalence in, 1987, 71(2), 231.
- Cows, dairy
 Chopped and ground hay vs. grazing plus concentrates, 1993, 77(3-4), 193.
 Clinical case report of Johnie's disease, 1989, 73(4), 415. (Spanish)
 Complete rations with coarsely chopped or ground hay, in confinement or on conventional grazing, 1991, 75(3), 241.
 Confinement feeding based on green chopped stargrass or hay for, 1988, 72(2), 231.
Streptomyces solubles for concentrate pelleted feeds, 1989, 73(1), 1.
 Supplemental concentrates with four levels of crude protein, 1990, 74(3), 281.
- Cows, dairy heifers (See Heifers)
- Cows, lactating
 Hay: concentrate ratios in mixed rations for, 1995, 79(1-2), 29.
 Milk production and somatic cell count in complete lactations, 1996, 80(3), 169. (Spanish)
 Two feeding systems with concentrate and fertilized grass pasture, 1995, 79(3-4), 99.
- Crabgrass, large (See Large crabgrass)
- Cricetopareis*
 Ectrichodiinae, Hemiptera: Reduviidae, 1991, 75(1), 81.
- Crop rotation
 Effects on population levels of nematodes, 1991, 75(4), 399. (Spanish)
 Effect on tanager production, 1991, 75(1), 87. (Spanish)
- Crotalaria pallida*
 Hymenopterous parasitoids of larvae feeding on, 1988, 72(1), 153.

- Crotalaria* spp.
Susceptibility to *Etiella zinckenella*, 1988, 72(1), 147.
- Cucumber
Evaluation of 10 cultivars in southern Puerto Rico, 1990, 74(4), 461.
Growth in soil from a drip-irrigated banana field to which herbicides had been applied, 1991, 75(1), 19.
Herbicide evaluation, 1986, 70(2), 85.
Insect and nematode control in Puerto Rico, 1986, 70(1), 19.
Labor-input requirements for experimental production under drip irrigation, 1988, 72(1), 41.
Performance of varieties in soil infected with root-knot and reniform nematodes, 1989, 73(4), 321.
Six cultivars in the southern coast, 1994, 78(1-2), 71. (Spanish)
- Cucumis melo* (See Honeydew melon)
- Cucumis sativus* (See Cucumber)
- Cucurbita moschata* (See Pumpkin)
- Cucurbits
Angular leaf spot in Puerto Rico, 1991, 75(2), 195.
- Culantro (See Cilantro)
- Curvularia
Yam, leaf spots, 1986, 70(4), 277.
- Cyanazine
Control of *Echinochloa colonum*, 1986, 70(4), 311.
- Cylas formicarius* var. *elegantulus* (See Sweet potato weevil)
- Cynodon
Mineral content at different cutting intervals, 1991, 75(2), 181.
- Cynodon dactylon* (See Bermuda grass)
- Cynodon nlemfuensis* (See Stargrass)
- Cynodon plectostachyus* (See Callie)
- Dairy, herds
Milk production and somatic cell count in complete lactations, 1996, 80(3), 169. (Spanish)
- Daucus carota* (See Carrot)
- 2,4-D (See Dichlorophenoxyacetic acid)
- DCPA
Cucumber, pumpkin and watermelon, evaluation in, 1986, 70(2), 85.
Grass weed management in eggplant, 1990, 74(2), 133.
Weed control in pumpkin, for, 1992, 76(2), 55.
Weed management in onion, 1989, 73(1), 59.
- Dialeurodes citri*
New whitefly records in Puerto Rico, 1991, 75(3), 297.
- Dialeurodes citrifolii* (See Cloudy winged whitefly)
- Dialeurodes kirkaldii*
New whitefly records in Puerto Rico, 1991, 75(3), 297.
- Diamondback moth
Life cycle in Puerto Rico, 1986, 70(4), 229.
Susceptibility to insecticide sprays, 1990, 74(2), 153.
- Diaphania hyalinata* (See Melonworm)
- Diaphania nitidalis* (See Pickleworm)
- Diaprepes abbreviatus* (See Sugarcane root-stalk borer weevil)
- Diatraea saccharalis* (See Sugarcane borer)
- Dichanthium annulatus*
Production in semiarid region, 1988, 72(2), 211.
- Dichloromethane
Contaminants in aged pesticide grade, and interference in herbicide residue analysis, 1991, 75(4), 329.
- Dichlorophenoxyacetic acid
To control jojobet and waterprimrose in rice fields, 1987, 71(1), 107.
- Digitaria decumbens* (See Pangola grass)
- Digitaria eriantha*
Flowering pattern, 1989, 73(4), 405.
Introductions in semiarid southern region, 1994, 78(3-4), 137. (Spanish)
- Digitaria milanjiana*
Flowering pattern, 1989, 73(4), 405.
Introductions in semiarid southern region, 1994, 78(3-4), 137. (Spanish)
Production in humid northern coastal plains (Barceloneta), 1988, 72(2), 201.
- Digitaria pentzii* (See Slenderstem digit)
- Digitaria sanguinalis* (See Large crabgrass)
- Digitaria* sp.
Flowering pattern, 1989, 73(4), 405.
Introductions in semiarid southern region, 1994, 78(3-4), 137. (Spanish)
- Dimethoate
Insect and nematode control in cucumber, 1986, 70(1), 19.
- Dinocap
Control of powdery mildew in pepper, 1991, 75(2), 119.
- Dioscorea* (See Yam)
- Dioscorea alata* (See Yam)
- Dioscorea cayenensis* (See Yam)
- Dioscorea rotundata* (See Yam)

- Diptera
 Species complex of corn, 1986, 70(2), 155.
- Diptera: Tephritidae
 Hot water treatments against larvae in mango, 1990, 74(4), 441.
- Diquat
 Post-emergence herbicide in pumpkin, 1988, 72(2), 285.
- Disulfoton
 To control coffee leaf miner, 1987, 71(2), 185.
- Diuron
 Control of alexander grass, in the greenhouse, 1986, 70(3), 207.
 Establishment and forage yield of guinea grass, effect on, 1992, 76(1), 15.
 Establishment and forage yield of star-grass, effect on, 1989, 73(2), 149.
 Persistence of in a banana field, 1991, 75(1), 19.
 Sugarcane, in, 1986, 70(4), 235.
 Weed control in pasture establishment, 1995, 79(3-4), 181.
- Dormancy
 Extended in white yam, 1990, 74(3), 213.
 Production, dispersal, dormancy of seeds of *Albizia procera*, 1995, 79(3-4), 163.
- Downy mildew
 Damage to immature soybean seeds, 1988, 72(1), 73.
- Downy mildew of sorghum
 Identity and characterization, 1986, 70(3), 217.
- Dracaena
 Bacterial soft rot disease, 1990, 74(1), 83.
- Draeculacephala soluta*
 Damage to rice seedlings, 1994, 78(3-4), 187.
- Dragonfly nymphs
 Tilapia fry, depredation on, 1986, 70(3), 213.
- Drip irrigation
 Cabbage root in situ recovery, 1987, 71(4), 419.
 Cost for vegetable farming, 1988, 72(1), 31.
 Labor input in vegetable production, 1988, 72(1), 41.
 Nutrient uptake in sweet peppers with plastic mulch, 1988, 72(4), 575.
 Potential moisture distribution in soil around an emitter, 1987, 71(4), 423.
 Recommendations for plantain and banana, 1995, 79(1-2), 13.
 Root distribution of fertigated peppers, 1988, 72(1), 51.
- Soil moisture retention and pepper yield, 1986, 70(4), 303.
 Three levels of irrigation and growth and yield of corn, 1988, 72(4), 565. (Spanish)
- Transplanted tomatoes and peppers, weed management in, 1987, 71(4), 349.
 Two drip irrigation rates and two emitter placements in tomato, 1989, 73(1), 23.
 Water rates and planting density on growth of onion, effect of, 1986, 70(2), 135.
- Dry matter digestibility
 Eight sorghums at two locations in Puerto Rico, of, 1986, 70(1), 37.
- Dwarfing interstems
 Growth and yield components in mango trees, 1988, 72(4), 501.
- Early blight
 Tomato, sources of resistance in, 1987, 71(1), 85.
- Eartags, ectrin
 Ticks in cattle, control of, 1987, 71(3), 241.
- Echinochloa colonum* (See Jungle rice)
- Econometric models
 Characterization of k-class estimator, 1990, 74(3), 307. (Spanish)
- Ectrichodiinae
 Contributions to the knowledge of, 1990, 74(4), 449.
 Genus *Cricetopareis* (Hemiptera: Reduviidae), 1991, 75(1), 81.
 Notes about *Rhiginia* sp., 1988, 72(2), 251.
- Ectrin
 Spray and eartags to control *Boophilus microplus* in cattle, 1987, 71(3), 241.
- Eggplant
 Exudates of roots of weeds, 1988, 72(3), 495.
 Grass weed management, 1990, 74(2), 133.
- Eggplant, tillage
 Yield response to tillage techniques, 1988, 72(1), 119.
- Elateridae: Pyrophorini
Chalcolepidius silbermanni, cytology of, 1987, 71(3), 323.
- Elevation
 Relation to temperature, 1988, 72(3), 449.
- Emesinae
 New fossil reduviidae from Dominican amber, 1993, 77(1-2), 95.

- Empoasca*
 Natural enemies in pigeon peas, 1989, 73(2), 161.
 Some host plants, 1988, 72(3), 499.
- Enicocephalidae
Paralienates hyalinus, fossil gnat bug, 1996, 80(1-2), 47.
- Entomobryidae
Seira oceanica, redescription of, 1987, 71(3), 331.
- Entomopathogenic nematode (See Nematode)
- Entomophilic nematode (See Nematode)
- Epicrates inornatus* (See Boa)
- Eriochloa polystachya* (See Carib grass)
- Eriophyes guerrieronis* (See Coconut eriophyid mite)
- Erwinia carotovora*
 Causal agent of soft rot disease, 1990, 74(1), 83.
- Erwinia chrysanthemi*
 Sorghum, bacterial whorl and stalk rot pathogen in, 1987, 71(3), 265.
- Eryngium foetidum* (See Spiny coriander)
- Ethanol
 Production from blackstrap by *Zymomonas mobilis* and *Saccharomyces*, 1988, 72(3), 483.
- Ethephon
 Induction of multiple tubers in water yam, 1989, 73(3), 195.
- Ethirothrips* sp.
 New thrips records in Puerto Rico, 1991, 75(3), 311.
- Ethoprop
 Insect and nematode control in cucumber, 1986, 70(1), 19.
 To control *Liriomyza* and *Lepidoptera* larvae on tomato, 1988, 72(1), 169.
- Etiella zinckenella* (See Lima bean pod borer)
- Eunecosomyia nubila*
 New otitid in Puerto Rico, 1986, 70(2), 155.
- Euphorbia heterophylla* (See Spurge)
- Euphorbia pulcherrima* (See Poinsettia)
- Eusepes postfasciatus* (See West Indian sweet potato weevil)
- Evaporation, class A pan
 Agricultural Experiment Station in Puerto Rico, monthly records, 1989, 73(1), 85.
 Versus potential evapotranspiration, 1990, 74(3), 343.
- Evaporimeter
 Coefficient for Puerto Rico, 1989, 73(1), 89. (Spanish)
- Evapotranspiration, potential
 Estimation with Hargreaves-Samani Model, various locations, 1991, 75(1), 107.
 Estimation with Hargreaves-Samani Model, Vieques island, 1988, 72(1), 177.
 Hargreaves-Samani technique in the south coast, 1988, 72(1), 57.
 Versus Class A evaporation, 1990, 74(3), 343.
- False smut
 A new disease record from Puerto Rico's rice fields, 1988, 72(2), 331.
- Fasciola hepatica*
 Cattle in Puerto Rico, prevalence in, 1987, 71(2), 231.
 Effect of Clorsulon (a fasciolicide) on levels of inorganic elements in milk, 1990, 74(3), 327.
 Variation of ovarian position of species found in Puerto Rican cattle, 1991, 75(1), 67.
- Fascioliasis
 Relationship to watercress cultivation, 1988, 72(3), 405.
- Feed concentrate
 Four levels of crude protein for dairy cows, 1990, 74(3), 281.
 Hay: concentrate ratios in mixed rations for lactating cows, 1995, 79(1-2), 29.
 Heifer reared on moderately fertilized pastures with and without, 1986, 70(2), 143.
Streptomyces solubles for concentrate pelleted feeds, 1989, 73(1), 1.
 Two feeding systems with concentrate and fertilized grass pasture, 1995, 79(3-4), 99.
- Fensulfothion
 Insect and nematode control in cucumber, 1986, 70(1), 19.
- Fenvalerate
 To control *Liriomyza* and *Lepidoptera* larvae on tomato, 1988, 72(1), 169.
- Fermentation
 Blackstrap molasses supplemented with four nutrients, 1990, 74(4), 467.
 Of different concentrations of sucrose, 1989, 73(2), 177. (Spanish)
 Sucrose supplemented with monomeric sugars, 1990, 74(1), 45. (Spanish)
 Sugarcane juice and blackstrap molasses, 1991, 75(1), 43.
- Fermentation, batch
 Patterns for strains of *Zymomonas*, 1988, 72(3), 475.

- Fermentation, high test molasses
 Batch and fed-batch fermentation by *Zy-
 momonas mobilis*, 1988, 72(3), 485.
 Commercial yeast nutrient evaluation,
 1988, 72(1), 173.
 Commercial yeast nutrient evaluation,
 pilot plant scale, 1988, 72(4), 509.
 Compared with blackstrap, 1988, 72(1),
 9.
- Fermentation, rum
 Use of distillers' dry yeast as inoculum,
 1988, 72(3), 445.
- Flowering pattern
Brachiaria spp., *Cynodon* spp., *Digitaria*
 spp. and *Hemarthria* spp., 1989, 73(4),
 405.
- Fluazifop
 Chemical weed control in sweet cherry
 peppers, 1991, 75(3), 261.
 Control of broadleaf weeds in peppers,
 1989, 73(1), 67.
 Control of grass seeds in pepper, 1989,
 73(3), 231.
 Control of vasey grass, 1987, 71(2), 233.
 Evaluation in pepper, 1991, 75(4), 391.
 Evaluation in yam, 1990, 74(3), 221.
 Grass herbicides in coffee, 1993, 77(3-4),
 201.
 Grass weed management in eggplant,
 1990, 74(2), 133.
 Integrated weed management in pepper,
 1987, 71(4), 349.
 Weed control in pineapple, 1993, 77(1-2),
 45.
 Weed control trials in sweet cherry pep-
 pers, 1994, 78(1-2), 45.
 Weed management in onion, 1989, 73(1),
 59.
- Fluvalinate
 Control of coffee leaf miner at different
 life stages, 1992, 76(2), 35.
- Fly, fruit (See Fruit fly)
- Fodder, hay, stargrass
 Confinement feeding of dairy cows, 1988,
 72(2), 231.
- Foliar blight
 In dry beans, 1990, 74(2), 203.
- Forage, alfalfa
 Production of nine cultivars in semiarid
 region, 1988, 72(2), 221.
- Forages (See also Grasses)
 Guinea grass, herbicides and forage
 yield, 1992, 76(1), 15.
 Macro mineral and trace element con-
 tent of, 1996, 80(1-2), 21.
 Stargrass, herbicides and forage yield,
 1989, 73(2), 149.
- Frankliniella bispinosa*
 New thrips records in Puerto Rico, 1991,
 75(3), 311.
- Fruit fly
 Identity and economic importance, 1988,
 72(2), 325.
- Fruit fly, West Indian (See West Indian fruit
 fly)
- Fulmekiola serrata* (See Sugarcane thrips)
- Fulvia fulva* (See Leaf mold)
- Fungi, vesicular-arbuscular
 Inoculation of sour orange seedlings,
 1988, 72(2), 191.
- Fungicide
 Bean rust control with systemic and con-
 tact fungicides, 1986, 70(1), 45.
 Control of powdery mildew in pepper,
 1991, 75(2), 119.
 Effect of fungicide on bean infected with
Isariopsis griseola and *Ascochyta*
phaseolorum, 1986, 70(2), 127.
 Effect of panicle fungicides on sorghum
 seed quality, 1987, 71(1), 75.
 Sorghum rust control, 1988, 72(1), 65.
 To control fungal competitors in Chinese
 straw mushrooms, 1987, 71(2), 165.
- Fusarium oxysporum*
 Interrelation with *Meloidogyne incog-
 nita* and *Pratylenchus coffeae* in yam,
 1986, 70(4), 245.
- Galanga
 Clonal propagation through tissue cul-
 ture, 1994, 78(3-4), 147.
- Galleria mellonella* (See Wax moth)
- Gibberellic acid
 Effect on phyllotaxy of bud-grafted ca-
 cao, 1992, 76(1), 33.
- Glomus* spp.
 Inoculation of sour orange seedlings,
 1988, 72(2), 191.
- Glycine max* (See Soybean)
- Glyphosate
 Control of vasey grass, 1987, 71(2), 23.
 Optimum time interval and frequency of
 application on plantain, 1988, 72(2),
 297.
 Tomato and peppers, on, 1987, 71(2),
 235.
 Weed control in peppers, pre-transplant
 treatments, 1987, 71(1), 65.
 Weed control in pigeon peas, 1987, 71(4),
 359.
 Weed control trials in sweet cherry pep-
 pers, 1994, 78(1-2), 45.

- Grape
 Chemical and sensory evaluation of wines from Fortuna Blanca variety, 1989, 73(1), 11. (Spanish)
 Evaluation of 11 wine varieties, 1990, 74(3), 335. (Spanish)
 Evaluation of six table varieties, 1988, 72(2), 335. (Spanish)
- Grasses
 Collembola associated with, 1986, 70(1), 75.
 Guinea grass, herbicides and forage yield, 1992, 76(1), 15.
 Introductions in the semiarid southern region, 1994, 78(3-4), 137. (Spanish)
 Macro mineral and trace element content of, 1996, 80(1-2), 21.
 Production in humid mountains, 1988, 72(1), 99.
 Production in humid northern coastal plains (Barceloneta), 1988, 72(2), 201.
 Production in humid northern coastal plains (Toa Baja), 1988, 72(1), 91.
 Production in semiarid region, 1988, 72(2), 211.
 Response to potassium fertilization, 1988, 72(1), 81.
 Seasonal production of 11 *Panicum maximum* cultivar when harvested at a 45-day interval, 1991, 75(1), 61.
 Simulated grazing for the evaluation of, 1990, 74(1), 51.
 Stargrass, herbicides and forage yield, 1989, 73(2), 149.
 Stargrass response to potassium, 1987, 71(1), 23.
 Twenty genotypes of *Panicum maximum* in humid highlands, 1994, 78(1-2), 9. (Spanish)
- Grasses, hay
 Storage and digestibility, voluntary intake and chemical components, 1988, 72(4), 531.
 Yield and nutritive value at three harvesting intervals, 1988, 72(1), 109.
- Green stink bug
 Damage to immature soybean seeds, 1988, 72(1), 73.
- Guinea grass
 Herbicides and forage yield, 1992, 76(1), 15.
 Production in humid mountains, 1988, 72(1), 99.
 Production in humid northern coastal plains (Barceloneta), 1988, 72(2), 201.
 Production in humid northern coastal plains (Toa Baja), 1988, 72(1), 91.
 Production in semiarid region, 1988, 72(2), 211.
 Seasonal production of 11 cultivars when harvested at a 45-day interval, 1991, 75(1), 61.
 Twenty genotypes in humid highlands, 1994, 78(1-2), 9. (Spanish)
- Guinea grass, hay
 Storage and digestibility, voluntary intake and chemical components, 1988, 72(4), 531.
 Yield and nutritive value at three harvesting intervals, 1988, 72(1), 109.
- Gumaga nigricula*
 Meristic and continuous characters of two populations of, 1996, 80(3), 157.
- Gymnocyttia* sp.
 Natural enemies of pentatomids, 1988, 72(3), 371.
- Haemonchus contortus*
 Cattle in Puerto Rico, prevalence in, 1987, 71(2), 231.
- Hansfordia* sp.
 Parasitic pathogen of plant pathogenic fungi, 1986, 70(2), 113.
- Hargreaves-Samani model
 Estimation of potential evaporation at various locations, 1991, 75(1), 107.
 Potential evapotranspiration estimation, Vieques island, 1988, 72(1), 177.
 Potential evapotranspiration for south coast, 1988, 72(1), 57.
- Harpactorine
Orbella, a new genus, 1987, 71(2), 193.
- Hay
 Concentrate ratios in mixed rations for lactating cows, 1995, 79(1-2), 29.
 Confinement feeding of dairy cows, stargrass green fodder vs. hay, 1988, 72(2), 231.
 Mixed rations vs. grazing plus concentrates, 1993, 77(3-4), 193.
 Storage and digestibility, voluntary intake and chemical components, 1988, 72(4), 531.
 Yield and nutritive value at three harvesting intervals, 1988, 72(1), 109.
- Heifers
 Reared on moderately fertilized pastures with or without supplemental concentrates, 1986, 70(2), 143.
 Permethrin sprays for control of southern cattle tick, 1995, 79(3-4), 93.
- Heliothis* spp.
 Chemical control in tomato, 1988, 72(1), 169.

- Heliothis virescens* (See Tobacco budworm)
- Helminth parasites
Common in cattle in Puerto Rico, 1987, 71(2), 231.
- Hemarthria* spp.
Mineral content of five species at different cutting intervals, 1991, 75(2), 181.
- Hemarthria altissima* (See Limpo grass)
- Hemileia vastatrix*
Distribution and frequency of microflora associated with its uredospores, 1995, 79(3-4), 153. (Spanish)
- Hemiptera: Reduviidae
Annotated list in Puerto Rico, 1986, 70(1), 1.
Contributions to the knowledge of Ectrichodiinae, 1990, 74(4), 449.
Description of new species of *Rasahus*, 1988, 72(2), 247.
Description of *Rhiginia dureti* Carpintero from Peru, 1988, 72(2), 251.
Ectrichodiinae, the genus *Cricetopareis*, 1991, 75(1), 81.
Orbella, a new genus, 1987, 71(2), 193.
- Hemiptera: Reduviidae: Stenopodainae
Genus *Pnirontis*, 1986, 70(1), 9.
- Hemiptera: Tingidae
Pseudacysta perseae, the avocado lacewing bug in Puerto Rico, 1991, 75(2), 185.
- Hen
Forced molt and second year production, 1987, 71(3), 255. (Spanish)
Treatment of internal and external parasites, 1987, 71(1), 133. (Spanish)
- Herbicide
Bentazon mixtures to control weeds in rice, 1987, 71(2), 217.
Brachiaria plantaginea in the greenhouse, control of, 1986, 70(3), 207.
Candidate herbicides to control itchgrass, 1990, 74(2), 145.
Cilantro and spiny coriander, screening for, 1996, 80(1-2), 73.
Chemical weed control in sweet cherry peppers, 1991, 75(3), 261.
Chemical control of climbing mimosa in local pastures, 1988, 72(4), 615.
Chemical control of *Albizia* and mesquite in pastures, 1990, 74(4), 433.
Contaminants in aged pesticide grade, and interference in herbicide residue analysis, 1991, 75(4), 329.
Control of broadleaf weeds in pepper, 1989, 73(1), 67.
Control of *Echinochloa colonum* in sweet corn, 1986, 70(4), 311.
Control of grass seeds in pepper, 1989, 73(3), 231.
Control of jointvetch and water primrose, 1987, 71(1), 107.
Control of vasey grass, 1987, 71(2), 233.
Cucumber, pumpkin and watermelon, evaluation in, 1986, 70(2), 85.
Diquat for postemergence weed control in pumpkin, 1988, 72(2), 285.
Drift control in plantains and taniers, 1990, 74(4), 471.
Effect on establishment and forage yield of guinea grass, 1992, 76(1), 15.
Effect on establishment and forage yield of stargrass, 1989, 73(2), 149.
Evaluation in pepper, 1991, 75(4), 391.
Evaluation in rice, 1986, 70(4), 293.
Evaluation in yam, 1990, 74(3), 221.
Glyphosate on tomato and sweet pepper yields, 1987, 71(2), 235.
Grass herbicides in coffee, 1993, 77(3-4), 201.
Grass weed management in eggplant, 1990, 74(2), 133.
Integrated weed management in tomatoes and pepper, 1987, 71(4), 349.
Optimum time interval and frequency of glyphosate application in plantain, 1988, 72(2), 297.
Oxyfluorfen for pigeon peas, 1987, 71(3), 277.
Persistence of herbicides in a banana field, 1991, 75(1), 19.
Postemergence, in sugarcane, 1986, 70(4), 235.
Postemergence weed control in pigeon peas, 1987, 71(4), 359.
Preemergent control in arracacha, 1990, 74(3), 273. (Spanish)
Pre-transplant treatment on weed control and pepper yield, 1987, 71(1), 65.
Sequential applications in yam, 1994, 78(3-4), 177.
Weed control in pasture establishment, 1995, 79(3-4), 181.
Weed control in pineapple, 1993, 77(1-2), 45.
Weed control in pumpkin, 1992, 76(2), 55.
Weed control trials in sweet cherry peppers, 1994, 78(1-2), 45.
Weed management in onion, 1989, 73(1), 59.
- Heritabilities and phenotypic correlations
Bean seed yield and yield components, 1988, 72(2), 301.

- Heteroptera: Cydnidae
Description of *Melanaethus wolcotti*, 1992, 76(3-4), 177.
- Heteroptera: Reduviidae
New fossil from Dominican amber, 1993, 77(1-2), 95.
- Heterorhabditis*
Morphometric evaluation of 20 isolates from Puerto Rico, 1995, 79(1-2), 51.
Mortality of larvae of *Galleria mellonella*, *Cylas formicarius*, *Euscapes postfaciatus* and *Cosmopolites sordidus*, 1993, 77(1-2), 53.
- Heterospilus etiellae*
Larval parasitoid of *Etiella zinckenella*, 1988, 72(1), 153.
- Hexazinone
Control of alexander grass, in the greenhouse, 1986, 70(3), 207.
Control of vasey grass, 1987, 71(2), 233.
- High test molasses (See Molasses)
- Homalocoris punctatus*
Key to species in genus, 1987, 71(3), 249.
- Homoptera
Rice pests in Puerto Rico, 1989, 73(4), 395.
- Homoptera: Aleyrodidae
Aleurocanthus woglumi, citrus black fly in Puerto Rico, 1991, 75(3), 301. (Spanish)
New records of whiteflies in Puerto Rico, 1991, 75(3), 297.
Silvering of *Cucurbita moschata* associated with *Bemisia tabaci*, 1990, 74(4), 477.
- Homoptera: Auchenorrhyncha
From rice fields in Puerto Rico, 1989, 73(4), 395.
- Homoptera: Cicadellidae
Damage to rice seedlings, 1994, 78(3-4), 187.
Host plants, 1988, 72(3), 499.
Natural enemies in pigeon peas, 1989, 73(2), 161.
- Honeydew melon
Angular leaf spot in Puerto Rico, 1991, 75(2), 195.
Performance of cultivars, 1990, 74(2), 209.
- Horismenus* sp.
Coffee leaf miner parasitoid in Puerto Rico, 1988, 72(2), 255.
- Horse purslane
Allelopathic effect on pumpkin, 1988, 72(3), 491.
Exudates from its roots in eggplants, 1988, 72(3), 495.
- Hortencia similis*
Damage to rice seedlings, 1994, 78(3-4), 187.
- Howardula* sp.
A nematode new for Puerto Rico parasitizing a sweet potato associated flea beetle, 1989, 73(2), 171.
- Hydrellia wirthi*
Sampling with sticky traps, 1994, 78(3-4), 191.
- Hymenoptera: Apoidea
Xylocopa brasilianorum, 1986, 70(4), 255.
- Hypocryphalus mangiferae*
In mangoes in Puerto Rico, 1996, 80(1-2), 87. (Spanish)
- Hypothenemus* sp.
In mangoes in Puerto Rico, 1996, 80(1-2), 87. (Spanish)
- Iconella etiellae*
Larval parasitoid of *Etiella zinckenella*, 1988, 72(1), 153.
- Imazapyr
Candidate herbicide to control itchgrass, 1990, 74(2), 145.
Efficiency of in the control of *Albizia* and mesquite, 1990, 74(4), 433.
- Imazethapyr
Chemical weed control in sweet cherry pepper, 1991, 75(3), 261.
Sequential applications in yam, 1994, 78(3-4), 177.
- Insect attraction
Fruity aromas from pink mold and their association with, 1987, 71(3), 327.
- Insecta
New records from Puerto Rico, 1994, 78(3-4), 181.
- Insecticide
Control of coffee leaf miner and different life stages, 1992, 76(2), 35.
Control of *Liriomyza sativae* and of Lepidoptera larvae on tomato, 1988, 72(1), 169.
Control of pepper weevil, 1994, 78(1-2), 23.
Insect and nematode control in cucumber, 1986, 70(1), 19.
Pesticides and methods to control black weevil, 1989, 73(2), 97. (Spanish)
Soil systemic insecticides to control coffee leaf miner, 1987, 71(2), 185.
- Insecticides, soil systemic
Coffee leaf miner, control of, 1987, 71(2), 185.

- Intercropping
Sweet-potato and yam, weed control and production, 1991, 75(1), 11. (Spanish)
- Interstems
Dwarfing effect on growth and yield of mango, 1988, 72(4), 501.
- Invermectin
Control of cattle tick, 1986, 70(4), 315.
- Ipomoea batatas* (See Sweet potato)
- Irrigation
Estimation requirements for sweet corn, 1988, 72(2), 277. (Spanish)
Requirements for plantain, 1988, 72(4), 599. (Spanish)
Response of tomato and sweet pepper to furrow, microsprinkler and drip, 1989, 73(3), 239.
- Irrigation, drip (See Drip irrigation)
- Isariopsis griseola*
Bean infected with, effect of fungicide on, 1986, 70(2), 127.
- Isohyetal charts
Average monthly and annual rainfall distribution in Puerto Rico, 1986, 70(4), 267.
- Itchgrass
Allelopathic effect on pumpkin, 1988, 72(3), 491.
Candidate herbicides to control, 1990, 74(2), 145.
Exudates from its roots in eggplants, 1988, 72(3), 495.
Herbicides to control it in sugarcane fields, 1991, 75(3), 253.
- John's disease
Clinical case report on a dairy farm in Puerto Rico, 1989, 73(4), 415. (Spanish)
- Johnson grass
Allelopathic effect on pumpkin, 1988, 72(3), 491.
Exudates from its roots in eggplants, 1988, 72(3), 495.
- Joinvetch
Control in rice fields, 1987, 71(1), 107.
- Juice, pineapple
Tentative identification of volatile components in two pineapple varieties, 1989, 73(3), 189.
- Jungle rice
Allelopathic effect on pumpkin, 1988, 72(3), 491.
Chemical control in sweet corn, 1986, 70(4), 311.
Exudates from its roots in eggplants, 1988, 72(3), 495.
- Keiferia lycopersicella* (See Tomato pinworm)
- Kinetics, osmotic drying
Pineapple and papaya, 1991, 75(4), 371.
- Labor
Input requirements for experimental production of drip irrigated vegetables, 1988, 72(1), 41.
- Labor market
Socioeconomic indicators in municipalities, 1994, 78(3-4), 153. (Spanish)
- Lacewing bug
In avocado, 1991, 75(2), 185.
- Lactation
Milk production and somatic cell count, in dairy herds in Puerto Rico, 1996, 80(3), 169. (Spanish)
- Lactofen
Chemical weed control in sweet cherry peppers, 1991, 75(3), 261.
Sequential applications in yam, 1994, 78(3-4), 177.
- Lactuca sativa* (See Lettuce)
- Lamotteus ornatus*
First description, male, 1987, 71(2), 199.
- Languas galanga* (See Galanga)
- Large crabgrass
Combined effect of large crabgrass and smooth pigweed densities on snap bean, 1994, 78(1-2), 63.
Smooth pigweed and snap bean, competitiveness, 1996, 80(3), 199.
- Lasioderma serricorne* (See Cigarette beetle)
- Leaching, magnesium fertilizers
Puerto Rican Ultisols, 1993, 77(3-4), 167.
- Leaf blight
Resistance sources in sorghum, 1987, 71(3), 293.
Syngonium podophyllum, of, 1991, 75(1), 97.
- Leaf miner
Chemical control in tomato, 1988, 72(1), 169.
Control in cucumber, 1986, 70(1), 19.
- Leaf miner, coffee (See Coffee leaf miner)
- Leaf mold
Plant pathogenic fungus parasitized by *Hansfordia* sp., 1986, 70(2), 113.
- Leaf spot
Coniothyrium disease in sorghum, 1988, 72(2), 319.
Curvularia in yams, 1986, 70(4), 277.
- Leaf spot, bacterial (See Bacterial leaf spot)
- Leafhopper
Rice pest in Puerto Rico, 1989, 73(4), 395.

- Leafhopper, *Empoasca* spp.
 Natural enemies in pigeon peas, 1989, 73(2), 161.
 Some host plants, 1988, 72(3), 499.
- Lepidoptera, larvae
 Chemical control in tomato, 1988, 72(1), 169.
- Lepidoptera: Noctuidae
Anticarsia gemmatalis, a new host plant in Puerto Rico, 1991, 75(3), 295.
Anticarsia gemmatalis: A new pest of pigeon pea, 1990, 74(1), 93.
- Lepidoptera: Pyralidae
Diaphania hyalinata, natural enemies of, 1989, 73(4), 313.
Marasmia trapezalis, natural enemies and alternate hosts, 1989, 73(4), 397.
- Lepidoptera: Yponomeutidae
 Diamondback moth, 1986, 70(4), 229.
- Lesion nematode
 Interrelation with *Fusarium oxysporum* together with *Meloidogyne incognita*, 1986, 70(4), 245.
- Lettuce
 Bacterial soft rot disease, 1990, 74(1), 83.
- Leucaena leucocephala*
Meloidogyne incognita and *M. javanica* from Puerto Rico, reaction to populations of, 1986, 70(2), 157.
 Three-hour grazing to supplement dairy cows, 1992, 76(2), 83. (Spanish)
- Leucopetra coffeella* (See Coffee leaf miner)
- Leveillula taurica* (See Powdery mildew)
- Lima bean pod borer
 Damage to immature soybean seeds, 1988, 72(1), 73.
 Light trap studies in pigeon pea, 1988, 72(4), 557.
 Natural enemies of, 1988, 72(1), 153.
 Pigeon pea genotypes resistance to pod borers, 1991, 75(1), 73.
 Susceptibility of *Crotalaria* spp. to its attack, 1988, 72(1), 147.
- Liming
 Effect on exchangeable magnesium levels in two highly weathered soils, 1991, 75(1), 101.
 Industrial by-product as a source of, 1994, 78(3-4), 73.
 N and K fertilization, stargrass response to, 1987, 71(1), 23.
- Limpo grass
 Evaluation of new accessions in humid mountains, 1992, 76(3-4), 161. (Spanish)
 Flowering pattern, 1989, 73(4), 405.
- Persistence of cultivars in mob grazing, 1991, 75(2), 147.
 Simulated grazing for the evaluation of eight cultivars, 1990, 74(1), 51.
- Linuron
 Control of *Echinochloa colonum*, 1986, 70(4), 311.
 Sequential applications in yam, 1994, 78(3-4), 177.
- Liriomyza sativae* (See Leafminer)
- Lissorhoptrus isthmicus* (See Caribbean rice water weevil)
- Ludgia erecta* (See Waterprimrose)
- Lycopersicon esculentum* (See Tomato)
- Lycopersicon lycopersicum* (See Tomato)
- Mabi
 Chemical constituents of Mabi bark, 1988, 72(4), 625.
- Macro minerals
 Content in pangola and other forages in Guadeloupe, 1996, 80(1-2), 21.
- Macrobrachium rosenbergii* (See Prawn)
- Macrophomina phaseolina*
 Dry bean genotypes, 1987, 71(4), 385.
 Characterization and comparative pathogenicity, 1991, 75(4), 419.
 Evaluation of dry beans for resistance to, 1990, 74(4), 349.
 Reaction of landrace Pompadour beans, 1992, 76(2), 93.
 Resistance and susceptibility of bean to, 1987, 71(4), 403.
- Macrophthalmothrips helenae*
 New thrips records in Puerto Rico, 1991, 75(3), 311.
- Magnesium
 Effect of liming on the exchangeable levels of, 1991, 75(1), 101.
 Fertilizer leaching in Puerto Rican Ultisols, 1993, 77(3-4), 167.
 Pineapple yield and quality under foliar application of nitrogen, potassium and, 1995, 79(3-4), 111.
 Response of bananas to fertilization, 1990, 74(4), 419.
- Magnesium and calcium
 Addition of to an Ultisol, a thermodynamic evaluation, 1994, 78(3-4), 99.
 Addition of to an Ultisol, a thermodynamic evaluation, 1996, 80(1-2), 1.
- Maize (See Corn)
- Mancozeb
 For bean rust control, 1986, 70(1), 45.
 For sorghum rust control, 1988, 72(1), 65.
- Manduca sexta* (See Tobacco horn worms)
- Mangifera indica* (See Mango)

- Mango**
 Dwarfing effect of interstems and growth and yield of, 1988, 72(4), 501.
 Dwarfing effect of rootstocks and growth and yield of, 1988, 72(1), 1.
 Growth and yield at three stages of development, 1987, 71(4), 341.
- Mango, insects**
 Fruit flies which attack mango, 1988, 72(2), 325.
 Hot water treatments to destroy *Anastrepha obliqua* larvae, 1990, 74(4), 441.
 Mango borers in Puerto Rico, 1996, 80(1-2), 87. (Spanish)
- Mango, shelf-life**
 Influence of storage conditions and market temperatures on shelf life and quality of Keitt variety, 1990, 74(2), 189.
 Shelf life and acceptability of hot water treated mangoes, 1988, 72(3), 469.
 Shelf life and quality components of Parvin variety, 1989, 73(4), 295.
- Mango processing**
 Elaboration, shelf-life and quality of sweet-sour sauce based on mango marmalade, 1990, 74(3), 341.
 Stability of B-carotene in mango nectar, 1992, 76(2), 101.
- Manihot esculenta*** (See Cassava)
Manilkara sapota (See Sapodilla)
 Manure, chicken (See Chicken manure)
Marasmia trapezalis
 Natural enemies and alternate hosts, 1989, 73(4), 397.
- Mastitis**
 Milk production and somatic cell count in complete lactations in dairy herds in Puerto Rico, 1996, 80(3), 169. (Spanish)
- Medicago sativa*** (See Alfalfa)
Melanaethus wolcottii
 New species, Heteroptera: Cydnidae, 1992, 76(3-4), 177.
Meloidogyne incognita (See Root knot nematode)
Meloidogyne javanica
 Reaction of *Leucaena leucocephala* to population of, 1986, 70(2), 157.
***Meloidogyne* spp.**
 Control in tomato with *Pasteuria penetrans*, 1992, 76(2), 63. (Spanish)
 Survey on commercial papaya farms, 1989, 73(2), 165.
- Melon, honeydew** (See Honeydew melon)
Melonworm
 Cucumber, control in, 1986, 70(1), 19.
 Natural enemies in Puerto Rico, 1989, 73(4), 313.
- Mesquite**
 Chemical control in pastures, 1990, 74(4), 433.
- Metaleurodicus* sp.**
 New whitefly records in Puerto Rico, 1991, 75(3), 297.
- Methamidophos**
 Insect and nematode control in cucumber, 1986, 70(1), 19.
 To control *Liriomyza* and Lepidoptera larvae on tomato, 1988, 72(1), 169.
- Metolachor**
 Chemical weed control in sweet cherry peppers, 1991, 75(3), 261.
 Control of broadleaf in pepper, 1989, 73(1), 67.
 Evaluation in pepper, 1991, 75(4), 391.
 Evaluation in yam, 1990, 74(3), 221.
 Weed control in pumpkin, for, 1992, 76(2), 55.
 Weed management in onion, 1989, 73(1), 59.
- Metribuzin**
 Control of alexander grass in the greenhouse, 1986, 70(3), 207.
 Integrated weed management in pepper, 1987, 71(4), 349.
 Postemergence weed control in pigeon pea, 1987, 71(4), 359.
 Sugarcane, in, 1986, 70(4), 235.
- Microtominae**
Homalocoris punctatus new species in, 1987, 71(3), 249.
- Mildew, powdery** (See Powdery mildew)
Milk, inorganic elements in
 Effect of Clorsulon on levels of, 1990, 74(3), 327.
- Milk, production**
 Somatic cell count relationship with in complete lactations, 1996, 80(3), 169. (Spanish)
- Mimosa casta*** (See Climbing mimosa)
Mimosa, climbing (See Climbing mimosa)
Mirax insularis
 Augmentation for population control of coffee leaf miner, 1992, 76(2), 43.
 Coffee leaf miner parasitoid in Puerto Rico, 1988, 72(2), 255.
 Parasitoid of coffee leaf miner, 1988, 72(1), 141.
- Mite, eriophyid**
 Coconut palm, of, 1986, 70(3), 223.
- Mites**
 New records for Puerto Rico, 1987, 71(4), 399.

- Model, Hargreaves-Samani (See Hargreaves-Samani model)
- Models, econometric (See Econometric models)
- Moisture, soil (See Soil moisture)
- Molasses, blackstrap
 Batch fermentation patterns for strains of *Zymomonas* in, 1988, 72(3), 475.
 Ethanol production by *Zymomonas mobilis* and *Saccharomyces* sp., 1988, 72(3), 483.
 Fermentation by *Zymomonas mobilis*, 1991, 75(1), 43.
 Fermentation when supplemented with four nutrients, 1990, 74(4), 467.
- Molasses, high test
 Aging of rums, 1987, 71(2), 137.
 Batch and fed-batch fermentation by *Zymomonas mobilis*, 1988, 72(3), 485.
 Batch fermentation pattern for strains of *Zymomonas* in, 1988, 72(3), 475.
 Commercial yeast nutrient for fermentation, 1988, 72(1), 173.
 Compared with blackstrap as fermentation substrates, 1988, 72(1), 9.
 Pilot plant scale evaluation of a commercial yeast nutrient in fermentation, 1988, 72(4), 509.
- Molds
 In seeds of 30 sorghum lines, 1986, 70(2), 99.
- Molds, pink
 Fruity aromas from and association with insect attraction, 1987, 71(3), 327.
- Mormidea angustata* Stål
 Host plants in rice fields, 1988, 72(3), 365.
 Pentatomid parasitized by natural enemies, 1988, 72(3), 371.
- Mormidea cubrosa*
 Host plants in rice fields, 1988, 72(3), 365.
- Morphometrics
 Twenty *Heterorhabditis* isolates, evaluation of, 1995, 79(1-2), 51.
 Two Californian populations of *Gumaga nigricula*, 1996, 80(3), 157.
- Moth, diamondback (See Diamondback moth)
- Mucuna deeringiana* (See Velvet bean)
- Mulch, types
 Soil moisture retention in drip irrigated peppers, 1986, 70(4), 303.
- Musa* spp. (See Banana and Plantain)
- Mushroom, straw (See Straw mushroom)
- Mycobacterium paratuberculosis* (See Johne's disease)
- Mycoherbicide
 To control jointvetch and waterprimrose, 1987, 71(1), 107.
- Mycosphaerella musicola* (See Yellow sigatoka)
- Myrothecium roridum*
 Pathogenicity of in nursery coffee plants, 1996, 80(3), 135. (Spanish)
 Population dynamics of in commercial coffee nurseries, 1996, 80(3), 145. (Spanish)
- Napropamide
 Chemical weed control in sweet cherry peppers, 1991, 75(3), 261.
 Integrated weed management in pepper, 1987, 71(4), 349.
 Weed control trials in sweet cherry peppers, 1994, 78(1-2), 45.
- Nasturtium officinale* (See Watercress)
- Nematicide
 Biological and chemical control of nematodes in pepper, 1992, 76(3-4), 171.
 Granular nematicides and *Paecilomyces lilacinus* for nematode control in watermelon, 1991, 75(3), 307.
 Insect and nematode control in cucumber, 1986, 70(1), 19.
 Soil spray and yam seed treatment, 1990, 74(2), 103.
- Nematode
 Biological and chemical control in peppers, 1992, 76(3-4), 171.
 Control in watermelon with nematicides and *Paecilomyces lilacinus*, 1989, 73(1), 75.
 Cucumber, control in, 1986, 70(1), 19.
Fusarium oxysporum in yam, interrelation with, 1986, 70(4), 245.
 Granular nematicides and *Paecilomyces lilacinus* for control of, 1991, 75(3), 307.
 Shrimp shell to control it in tomato, 1993, 77(3-4), 229. (Spanish)
 Survey on commercial papaya farms, 1989, 73(2), 165.
- Nematode, entomogenous
 Morphometric evaluation of 20 *Heterorhabditis* isolates, 1995, 79(1-2), 51.
 Mortality of larvae of *Galleria mellonella*, *Cylas formicarius*, *Eusepeles postfaciatus* and *Cosmopolites sordidus*, 1993, 77(1-2), 53.
- Nematode, entomopathogenic
Steinernema puertoricensis, 1994, 78(3-4), 167.
Steinernema puertoricensis and *S. cubana*, cross hybridization studies of, 1996, 80(3), 191.

- Nematode, entomophilic
 Biocontrol of sugarcane rootstalk borer, 1990, 74(4), 395.
 Parasitism on the sugarcane rootstalk borer, 1990, 74(2), 197.
- Neosmerinthothrips* sp
 New thrips records in Puerto Rico, 1991, 75(3), 311.
- Neotropical Coleoptera
 Cytology, 1987, 71(4), 415.
- Nezara viridula* (See Green stink bug)
- Nipe clay
 Mineralogy, 1992, 76(3-4), 107.
- Nitrogen
 Corn, response of, 1988, 72(1), 127.
 Effect on pineapple yield and quality, 1991, 75(4), 319.
 Evaluation in two onion varieties, 1991, 75(1), 1. (Spanish).
 Lack of response of pigeon pea to the application of, 1991, 75(1), 89
 Mineral content of sugarcane, effect on, 1996, 80(1-2), 37.
 Nutrient uptake and growth characteristics of sweet peppers under drip irrigation and plastic mulch, 1988, 72(4), 575.
 Pineapple yield and quality under foliar application of potassium, magnesium and, 1995, 79(3-4), 111.
 Rates and sources and Guinea Negro yam, 1990, 74(1), 29.
Rhizobium inoculated white beans, 1987, 71(1), 1.
 Rice, yield and nitrogen recovery, 1986, 70(3), 197.
 Rice, yields and nitrogen recovery, effect on, 1986, 70(2), 91.
 Stargrass, response of, 1987, 71(1), 23.
 Sweet pepper's growth and yield, effect on, 1987, 71(2), 209.
- Nymphs, dragonfly
 Depredation of tilapia fry by, 1986, 70(3), 213.
- Oebalus griseus*
 Host plants in rice fields, 1988, 72(3), 365.
- Oebalus pugnax*
 Host plants in rice fields, 1988, 72(3), 365.
- Oebalus ypsilon-griseus*
 Host plants in rice fields, 1988, 72(3), 365.
 Pentatomid parasitized by natural enemies, 1988, 72(3), 371.
- Okra
 Vegetable and grain behavior of six varieties, 1986, 70(1), 57.
- Onion
 Chemical weed management, 1989, 73(1), 59.
 Four nitrogen levels, 1991, 75(1), 1. (Spanish)
 Pathogenicity of *Burkholderia cepacia* (*Pseudomonas cepacia*) in, 1996, 80(3), 123. (Spanish)
 Short-day cultivar evaluation, 1990, 74(3), 323.
 Sizing and total solids of nine cultivars, 1990, 74(1), 21.
 Storage tolerance of five short-day cultivars, 1990, 74(3), 293.
- Onion, drip irrigated
 Effect of water rates and planting density on growth parameters, 1986, 70(2), 135.
- Ooencyrtus submetallicus*
 Natural enemy of pentatomids, 1988, 72(3), 371.
- Opaque-2 corn populations
 Agronomic performance, 1988, 72(2), 309.
- Orange, sour (See Sour orange)
- Orange, Valencia clones
 Effect of rootstock on tree size and yield, 1994, 78(3-4), 123.
- Orbella*
 Harpactorine (Hemiptera: Reduviidae) genus, 1987, 71(2), 193.
- Ornithodoros puertoricensis*
Epicrates inornatus a new host of, 1995, 79(1-2), 91. (Spanish)
- Oryza sativa* (See Rice)
- Otitid flies
 New Diptera species in Puerto Rico, 1986, 70(2), 155.
- Oxadiazon
 Herbicide evaluation for rice, 1986, 70(4), 293.
- Oxamyl
 Insect and nematode control in cucumber, 1986, 70(1), 19.
 Soil spray and yam seed treatment, 1990, 74(2), 103.
- Oxycarboxin
 For bean rust control, 1986, 70(1), 45.
 For sorghum rust control, 1988, 72(1), 65.
- Oxydia vesulia*
 A geometrid caterpillar attacking coffee, 1989, 73(2), 159.

Oxyfluorfen

Chemical weed control in sweet cherry peppers, 1991, 75(3), 261.

Control of broadleaf weeds in pepper, 1989, 73(1), 67.

Evaluation in pepper, 1991, 75(4), 391.

Evaluation in yam, 1990, 74(3), 221.

Persistence of in a banana field, 1991, 75(1), 19.

Pigeon peas, herbicide candidate for, 1987, 71(3), 277.

Weed management in onion, 1989, 73(1), 59.

Paecilomyces lilacinus

Biocontroller of *Meloidogyne incognita* in tomato, 1989, 73(3), 281.

Biological and chemical control of nematodes in pepper, 1992, 76(3-4), 171.

Nematode control in watermelon, 1989, 73(1), 75.

Nematode control in watermelon, 1991, 75(3), 307.

Substrates of rice to cultivate it, 1989, 73(1), 79. (Spanish)

Paleoploiarola venosa

New fossil Emesinae, 1993, 77(1-2), 95.

Palm, coconut (See Coconut palm)**Pangola grass**

Introductions in the semiarid southern region, 1994, 78(3-4), 137. (Spanish)

Macro mineral and trace element content of, 1996, 80(1-2), 21.

Production in humid mountains, 1988, 72(1), 99.

Production in humid northern coastal plains (Barceloneta), 1988, 72(2), 201.

Production in humid northern coastal plains (Toa Baja), 1988, 72(1), 91.

Response to potassium fertilization, 1988, 72(1), 81.

Panicum maximum* (See Guinea grass)*Papaya**

Monthly water consumptive use in four climatic regions of Puerto Rico, 1989, 73(2), 175.

Nematode survey on commercial farms, 1989, 73(2), 165.

Osmotic drying kinetics, 1991, 75(4), 371.

Tolerance of three genotypes to ringspot virus, 1994, 78(3-4), 111.

Tumor-like formations, 1989, 73(4), 411.

Papaya black rust

Plant pathogenic fungus parasitized by *Hansfordia* sp., 1986, 70(2), 113.

Papaya ringspot virus

Tolerance of three papaya genotypes, 1994, 78(3-4), 111.

***Paraleyrodes* sp.**

New whitefly records in Puerto Rico, 1991, 75(3), 297.

Paralienates hyalinus

Fossil gnat bug from dominican amber, 1996, 80(1-2), 47.

Paraquat

Chemical weed control in sweet cherry peppers, 1991, 75(3), 261.

Control of broadleaf weeds in pepper, 1989, 73(1), 67.

Evaluation in pepper, 1991, 75(4), 391.

Evaluation in yam, 1990, 74(3), 221.

Integrated weed management in pepper, 1987, 71(4), 349.

Postemergence weed control in pumpkin, 1988, 72(2), 285.

Sequential applications in yam, 1994, 78(3-4), 177.

Weed control in peppers, pre-transplant treatment for, 1987, 71(1), 65.

Weed control trials in sweet cherry pepper, 1994, 78(1-2), 45.

Parasites, helminths

Cattle in Puerto Rico, common in, 1987, 71(2), 231.

Parasites, internal and external

Laying hens, treatment in, 1987, 71(1), 133. (Spanish)

Parasitiformes

New mite records for Puerto Rico, 1987, 71(4), 399.

Parasitism, *Tetrastichus haitiensis*

Diaprepes abbreviatus egg masses, on, 1987, 71(4), 407.

Parthenium hysterophorus

Allelopathic effect on pumpkin, 1988, 72(3), 491.

Exudates from its roots in eggplants, 1988, 72(3), 495.

Paspalum urvillei* (See Vasey grass)**Pasteuria penetrans***

Biorepressor of nematodes, 1990, 74(3), 319. (Spanish)

Control of *Meloidogyne* spp. in tomato, 1992, 76(2), 63. (Spanish)

Pendimethalin

Candidate herbicide to control itchgrass, 1990, 74(2), 145.

Control of broadleaf weeds in pepper, 1989, 73(1), 67.

Grass weed management in eggplant, 1990, 74(2), 133.

- Pentatomids
 Host plants in rice fields, 1988, 72(3), 365.
 Natural enemies in rice fields, 1988, 72(3), 371.
- Pepper
 Biological and chemical control of nematodes in, 1992, 76(3-4), 171.
 Labor-input requirements for experimental production under drip irrigation, 1988, 72(1), 41.
 Plant population and pruning, 1991, 75(3), 199.
 Seasonal consumptive use of water, 1988, 72(4), 609.
 Yield on northwestern coast of Puerto Rico, 1988, 72(3), 395.
- Pepper, bell (See Bell pepper)
- Pepper, disease
 Bacterial spot caused by *Xanthomonas campestris*, 1995, 79(1-2), 41.
 Evaluation of fungicides to control powdery mildew, 1991, 75(2), 119.
 Powdery mildew caused by *Leveillula taurica*, 1992, 76(1), 29. (Spanish)
 Resistance to bacterial spot, 1992, 76(2), 97. (Spanish)
 Viruses affecting, survey of, 1996, 80(1-2), 77.
- Pepper, fertilization
 Nitrogen and phosphorus fertilizers on growth and yield of, 1987, 71(2), 209.
 Nitrogen uptake and growth characteristics, 1988, 72(4), 575.
 Post harvest evaluation of nitrogen fertilized sweet peppers, 1989, 73(2), 109.
 Root distribution of nitrogen fertigated sweet peppers, 1988, 72(1), 51.
- Pepper, irrigation
 Response to furrow, microsprinkler and drip irrigation, 1989, 73(3), 239.
 Soil moisture retention and drip irrigation, 1986, 70(4), 303.
- Pepper, processing
 Still retort sterilization for canned peppers, 1991, 75(2), 173.
- Pepper, sweet cherry (See Sweet cherry pepper)
- Pepper, tillage
 Yield response to tillage technique, 1988, 72(1), 119.
- Pepper, weed control
 Control of broadleaf weeds with pre-transplant herbicides, 1989, 73(1), 67.
 Evaluation of herbicides, 1991, 75(4), 391.
 Glyphosate and yields, 1987, 71(2), 235.
 Integrated weed management under drip irrigation, 1987, 71(4), 349.
 Paraquat and glyphosate as pre-transplant weed control treatments, 1987, 71(1), 65.
 Selective herbicides to control grass seeds, 1989, 73(3), 231.
- Pepper weevil
 Biology, 1990, 74(1), 69. (Spanish)
 Insecticides to combat it in pepper, 1994, 78(1-2), 23.
 New alternative host, 1991, 75(4), 423. (Spanish)
 Sampling methods for population estimation, 1988, 72(3), 387.
 Yield-loss components and economic thresholds, 1988, 72(3), 375.
- Permethrin
 Control of coffee leaf miner at different life stages, 1992, 76(2), 35.
 Insect and nematode control in cucumber, 1986, 70(1), 19.
 To control *Liriomyza* and *Lepidoptera* larvae on tomato, 1988, 72(1), 169.
- Permethrin, microencapsulated
 Control of southern cattle tick, 1995, 79(3-4), 93.
- Peronospera manshurica* (See Downy mildew)
- Persea americana* (See Avocado)
- Petrifilm
 Compared to conventional method for bacteria enumeration, 1989, 73(3), 183.
- Phaseolus vulgaris* (See Beans)
- Phenamiphos
 Nematode control in watermelon, 1991, 75(3), 307.
 Soil spray and seed of yam treatment, 1990, 74(2), 103.
- Phenotypic correlations
 Bean morphological traits, 1989, 73(4), 349.
 Bean seed yield and yield components, 1988, 72(2), 301.
- Phomopsis* spp. (See Pod blight)
- Phosphorus
 Soil moisture level and phosphorus rate effect on phosphorus uptake and corn growth, 1991, 75(2), 153.
 Sweet peppers, growth and yield of, 1987, 71(2), 209.
- Phyllocnistis citrella* (See Citrus miner)
- Pickleworm
 Cucumber, control in, 1986, 70(1), 19.
- Picloram
 Efficiency of in the control of *Albizia* and mesquite, 1990, 74(4), 433.

- Pigeon pea
 Production of commercial lines and production constraints under semiarid conditions, 1986, 70(1), 25.
 Determinate genotypes, 1988, 72(4), 545.
 Growth, maturity and flowering at high latitudes, 1989, 73(3), 223.
 Labor-input requirements for experimental production under drip irrigation, 1988, 72(1), 41.
- Pigeon pea, disease
 Bacterial leaf spot, 1987, 71(2), 177.
 New blight in Puerto Rico, 1986, 70(1), 79.
- Pigeon pea, fertilization
 Lack of response to nitrogen and potassium fertilizer, 1991, 75(1), 89.
- Pigeon pea, insects
Anticarsia gemmatilis a new pest, 1990, 74(1), 93.
 Light trap studies of *Heliothis virescens* and *Etiella zinckenella*, 1988, 72(4), 557.
 Natural enemies of leafhopper of the genus *Empoasca*, 1989, 73(2), 161.
 Resistance to pod borers, 1991, 75(1), 73.
 Some host plants of its leafhopper, 1988, 72(3), 499.
- Pigeon pea, processing
 Nutritional content affected by processing and storage, 1987, 71(1), 43.
 Processing and nutritional content, canned and fresh, 1987, 71(1), 33.
- Pigeon pea, tillage
 Yield response to land preparation techniques, 1987, 71(2), 203.
- Pigeon pea, weed control
 Oxyfluorfen for weed control, 1987, 71(3), 277.
 Postemergence weed control, 1987, 71(4), 359.
- Pigweed
 Allelopathic effects on pumpkin, 1988, 72(3), 491.
 Exudates from its roots in eggplants, 1988, 72(3), 495.
 Sweet potato, competition with, 1987, 71(1), 7.
- Pigweed, smooth (See Smooth pigweed)
- Pineapple
 Characterization of maturation process by changes in texture, 1989, 73(3), 265.
 Degreening after field heat removal, Red Spanish variety, 1991, 75(1), 37.
 Economic aspects of flower induction, 'Cabezona' cv, 1991, 75(1), 105. (Spanish)
 Effect of plant density on yield and quality, 1991, 75(4), 319.
 In vitro propagation of spineless Red Spanish variety, 1989, 73(4), 301.
 Planting position, pruning and slip size effect on the vegetative development, Smooth Cayenne cv, 1986, 70(1), 63.
- Pineapple, fertilization
 Effect of nitrogen and potassium levels on fruit yield and quality, 1991, 75(4), 319.
 Yield and quality under foliar application of N, K and Mg, 1995, 79(3-4), 111.
- Pineapple, insects
 Symphyliid in fields, 1989, 73(3), 275.
- Pineapple, processing
 Blanching, shelf life and chemical composition of intermediate moisture products, 1991, 75(1), 25. (Spanish)
 Comparison of moisture sorption isotherm models in freeze-dried pineapple pulp, 1993, 77(3-4), 113.
 Efficiency of preservatives during storage of intermediate moisture products, 1991, 75(4), 411. (Spanish)
 Elaboration, shelf-life and quality of sweet-sour sauce based on mango and pineapple marmalade, 1990, 74(3), 341.
 Osmotic drying kinetics, 1991, 75(4), 371.
 Shelf-stable slices preserved by combined methods, 1995, 79(1-2), 75.
 Tentative identification of volatile components in juice, 1989, 73(3), 189.
- Pineapple, weed control
 Grass herbicides, 1993, 77(1-2), 45.
- Plantain
 In vitro propagation, 1989, 73(1), 51.
 Performance of seven cultivars, 1990, 74(3), 267. (Spanish)
 Proper bunch management of the French type, 1991, 75(2), 163.
 Spore age and thermal resistance of *Bacillus coagulans* and *Bacillus macerans* in acid ripe puree, 1991, 75(3), 205.
 Yield and quality of 'superplátano' with drip irrigation, 1995, 79(1-2), 1.
- Plantain, decline
 Factors that affect, 1995, 79(3-4), 187. (Spanish)
- Plantain, insects
 Lacknau cultivar resistance to corm weevil, 1988, 72(3), 353.
 Pesticides and methods to control black weevil, 1989, 73(2), 97. (Spanish)

- Plantain, irrigation
 Drip irrigation recommendations and production cost, 1995, 79(1-2), 13.
 Irrigation requirements, 1988, 72(4), 599. (Spanish)
- Plantain, tillage
 Tillage effect on physical properties of soil and yields, 1987, 71(3), 307.
- Plantain, weed control
 Herbicide drift control, 1990, 74(4), 471.
 Optimum time interval and frequency of glyphosate application, 1988, 72(2), 297.
- Platyus ratzeburgi*
 New pest in coffee, 1987, 71(3), 335.
- Plutella xylostella* (See Diamondback moth)
- Phirontis*
 Subinermis group of species, 1986, 70(1), 9.
- Pod blight
 Damage to immature soybean seeds, 1988, 72(1), 73.
- Poinsettia
 Branching agent translocation, 1995, 79(3-4), 139.
- Polymorphism
Diaprepes abbreviatus and *Compsus maricao*, 1987, 71(4), 391.
- Potassium
 Effect on pineapple yield and quality, 1991, 75(4), 319.
 Lack of response of pigeon pea to the application of, 1991, 75(1), 89.
 Pineapple yield and quality under foliar application of nitrogen, magnesium and, 1995, 79(3-4), 111.
 Response of tropical grasses in humid coastal region, 1988, 72(1), 81.
 Stargrass, response of, 1987, 71(1), 23.
- Potato virus
 Bell pepper cultivars, tolerance of, 1987, 71(3), 337.
- Pothea*
 Notes about *Rhiginia* and *Pothea*, 1990, 74(4), 449.
- Pothos*
 Bacterial soft rot disease, 1990, 74(1), 83.
- Poultry, broilers
 Dietary protein levels of broilers, 1994, 78(1-2), 51.
- Poultry, hens
 Forced molt and second year production, 1987, 71(3), 255. (Spanish)
 Internal and external parasites, treatment of, 1987, 71(1), 133. (Spanish)
- Poultry manure (See Chicken manure)
- Poultry, products
 Canned chicken products, 1993, 77(3-4), 137.
 Frozen chicken products, 1993, 77(3-4), 145.
 Quality evaluation of different types of chicken, 1990, 74(1), 75.
- Powdery mildew
 Caused by *Leveillula taurica* in pepper, 1992, 76(1), 29. (Spanish)
 Evaluation of fungicides to control it in pepper, 1991, 75(2), 119.
- Pratylenchus coffeae* (See Lesion nematode)
- Prawn
 Polyculture with tilapia hybrid males, 1987, 71(2), 225.
- Propachlor
 Control of *Echinochloa colonum*, 1986, 70(4), 311.
- Propanil
 Herbicide evaluation for rice, 1986, 70(4), 293.
 To control jointvetch and waterprimrose, 1987, 71(1), 107.
- Prosopis juliflora* (See Mesquite)
- Pruning
 Effect on post-harvest behavior of four cassava cultivars, 1991, 75(3), 269. (Spanish)
 Effect on yield of pepper cultivars, 1991, 75(3), 199.
- Pseudocysta perseae* (See Lacewing bug)
- Pseudomonas*
 Diseases caused in some crops in Puerto Rico, 1993, 77(3-4), 207.
- Pseudomonas cepacia*
 Colonization in bean root, 1994, 78(1-2), 59.
 Potential biofungicide for root rot pathogens in beans, 1994, 78(1-2), 55.
- Pseudomonas cepacia* (*Burkholderia cepacia*)
 Pathogenicity of in four onion genotypes, 1996, 80(3), 123. (Spanish)
- Pseudomonas syringae*
 Causal agent of angular leaf spot in cucurbits, 1991, 75(2), 195.
 Leaf spot in coffee, 1988, 72(4), 621.
- Pseudoplusia* spp.
 Chemical control in tomato, 1988, 72(1), 169.
- Pseudopteromalus calandrae*
 New host for, reported in Puerto Rico, 1992, 76(3-4), 209.
- Pseudothrips* sp.
 New thrips record in Puerto Rico, 1991, 75(3), 311.

- Psophocarpus tetragonolobus* (See Winged bean)
- Pubescence
 Determination in four bean genotypes, 1992, 76(2), 71. (Spanish)
- Pubescence, acicular
 Characterization in bean leaves, 1990, 74(2), 111. (Spanish)
- Puccinia melanocephala*
 Sugarcane resistance to rust and smut, 1989, 73(1), 45.
 Sugarcane resistance to smut and rust, 1991, 75(3), 287.
- Puccinia purpurea* (See Sorghum rust)
- Pummelo
 Fruit characteristics of 18 varieties, 1990, 74(3), 331.
 Performance of clones, 1990, 74(3), 299.
- Pummelo, processing
 Processing, canning and evaluation of rinds, 1991, 75(2), 189.
- Pumpkin
 Allelopathic effects of weeds, 1988, 72(3), 491.
 Breeding priorities based on preferences among Puerto Rican consumers, 1990, 74(3), 229.
 Suitability of genotypes as host of *Meloidogyne incognita*, 1989, 73(2), 167.
- Pumpkin, disease
 Angular leaf spot in Puerto Rico, 1991, 75(2), 195.
- Pumpkin, insects
 Natural enemies of the melonworm, 1989, 73(4), 313.
 Silvering associated with *Bemisia tabaci*, 1990, 74(4), 477.
- Pumpkin, processing
 Shelf-life, elaboration and evaluation of dishes, 1987, 71(3), 301.
- Pumpkin, weed control
 Chemical weed control, 1992, 76(2), 55.
 Diquat as a postemergence herbicide, 1988, 72(2), 285.
 Herbicide evaluation, 1986, 70(2), 85.
- Purple seed stain
 Damage to immature soybean seeds, 1988, 72(1), 73.
- Quizalofop
 Control of grass seeds in pepper and tomato, 1989, 73(3), 231.
 Grass herbicide in coffee, 1993, 77(3-4), 201.
 Grass weed management in eggplant, 1990, 74(2), 133.
 Weed control in pineapple, 1993, 77(1-2), 45.
- Radiation, solar (See Solar radiation)
- Radopholus similis*
 Resistance of Lacknau plantain cultivars to, 1988, 72(3), 353.
- Rainfall
 Distribution in Puerto Rico, 1986, 70(4), 267.
- Rasahus* spp.
 Description of new species, 1988, 72(2), 247.
- Reduviidae
 Description of new species of *Rasahus*, 1988, 72(2), 247.
Lamotteus ornatus, first description of, 1987, 71(2), 199.
 New fossil from Dominican amber, 1993, 77(1-2), 95.
 New names for *Veledella* and *Sastrapada*, 1987, 71(2), 199.
 New species of *Apronius*, 1991, 75(4), 407.
 Notes about *Rhiginia*, 1988, 72(2), 251.
 Notes about *Rhiginia* and *Pothea*, 1990, 74(4), 449.
Orbella, a new genus, 1987, 71(2), 193.
 Small collection from Brazil, 1992, 76(1), 9.
- Reduviidae: Microtominae
Homalocoris punctatus, new species in, 1987, 71(3), 249.
- Reduviidae of Puerto Rico
 Annotated list, 1986, 70(1), 1.
- Reduviidae, the genus *Phirontis*
Subinermis group of species, 1986, 70(1), 9.
- Reniform nematode
 Biological and chemical control of in pepper, 1992, 76(3-4), 171.
 Cucumber, control in, 1986, 70(1), 19.
 Performance of cucumber varieties in infested soil, 1989, 73(4), 321.
 Survey on commercial papaya farms, 1989, 73(2), 165.
- Rhiginia*
 Species described from Peru, 1988, 72(2), 251.
 Notes about *Rhiginia* and *Pothea*, 1990, 74(4), 449.
- Rhipicephalus sanguineus* (See Brown dog tick)
- Rhizobium
 Inoculation of *Phaseolus vulgaris*, 1988, 72(3), 427.
- Rhizobium*, inoculation
 White beans, nitrogen levels and yields of, 1987, 71(1), 1.

- Rhizoctonia solani*
 Microdrops: A method for inoculation with for evaluation of bean genotypes, 1996, 80(3), 111. (Spanish)
 Pathogenicity of in nursery coffee plants, 1996, 80(3), 135. (Spanish)
 Population dynamics of in commercial coffee nurseries, 1996, 80(3), 145. (Spanish)
 Variability among isolates, 1996, 80(3), 195. (Spanish)
- Rice
 Canned native-style concentrates for Puerto Rican dishes, 1991, 75(4), 363.
 Monthly consumptive use of water in semiarid and humid regions, 1989, 73(1), 31.
 Straw disposal method effect on yield, 1986, 70(2), 91.
 Substrate to cultivate fungus *Paecilomyces lilacinus*, 1989, 73(1), 79. (Spanish)
- Rice, disease
 New disease record from Puerto Rico, 1988, 72(2), 331.
 Stem rot in Colombia rice fields, 1994, 78(1-2), 17.
- Rice, fertilization
 Nitrogen levels and water management systems, effect on yield and nitrogen recovery, 1986, 70(3), 197.
 Nitrogen rates, effect on yields and nitrogen recovery, 1986, 70(2), 91.
- Rice, insects
 Attacked by *Lissorhoptus istmicus* in Puerto Rico, 1988, 72(2), 333.
Diatraea saccharalis in rice plants, 1994, 78(3-4), 195.
 Host plants of pentatomids affecting rice fields, 1988, 72(3), 365.
Hydrellia wirthi sampling with sticky traps, 1994, 78(3-4), 191.
 Leafhopper pests in Puerto Rico, 1989, 73(4), 395.
Marasmia trapezalis and its natural enemies and alternate hosts, 1989, 73(4), 397.
 Natural enemies of pentatomids, 1988, 72(3), 371.
 Stem borer in Colombia rice fields, 1994, 78(1-2), 17.
- Rice, seedlings
 Damage by *Hortensia similis* and *Draeculacephala soluta*, 1994, 78(3-4), 187.
- Rice, weed control
 Bentazon mixtures to control weeds, 1987, 71(2), 217.
 Herbicides for, 1986, 70(4), 293.
 Jointvetch and waterprimrose control, 1987, 71(1), 107.
 Ringspot virus, papaya (See Papaya ringspot virus)
- Root, cabbage
 In situ recovery when drip irrigated, 1987, 71(4), 419.
- Root distribution, sweet peppers
 Nitrogen fertigated and drip irrigated, 1988, 72(1), 51.
- Root knot nematode
Arthrobotrys spp. and *Paecilomyces lilacinus* as biocontrollers in tomato, 1989, 73(3), 281.
Arthrobotrys spp. levels in tomato, 1990, 74(3), 261. (Spanish)
 Biological and chemical control of in pepper, 1992, 76(3-4), 171.
 Cucumber, control in, 1986, 70(1), 19.
Fusarium oxysporum together with *Pratylenchus coffeae*, interrelation with, 1986, 70(4), 245.
 Pathogenicity in tanager, 1989, 73(3), 277.
 Performance of cucumber varieties in infested soil, 1989, 73(4), 321.
 Reaction of *Leucaena leucocephala* to population of, 1986, 70(2), 157.
 Shrimp shell to control it in tomato, 1993, 77(3-4), 229. (Spanish)
- Snap beans, histopathology in, 1987, 71(1), 97.
 Suitability of pumpkin genotypes as hosts of, 1989, 73(2), 167.
 Tomato varieties and their susceptibility to, 1989, 73(1), 83. (Spanish)
- Root rot, coffee
 Pathogenicity of *Myrothecium roridum* and *Rhizoctonia solani* in, 1996, 80(3), 135. (Spanish)
 Population dynamics of *Myrothecium roridum* and *Rhizoctonia solani* in, 1996, 80(3), 145. (Spanish)
- Rootstock, citrus
 Behavior in combination with Tangelo Orlando, 1996, 80(3), 203. (Spanish)
- Rootstock, mango
 Mango trees, growth and yield affected by rootstock and scion, 1987, 71(4), 341.
 Tree size and yield of varieties, affected by dwarfing rootstocks, 1988, 72(1), 1.
- Rot, basal, bacterial (See Bacterial basal rot)
- Rottboellia exaltata* (See Itchgrass)
- Rotylenchulus reniformis* (See Reniform nematode)

Rum

Composition identification by indirect preparative-analytical gas chromatography technique for mass spectrometry, 1991, 75(1), 51.

Identification of compounds in concentrates by gas chromatography and mass spectrometry, 1993, 77(1-2), 69.

Rum distillery slops

Candida utilis growth on, 1987, 71(1), 125.

Rum fermentation

Distillers' dry yeast inoculum, 1988, 72(3), 445.

Rum, high-test molasses

Aging, 1987, 71(2), 137.

Rupela albinella (See Stem borer)

Rust

Bean, systemic and contact fungicides for control in, 1986, 70(1), 45.

Damage in seeds of 30 sorghum lines, 1986, 70(2), 99.

Losses of sorghum hybrids in semiarid conditions, 1991, 75(3), 233.

Resistance in sugarcane clones, 1989, 73(1), 45.

Resistance of sugarcane hybrids, 1991, 75(3), 287.

Sorghum, 1988, 72(1), 65.

Sorghum, control and losses in, 1990, 74(1), 37.

Saccharomyces sp.

Ethanol production from blackstrap molasses by, 1988, 72(3), 483.

Saccharose (See Sucrose)

Santainezia bicolor

Synonym of *Rhiginia haenschi*, 1988, 72(2), 251.

Sapodilla

Insects of, 1987, 71(1), 129.

Sensorial and chemical evaluation of varieties, 1992, 76(2), 103.

Variety performance in southern Puerto Rico, 1989, 73(3), 255.

Sastrapada

New name in, 1987, 71(2), 199.

Scion dieback

Symptomatology and control in graft-propagated cocoa, 1990, 74(2), 207.

Scion-rootstock relation

Mango trees, growth and yield of, 1987, 71(4), 341.

Sclerotium oryzae (See Stem rot)*Scutigerella immaculata*

Symphylid in pineapple fields, 1989, 73(3), 275.

Sechium edule (See Chayote)Seed, *Albizia procera*

Production, dispersal, dormancy of seeds, 1995, 79(3-4), 163.

Seed, asparagus

Production in Puerto Rico, 1988, 72(4), 619.

Seed, bean

Heritabilities and phenotypic correlations, 1988, 72(2), 301.

Imbibition, germination and cooking time of seeds, 1989, 73(4), 327.

Quality in Honduras, 1991, 75(2), 125.

Seed, corn

Mycoflora and germination, 1989, 73(2), 115.

Seed, sorghum

Quality determined by panicle fungicides and harvest schedules, 1987, 71(1), 75.

Seed, soybean

Fungi and insect damage, 1988, 72(1), 73.

Premature harvest for rapid generation advance, 1986, 70(3), 159.

Seedlings, sour orange

Inoculation with vesicular-arbuscular mycorrhizal fungi, 1988, 72(2), 191.

Seira oceanica

Redescription of, 1987, 71(3), 331.

Senescense

TIBA, nitrogen incorporation and yield of vining dry bean, 1990, 74(3), 311.

Sethoxydim

Grass weed management in eggplant, 1990, 74(2), 133.

Weed management in onion, 1989, 73(1), 59.

Setosphaeria turcica (See Leaf blight)

Shade

Gross income generated by aglaonemas at various levels of, 1989, 73(4), 399. (Spanish)

Requirements of aglaonemas, 1990, 74(2), 95.

Shelf life

Blanching, shelf life and chemical composition of pineapple intermediate moisture products, 1991, 75(1), 25. (Spanish)

Efficiency of preservatives during storage of pineapple intermediate moisture products, 1991, 75(4), 411. (Spanish)

Elaboration, shelf life and quality of sweet potato dishes, 1989, 73(2), 127.

Elaboration, shelf-life and quality of sweet-sour sauce based on mango and

- pineapple marmalades, 1990, 74(3), 341.
- Freezing and shelf life of sweet potato and citron bars, 1988, 72(1), 171.
- Influence of storage conditions and market temperatures on shelf life and quality of Keitt variety mango, 1990, 74(2), 189.
- Shelf life and acceptability of hot water treated mangoes, 1988, 72(3), 469.
- Shelf life and quality components of Parvin variety mango, 1989, 73(4), 295.
- Shelf life, elaboration and evaluation of pumpkin dishes, 1987, 71(3), 301.
- Storage tolerance of five onion cultivars, 1990, 74(3), 293.
- Tomato, genes for long shelf-life in, 1987, 71(3), 313.
- Signal grass
Flowering pattern, 1989, 73(4), 405.
Production in humid northern coastal plains, 1988, 72(1), 91.
- Silvering, *Cucurbita* spp.
Associated with *Bemisia tabaci*, 1990, 74(4), 477.
- Simazine
Control of *Echinochloa colonum*, 1986, 70(4), 311.
Establishment and forage yield of guinea grass, 1992, 76(1), 15.
Establishment and forage yield of star-grass, effect on, 1989, 73(2), 149.
- Slenderstem digit
Introductions in semiarid southern region, 1994, 78(3-4), 137. (Spanish)
Production in humid mountains, 1988, 72(1), 99.
Production in humid northern coastal plains (Barceloneta), 1988, 72(2), 201.
Response to potassium fertilization, 1988, 72(1), 81.
- Slenderstem digit, hay
Storage and digestibility, voluntary intake and chemical components, 1988, 72(4), 531.
Yield and nutritive value at three harvesting intervals, 1988, 72(1), 109.
- Slops, rum distillery
Candida utilis growth on, 1987, 71(1), 125.
- Smooth pigweed
Combined effect of large crabgrass and smooth pigweed densities on snap bean yield, 1994, 78(1-2), 63.
Interference with snap bean, 1995, 79(3-4), 173.
Large crabgrass and snap bean, competitiveness of, 1996, 80(3), 199.
- Smut
Resistance of 43 sugarcane clones, 1986, 70(4), 287.
Resistance of sugarcane clones, 1989, 73(1), 45.
Resistance of sugarcane hybrids, 1991, 75(3), 287.
- Smut, false (See False smut)
- Smut mycelia
Detection in apical meristems of sugarcane buds, 1991, 75(3), 281.
- Snap bean
Combined effect of large crabgrass and smooth pigweed densities, 1994, 78(1-2), 63.
Competitiveness of smooth pigweed, large crabgrass and, 1996, 80(3), 199.
Histopathology of *Meloidogyne incognita* in, 1987, 71(1), 97.
Labor-input requirements for experimental production under drip irrigation, 1988, 72(1), 41.
Smooth pigweed interference with, 1995, 79(3-4), 173.
- Soil clay
Structural stability, pore size distribution and surface charge properties, 1993, 77(1-2), 11.
- Soil erosion
Haiti, southeastern, in, 1987, 71(2), 239.
Magnitude of losses throughout the Caribbean, 1995, 79(1-2), 89.
Restoration of productivity in tropical eroded soils, 1987, 71(1), 13.
- Soil mineralogy
Nipe clay, 1992, 76(3-4), 107.
- Soil moisture
Effect on phosphorus uptake and growth of corn, 1991, 75(2), 153.
Potential moisture distribution in soil around an emitter, 1987, 71(4), 423.
Retention in mulched drip irrigated peppers, 1986, 70(4), 303.
- Soil type
Histopathology of *Meloidogyne incognita* in snap beans, influence on, 1987, 71(1), 97.
- Solanum americanum* (See Black night shade)
- Solanum melongena* (See Eggplant)
- Solar radiation
Generation of values for crop simulation models, 1994, 78(1-2), 33.
- Solenopsis invicta* (See Ant, Brazilian)

- Somatic cell, count
Milk production relationship with, in complete lactations, 1996, 80(3), 169. (Spanish)
- Sorghum
Agronomic comparison and dry matter digestibility of eight genotypes, 1986, 70(1), 37.
Irrigation requirements on the south and north coasts, 1988, 72(4), 585. (Spanish)
Performance of two hybrids in southwest Puerto Rico, 1990, 74(1), 1.
Seed quality determined by panicle fungicides and harvest schedules, 1987, 71(1), 75.
Yield, agronomic evaluation of ten hybrids, 1995, 79(3-4), 131.
- Sorghum bicolor* (See Sorghum)
- Sorghum, disease
Bacterial whorl and stalk rot pathogen in, 1987, 71(3), 265.
Bird and rust damage in 30 lines, 1986, 70(2), 99.
Downy mildew, identity and characterization of, 1986, 70(3), 217.
Leaf blight resistance sources, 1987, 71(3), 293.
Newly described disease caused by *Colletotrichum*, 1988, 72(2), 319.
- Sorghum halepense* (See Johnson grass)
- Sorghum midge
Newly introduced pest to Puerto Rico, 1988, 72(1), 161.
Susceptibility of eight sorghum hybrids, 1989, 73(2), 155.
- Sorghum rust
Control and losses, 1990, 74(1), 37.
Four grain lines reaction to, 1988, 72(1), 65.
Losses of hybrids in semiarid conditions, 1991, 75(3), 233.
- Sour orange
Inoculation with vesicular-arbuscular mycorrhizal fungi, 1988, 72(2), 191.
- Sour skin, onion
Pathogenicity of *Burkholderia cepacia* (*Pseudomonas cepacia*) in four onion genotypes, 1996, 80(3), 123. (Spanish)
- Soursop
Defoliation, growth, flowering and production, 1989, 73(2), 141. (Spanish)
Pests and their natural enemies, 1989, 73(4), 383.
- Soybean
Iconella etillae, larval parasitoid recovered from, 1988, 72(1), 153.
Inheritance of agronomic and seed composition traits, in *Glycine max* x *Glycine soja* crosses, 1987, 71(1), 53.
Visual indicator for harvesting immature viable seed of indeterminate genotypes, 1993, 77(1-2), 33.
- Soybean roots
NADH, H⁺ efflux and nutrient ion uptake, 1989, 73(4), 375.
- Soybean seed
Fungi and insect damage, 1988, 72(1), 73.
Premature harvest for rapid generation advance, 1986, 70(3), 159.
- Spiny coriander
Herbicide screening for, 1996, 80(1-2), 73.
Light intensity and flowering and growth, 1991, 75(4), 383.
- Spirea aphid
Insect pests of soursop and their natural enemies, 1989, 73(4), 383.
- Spodoptera* spp.
Additional new records in cabbage, 1994, 78(1-2), 69.
Chemical control in tomato, 1988, 72(1), 169.
- Spodoptera sunia*
New record in cabbage, 1994, 78(1-2), 67.
- Spores
Age and thermal resistance of two species of genus *Bacillus* in acid ripe plantain puree, 1991, 75(3), 205.
Thermal resistance of two species of genus *Bacillus*, 1986, 70(3), 189.
- Spurge
Allelopathic effect on pumpkin, 1988, 72(3), 491.
Exudates from its roots in eggplant, 1988, 72(3), 495.
- Squash (See also Pumpkin)
- Stargrass
Confinement feeding of dairy cows, 1988, 72(2), 231.
Production in humid mountains, 1988, 72(1), 99.
Production in humid northern coastal plains (Barceloneta), 1988, 72(2), 201.
Production in humid northern coastal plains (Toa Baja), 1988, 72(1), 91.
Production in semiarid region, 1988, 72(2), 211.
Simulated grazing for evaluation of a cultivar, 1990, 74(1), 51.

- Stargrass, fertilization
 Economic stocking rates when grazing stargrass under two fertilizer levels, 1992, 76(3-4), 131.
 Liming and K and N fertilization, 1987, 71(1), 23.
 Response to potassium fertilization, 1988, 72(1), 81.
- Stargrass, hay
 Confinement feeding of dairy cows, 1988, 72(2), 231.
 Storage and digestibility, voluntary intake and chemical components, 1988, 72(4), 531.
 Yield and nutritive value at three harvesting intervals, 1988, 72(1), 109.
- Stargrass, weed control
 Four herbicides and establishment and forage yield, 1989, 73(2), 149.
- Steinernema bibionis*
 Biocontrol of banana root borer weevil, 1990, 74(1), 15.
 Biocontrol of sugarcane rootstalk borer, 1990, 74(4), 395.
 Parasitism on sugarcane rootstalk borer, 1990, 74(2), 197.
- Steinernema cubana*
S. puertoricensis, cross hybridization studies with, 1996, 80(3), 191.
- Steinernema feltiae*
 Biocontrol of banana root borer weevil, 1990, 74(1), 15.
 Biocontrol of sugarcane rootstalk borer, 1990, 74(4), 395.
 Parasitism on sugarcane rootstalk borer, 1990, 74(2), 197.
- Steinernema glaseri*
 Biocontrol of banana root borer weevil, 1990, 74(1), 15.
 Biocontrol of sugarcane rootstalk borer, 1990, 74(4), 395.
 Parasitism on sugarcane rootstalk borer, 1990, 74(2), 197.
- Steinernema puertoricensis*
 New entomopathogenic nematode from Puerto Rico, 1994, 78(3-4), 167.
S. cubana, cross hybridization studies with, 1996, 80(3), 191.
- Stem blight, ashy (See Ashy stem blight)
- Stem borer
 Presence in Colombia rice fields, 1994, 78(1-2), 17.
- Stem canker, coffee
 Pathogenicity of *Myrothecium roridum* and *Rhizoctonia solani* in, 1996, 80(3), 135. (Spanish)
- Population dynamics of *Myrothecium roridum* and *Rhizoctonia solani* in, 1996, 80(3), 145. (Spanish)
- Stem rot
 Presence in Colombia rice fields, 1994, 78(1-2), 17.
- Stenopodainae, Reduviidae
 New species of *Apronius*, 1991, 75(4), 407.
- Storage (See also Shelf life)
 Sugars in staple type sweet potatoes, effect on, 1986, 70(2), 121.
- Storage, tolerance
 Short-day onion cultivars, 1990, 74(3), 293.
- Straw mushroom
 Bacterial basal rot of, 1986, 70(3), 219.
 Carbon and nitrogen nutritional influences on growth, 1988, 72(1), 19.
 Control of fungal competitors, 1987, 71(2), 165.
 Internal mycoflora of basidiocarps, effect on growth of, 1987, 71(2), 159.
- Streptomyces*
 Pelleted concentrate feeds for dairy cows, in, 1989, 73(1), 1.
- Subinermis* group of species,
Pnirontis (Hemiptera: Reduviidae: Stenopodainae), 1986, 70(1), 9.
- Sucrose
 Fermentation by *Zymomonas mobilis*, 1989, 73(2), 177. (Spanish)
 Fermentation supplemented with monomeric sugars, 1990, 74(1), 45. (Spanish)
- Sugar (See also Sucrose)
 Validation of HPLC method in analysis of alcoholic beverage production, 1990, 74(4), 357.
- Sugar, sweet potato
 Cooking and storage, affected by, 1986, 70(2), 121.
- Sugarcane
 A new Thripidae pest in Puerto Rico, 1989, 73(4), 391.
 Leaf blade freckling in seedlings, 1989, 73(3), 285.
 Mineral content, stage of maturity, cultivar, nitrate fertilization and soil type effect on, 1996, 80(1-2), 37.
 Monthly consumptive use of water at four sites, 1989, 73(1), 93.
 Productivity of hybrid in Lajas valley, 1991, 75(3), 287.
- Sugarcane borer
 Attack on rice plants, 1994, 78(3-4), 195.

- Sugarcane, diseases
 Detection of smut mycelia in apical buds, 1991, 75(3), 281.
 Incidence of ring spot disease, 1990, 74(4), 457.
 Resistance to rust and smut, 1989, 73(1), 45.
 Resistance to smut and rust, 1991, 75(3), 287.
 Resistance to smut, *Ustilago scitaminea*, 1986, 70(4), 287.
- Sugarcane, fields
 Survey of soil pH status and related fertility status, 1991, 75(3), 213.
- Sugarcane, juice
 Fermentation by *Zymomonas mobilis*, 1991, 75(1), 43.
- Sugarcane rootstalk borer weevil
 Biocontrol with entomophilic nematodes, 1990, 74(4), 395.
 Chromosomes of Puerto Rican "Vaquita", 1990, 74(2), 121.
 Distribution of, 1987, 71(4), 411.
 Genic and color polymorphism in, 1987, 71(4), 391.
 Parasitism of entomophilic nematodes, 1990, 74(2), 197.
 Parasitism of *Tetrastichus haitiensis* on egg masses, 1987, 71(4), 407.
- Sugarcane thrips
 New sugarcane thrip pest in Puerto Rico, 1989, 73(4), 391.
- Sugarcane, weed control
 Candidate herbicides to control itchgrass, 1990, 74(2), 145.
 Herbicides to control itchgrass, 1991, 75(3), 253.
 Postemergence herbicides, 1986, 70(4), 235.
- Sulfur
 Control of powdery mildew in pepper, 1991, 75(2), 119.
- Sweet cherry pepper
 Chemical weed control, 1991, 75(3), 261.
 Herbicide trials, 1994, 78(1-2), 45.
- Sweet corn
Echinochloa colonum chemical control in, 1986, 70(4), 311.
 Estimation of irrigation requirements, 1988, 72(2), 277. (Spanish)
 Three levels of irrigation and growth and yield, 1988, 72(4), 565. (Spanish)
- Sweet potato
 Intercropped with yam, 1991, 75(1), 11.
 Nematode parasitizing an associated flea beetle, 1989, 73(2), 171.
 Planting dates and yield, 1987, 71(4), 379.
 Planting dates, morphology and growth of four clones, 1988, 72(3), 437.
- Sweet potato, fertilization
 Nitrogen and phosphorus fertilizers and growth and yield, 1987, 71(2), 209.
- Sweet potato, processing
 Canning and quality evaluation, 1991, 75(3), 317.
 Chemical composition and cooking quality of cv Morada INTA and Rojo Blanco 1992, 76(3-4), 151.
 Culinary characteristics, 1987, 71(4), 365.
 Elaboration, shelf life and quality of dishes, 1989, 73(2), 127.
 Freezing and shelf life of bars, 1988, 72(1), 171.
 Fried chips, 1987, 71(4), 373.
 Sensory evaluation, 1988, 72(2), 265.
 Sugar affected by cooking and storage, 1986, 70(2), 121.
- Sweet potato, tillage
 Tillage effect on physical properties of soil and yields of, 1987, 71(3), 307.
- Sweet potato, weed control
 Pigweed, competition from, 1987, 71(1), 7.
 Weed control and production intercropped with yam, 1991, 75(1), 11.
- Sweet potato weevil
 Life cycle, 1990, 74(1), 61. (Spanish)
 Mortality of larvae caused by entomogenous nematode *Heterorhabditis* spp., 1993, 77(1-2), 53.
 Susceptibility of sweet potato cultivars, 1990, 74(2), 167. (Spanish)
- Sweet potato weevil, West Indian (See West Indian sweet potato weevil)
- Sweet potato whitefly
 Development in four genotypes of *Phaseolus vulgaris* with different degrees of pubescence, 1993, 77(1-2), 61. (Spanish)
 New whitefly records in Puerto Rico, 1991, 75(3), 297.
 Silvering of *Cucurbita moschata* associated with, 1990, 74(4), 477.
- Symphylid
Scutigerella immaculata in pineapple fields, 1989, 73(3), 275.
- Syngonium podophyllum* "White Butterfly"
 Leaf blight caused by *Xanthomonas campestris* in Puerto Rico, 1991, 75(1), 97.

Tanier

- Crop rotation and production, 1991, 75(1), 87. (Spanish)
- Estimation of leaf area, 1991, 75(3), 313.
- Flowering induction and artificial hybridization, 1990, 74(3), 253.
- Growth and nutrient content under semiarid conditions, 1994, 78(3-4), 87.
- Nutrient uptake, growth and yield, 1993, 77(1-2), 1.
- Rapid methods for determining root responses to soil acidity, 1990, 74(4), 365.

Tanier, disease

- Bacterial soft rot disease, 1990, 74(1), 83.
- Bacterial spot, 1986, 70(3), 225.
- Pathogenicity of *Meloidogyne incognita* in *Xanthosoma caracu*, 1989, 73(3), 277.

Tanier, propagation

- In vitro propagation, 1988, 72(3), 413.
- Rapid multiplication by the single-bud method, 1990, 74(4), 465.
- Salt and sugar levels for effective plant regeneration by in vitro cultured tissue 1988, 72(4), 515.
- Yield of cultivars propagated by the single-bud method, 1992, 76(1), 1.

Tanier, weed control

- Herbicide drift control, 1990, 74(4), 471.

Taro

- Leaf area estimation from linear measurements, 1996, 80(3), 183.

Tebuthiuron

- Establishment and forage yield of guinea grass, effect on, 1992, 76(1), 15.
- Establishment and forage yield of star-grass, effect on, 1989, 73(2), 149.

Temperature

- Histopathology of *Meloidogyne incognita* in snap beans, influence on, 1987, 71(1), 97.
- Relation to elevation, 1988, 72(3), 449.

Tephrosia cinerea

- A new host plant of *Anticarsia gemmatilis*, 1991, 75(3), 295.

Terbutryn

- Candidate herbicide to control itchgrass, 1990, 74(2), 145.
- Control of vasey grass, 1987, 71(2), 233.

Tetraleurodes acaciae (See Acacia whitefly)*Tetraleurodes ursorum*

- New whitefly records in Puerto Rico, 1991, 75(3), 297.

Trastichus haitiensis

- Parasitism on egg masses of *Diaprepes abbreviatus*, 1987, 71(4), 407.

Theobroma cacao (See Cacao)

Thermal resistance

- Spores of two species of genus *Bacillus*, 1986, 70(3), 189.
- Spores of two species of genus *Bacillus* in acid ripe plantain puree, 1991, 75(3), 205.

Thiobencarb

- To control jointvetch and waterprimrose, 1987, 71(1), 107.

Thrips

- Fulmekiola serrata* a new sugarcane pest, 1989, 73(4), 391.
- New record in Puerto Rico, 1991, 75(3), 311.

Thrips palmi

- New insect pest in Puerto Rico, 1988, 72(2), 327.

Thysanoptera: Thripidae

- Fulmekiola serrata* a new sugarcane pest, 1989, 73(4), 391.
- New thrips record in Puerto Rico, 1991, 75(3), 311.

TIBA

- Nitrogen incorporation capacity, senescence and yield of vining dry bean, 1990, 74(3), 311.

Tick, brown dog (See Brown dog tick)

Tick, cattle (See Cattle tick)

Tilapia, fry

- Depredation by dragonfly nymphs, 1986, 70(3), 213.

Tilapia, hybrids, male

- Polyculture with *Macrobrachium rosenbergii*, 1987, 71(2), 225.

Tillage

- Fertilizer rates and yield of yams, 1993, 77(3-4), 153.

- Yield of plantain and sweet potato and physical properties of Coto clay, 1987, 71(3), 307.

- Yield response of banana dwarf cultivars in mountain region, 1994, 78(1-2), 1.

- Yield response of vegetables in semiarid region, 1988, 72(1), 119.

- Yield response of watermelon, tomato, pigeon pea, 1987, 71(2), 203.

Tissue culture

- In vitro propagation of plantain and banana, 1989, 73(1), 51.

- In vitro propagation of spineless Red Spanish pineapple variety, 1989, 73(4), 301.

- Propagation of *Zantedeschia aethiopica*, 1996, 80(3), 193.

- Salt and sugar levels for effective plant regeneration of cocoyam (tanier), 1988, 72(4), 515.

- Tanier propagation in vitro, 1988, 72(3), 413.
- Tobacco**
- Bacterial soft rot disease, 1990, 74(1), 83.
- Tobacco budworm**
- Light trap studies in pigeon pea, 1988, 72(4), 143.
- Pigeon pea genotypes resistance to pod borers, 1991, 75(1), 73.
- Tobacco horn worms**
- Chemical control in tomato, 1988, 72(1), 169.
- Tomato**
- Arthrobotrys* spp. and *Paecilomyces lilacinus* as biocontrollers of *Meloidogyne incognita*, 1989, 73(3), 281.
- Control of *Meloidogyne* spp. with *Pasteuria penetrans*, 1992, 76(2), 63. (Spanish)
- Cultivar trials at two locations, 1996, 80(3), 207.
- Labor-input requirements for experimental production under drip irrigation, 1988, 72(1), 41.
- Levels of *Arthrobotrys* in a population of *Meloidogyne incognita*. 1990, 74(3), 261. (Spanish)
- Mucuna deeringiana* effect on, 1995, 79(1-2), 65. (Spanish)
- Shrimp shell applications, 1992, 76(1), 21.
- Shrimp shell to control root-knot nematode, 1993, 77(3-4), 229. (Spanish)
- Varieties and susceptibility to *M. incognita*, 1989, 73(1), 83. (Spanish)
- Tomato, disease**
- Bacterial soft rot disease, 1990, 74(1), 83.
- Resistance to early blight, sources of, 1987, 71(1), 85.
- Tomato, fertilization**
- Chicken manure and chemical properties of a Mollisol, 1993, 77(3-4), 181.
- Yield of cultivar Duke and levels and methods of potassium fertilization, 1991, 75(2), 111.
- Tomato, insect**
- Chemical control of *Liriomyza sativae* and Lepidoptera larvae, 1988, 72(1), 169.
- Tomato, irrigation**
- Response to furrow, microsprinkler and drip irrigation, 1989, 73(3), 239.
- Two drip irrigation rates and two emitter placements, 1989, 73(1), 23.
- Tomato pinworm**
- Chemical control in tomato, 1988, 72(1), 169.
- Tomato, processing**
- Evaluation of six varieties for industrial sauce preparation, 1990, 74(2), 181.
- Fruit defects, size distribution and sensory evaluation of four cultivars, 1990, 74(3), 337.
- Long shelf life, genes for, 1987, 71(3), 313.
- Tomato, tillage**
- Yield response to land preparation techniques, 1987, 71(2), 203.
- Yield response to tillage techniques, 1988, 72(1), 119.
- Tomato, weed control**
- Critical period of weed competition, 1988, 72(2), 291. (Spanish)
- Glyphosate and yields, 1987, 71(2), 235.
- Selective herbicides to control grass seeds, 1989, 73(3), 231.
- Weed management under drip irrigation, 1987, 71(4), 349.
- Trace elements**
- Content in pangola grass and other forages, 1996, 80(1-2), 21.
- Traps, sticky**
- Sampling *Hydrellia wirthi* with, 1994, 78(3-4), 191.
- Triadimefon**
- Control of powdery mildew in pepper, 1991, 75(2), 119.
- For sorghum rust control, 1988, 72(1), 65.
- Trialeurodes floridensis*
- New whitefly records in Puerto Rico, 1991, 75(3), 297.
- Trianthema portulacastrum* (See Horse purslane)
- Trichogramma* sp.
- Parasitism on *Etiella zinckenella* eggs, 1988, 72(1), 153.
- Trichoptera: Sericostomatidae**
- Meristic and continuous characters of two populations of *Gumaga nigricula*, 1996, 80(3), 157.
- Trifluralin**
- Cucumber, pumpkin and watermelon, evaluation in, 1986, 70(2), 85.
- Control of broadleaf weeds in pepper, 1989, 73(1), 67.
- Triforine**
- For bean rust control, 1986, 70(1), 45.
- Uromyces appendiculatus*
- Rust control in three bean cultivars, 1986, 70(1), 45.

- Ustilaginoidea oryzae* (See False smut)
- Ustilago scitaminea*
Resistance of 43 sugarcane clones, 1986, 70(4), 287.
Resistance in sugarcane clones, 1989, 73(1), 45.
Resistance in sugarcane hybrids, 1991, 75(3), 287.
- Ustilago scitaminea*, mycelia
Detection of in apical meristems of sugarcane buds, 1991, 75(3), 281.
- Vasey grass
Pre- and post-emergence control, 1987, 71(2), 233.
- Veledella*
New name in, 1987, 71(2), 199.
- Velvet bean
Effect of crop rotation on population levels of nematodes, 1991, 75(4), 399. (Spanish)
Effect on yield of tomato, bean and corn, 1995, 79(1-2), 65. (Spanish)
- Velvet bean caterpillar
A new pest of pigeon pea, 1990, 74(1), 93.
New host plant and two bird predators in Puerto Rico, 1991, 75(3), 295.
- Vitis vinifera* (See Grapes)
- Volvariella volvacea* (See Straw mushroom)
- Wasp, black, parasitic
New host reported in Puerto Rico, 1992, 76(3-4), 209.
- Water management systems
Rice, yield and nitrogen recovery in, 1986, 70(3), 197.
- Watercress
Relationship of cultivation sites to fascioliasis incidence, 1988, 72(3), 405.
- Watermelon
Failure of calcium sources to control blossom-end rot, 1989, 73(3), 287.
Granular nematicides and fungus *Paecilomyces lilacinus* for nematode control, 1991, 75(3), 307.
Herbicide evaluation, 1986, 70(2), 85.
Labor-input requirements for experimental production under drip irrigation, 1988, 72(1), 41.
Nematode control with *Paecilomyces lilacinus*, 1989, 73(1), 75.
- Watermelon, tillage
Yield response to land preparation techniques, 1987, 71(2), 203.
Yield response to tillage techniques, 1988, 72(1), 119.
- Waterprimrose
Rice fields, control in, 1987, 71(1), 107.
- Wax moth
Mortality of larvae caused by entomogenous nematode *Heterorhabditis* spp., 1993, 77(1-2), 53.
- Weather
Testing of a monthly model, 1986, 70(3), 169.
- Web blight
Microdrops: A method for inoculation with *Rhizoctonia solani* in bean, 1996, 80(3), 111. (Spanish)
- Weed
Competitiveness of smooth pigweed, large crabgrass and snap bean, 1996, 80(3), 199.
Critical competition period in tomatoes, 1988, 72(2), 291. (Spanish)
Exudates from roots and eggplant transplants, 1988, 72(3), 495.
- Weed, allelopathic effects
Pumpkin, 1988, 72(3), 491.
- Weed, control
Chemical control in pumpkin, 1992, 76(2), 55.
Glyphosate in peppers, pre-transplant treatments, 1987, 71(1), 65.
Glyphosate in pigeon peas, 1987, 71(4), 359.
Glyphosate in tomato and peppers, 1987, 71(2), 235.
Management in transplanted eggplant, 1990, 74(2), 133.
Pasture establishment, in, 1995, 79(3-4), 181.
Tomatoes and peppers under drip irrigation, 1987, 71(4), 349.
- Weed, interference
Smooth pigweed with snap bean, 1995, 79(3-4), 173.
- Weed, woody
Albizia procera, production, dispersal and dormancy of seeds, 1995, 79(3-4), 163.
- Weevil
Staining of substance adjacent to sex bivalent, 1990, 74(4), 405.
- Weevil, corn, plantain (See Banana root borer weevil)
- Weevil, pepper (See Pepper weevil)
- West Indian fruit fly
Bacteria associated, 1988, 72(3), 489.
Hot water treatments against larvae in mango, 1990, 74(4), 441.
- West Indian sweet potato weevil
Mortality of larvae caused by entomogenous nematodes *Heterorhabditis* spp., 1993, 77(1-2), 53.

- Whiteflies
New records from Puerto Rico, 1991, 75(3), 297.
- Wine
Chemical and organoleptic evaluation of Fortuna Blanca grape variety, 1989, 73(1), 11. (Spanish)
Evaluation of 11 grape varieties, 1990, 74(3), 335. (Spanish)
- Winged bean
Psophocarpus tetragonolobus, plant spacing and growth and yield, 1988, 72(2), 273.
- Woolly whitefly
New whitefly records in Puerto Rico, 1991, 75(3), 297.
- Xanthomonas campestris*
Diseases associated with in Puerto Rico, 1992, 76(3-4), 187.
- Xanthomonas campestris* pv *cajani*
Leaf spot of pigeon pea, 1987, 71(2), 177.
- Xanthomonas campestris* pv *phaseoli*
Bean resistance to, evaluation of, 1996, 80(1-2), 55. (Spanish)
Damage in beans and its effect on yield, 1991, 75(4), 353. (Spanish)
Dry beans, inheritance and relationship of the reaction to, in, 1996, 80(3), 95. (Spanish)
Incorporation of resistance genes into bean types, 1991, 75(4), 345.
- Xanthomonas campestris* pv *vesicatoria*
Bacterial spot on pepper, 1995, 79(1-2), 41.
Resistance of six pepper varieties, 1992, 76(2), 97. (Spanish)
- Xanthosoma* spp. (See Taniar)
- Xylocopa brasiliatorum* (See Carpenter bee)
- Xylosandrus compactus* (See Black twig borer)
- Yam (*Dioscorea alata*)
Anthracnose, yield and profit of monocultures and interplantings, 1988, 72(2), 179.
Ethephon for the induction of multiple tubers, 1989, 73(3), 195.
Extended dormancy, 1990, 74(3), 213.
Nutrient uptake, dry matter yield, cv Gunung, 1995, 79(3-4), 121.
Sensory evaluation of cv Binugas and Gunung, 1995, 79(1-2), 85. (Spanish)
Three planting dates and two planting systems, 1993, 77(3-4), 161.
Tillage, fertilizer rates and yields, 1993, 77(3-4), 153.
Yield and resistance to anthracnose of five cultivars, 1989, 73(4), 381. (Spanish)
- Yam (*Dioscorea cayenensis*)
Yield and sensory evaluation, 1989, 73(3), 203. (Spanish)
- Yam (*Dioscorea rotundata*)
Anthracnose, yield and profit of monocultures and interplantings, 1988, 72(2), 179.
Herbicides, 1990, 74(3), 221.
Interrelation of *Fusarium oxysporum* with *Meloidogyne incognita* and *Pratylenchus coffeae*, 1986, 70(4), 245.
Nitrogen rates and sources, Guinea Negro cultivar, 1990, 74(1), 29.
Sequential herbicide applications, 1994, 78(3-4), 177.
Soil spray and seed treatment with oxamyl and phenamiphos, 1990, 74(2), 103.
Weed control and production in intercropping with sweet potato, 1991, 75(1), 11. (Spanish)
Yield and sensory evaluation, 1989, 73(3), 203. (Spanish)
- Yam (*Dioscorea* spp.)
Curvularia leaf spot, 1986, 70(4), 277.
Performance in western Puerto Rico, 1989, 73(2), 133.
- Yeast, distiller's, dry
Inoculum for rum fermentation, 1988, 72(3), 445.
- Yeast nutrient, commercial
For high test molasses fermentation, 1988, 72(1), 173.
Pilot plant scale evaluation for high test molasses fermentation, 1988, 72(4), 509.
- Yellow sigatoka
Resistance of Lacknau plantain cultivars to, 1988, 72(3), 353.
- Zagrammosoma* sp.
Coffee leaf miner parasitoid in Puerto Rico, 1988, 72(2), 255.
- Zantedeschia aethiopica* (See Calla lily)
- Zea mays* (See Corn)
- Zymomonas mobilis*
Batch and fed-batch fermentation of high test molasses, 1988, 72(3), 485.
Ethanol production from blackstrap molasses by, 1988, 72(3), 483.
Fermentation of different concentrations of sucrose, 1989, 73(2), 177. (Spanish)
Fermentation of sucrose supplemented by monomeric sugars, 1990, 74(1), 45. (Spanish)
Fermentation of sugarcane juice and blackstrap molasses, 1991, 75(1), 43.

