

SUBJECTS

- Abelmoschus esculentus* (L.), 6 varieties
Behavior as a vegetable and as a grain, 1986, 70(1), 57.
- Acaricidal powders, collars and sprays
Brown dog tick, failure to reduce, 1986, 70(4), 299.
- Acarina
Eriophyid mite of the coconut palm, 1986, 70(3), 223.
- Achras zapota*
Variety performance in southern Puerto Rico, 1989, 73(3), 255.
- Achrysoncharoides* spp.
Coffee leaf miner parasitoid in Puerto Rico, 1988 72 (2), 255.
- Aeschynomene sensitiva*
Rice fields, control in, 1987, 71(1), 107.
- Aging
Rums of high test molasses, 1987, 71(2), 137.
- Aglaonemas
Ingreso bruto generado por las cultivares "Silver Queen" y "María", 1989, 73(4), 399.
- Alexander grass (*Brachiaria plantaginea*)
Herbicides, control by several in greenhouse, 1986, 70(3), 207.
- Alfalfa, 9 cultivars
Forage production in semiarid region, 1988, 72(2), 221.
- Allelopathic effects of weeds
Pumpkin, 1988, 72(3), 491.
- Allium cepa*
Chemical weed management, 1989, 73(1), 59.
- Alternaria*
Blight in pigeon pea in Puerto Rico, cause of, 1986, 70(1), 79.
- Alternaria solani*
Tomato, sources of resistance in, 1987, 71(1), 85.
- Alticinae, male
Large sperm cells, storage and activation of, 1987, 71(4), 415.
- Amaranthus dubius*
Allelopathic effect on pumpkin, 1988, 72(3), 491.
Exudates from its roots in eggplants, 1988, 72(3), 495.
Sweetpotato, competition with, 1987, 71(1), 7.
- Ananas comosus*
Spineless Red Spanish variety, 1989, 73(4), 301.
- Ananas comosus* L. cv. Smooth Cayenne
Planting position, pruning and slip size, effect on the vegetative development, 1986, 70(1), 63.
- Anastrepha obliqua*
Bacteria associated, 1988, 72(3), 489.
- Anastrepha* spp.
Identity and economic importance, 1988, 72(2), 325.
- Annona muricata*
Desfoliación, crecimiento, floración y producción, 1989, 73(2), 141.
Pests and their natural enemies, 1989, 73(4), 383.
- Anthonomus eugenii*
Sampling methods for population estimation, 1988, 72(3), 387.
Yield-loss components and economic thresholds, 1988, 72(3), 375.
- Anthracnose
Damage to immature soybean seeds, 1988, 72(1), 73.
Yield and profit in monocultures and interplantings of yams, 1988 72(2), 179.
- Antracnosis
Resistencia de cinco cultivares de ñame, 1989, 73(4), 381.
- Ants
Fungi-grower in Puerto Rico and adjacent islands, 1989, 73(4), 401.
- Apoidea, Hymenoptera
Xylocopa brasilianorum, 1986, 70(4), 255.

- Aquaculture**
 Tilapia hybrids and *Macrobrachium rosenbergii*, 1987, 71(2), 225.
- Aromas, fruity, from pink mold**
 Insect attraction, association with, 1987, 71(3), 327.
- Arracacha**
 Sensory evaluation of cultivars, 1989, 73(3), 291.
- Arracacia xanthorrhiza**
 Sensory elevation of cultivars, 1989, 73(3), 291.
- Arroz**
 Sustratos para cultivar el hongo *Paecilomyces lilacinus*, 1989, 73(1), 79.
- Arthrobotrys spp.**
 Biocontroller of *Meloidogyne incognita* on tomato, 1989, 73(3), 281.
- Ascochyta phaseolorum**
 Bean infected with effect of fungicide on, 1986, 70(2), 127.
- Asparagus**
 Seed production, 1988, 72(4), 619.
- Asulam**
 Sugarcane, in 1986, 70(4), 235.
- Bacillus coagulans**
 Recovery from food refrigerated before incubation, 1988, 72(4), 617.
- Bacillus maurans**
 Recovery from food refrigerated before incubation 1988, 72(4), 617.
- Bacillus, 2 species**
 Thermal resistance of their spores, 1986, 70(3), 189.
- Bacteria**
 Recovery from food refrigerated before incubation, 1988, 72(4), 617.
- Bacteria, different types**
 Conventional versus petrifilm method for enumeration, 1989, 73(3), 183.
- Bacterial rot**
 Sorghum, whorl and stalk, 1987, 71(3), 265.
- Banana**
 Dry matter composition, 1988, 72(3), 337.
 Nutrient uptake, 1988, 72(3), 337.
 Performance of elite cultivars at 4 locations, 1989, 73(3), 209.
- Basidiocarps, Chinese straw mushrooms**
 Internal mycoflora, 1987, 71(2), 159.
- Bean**
 Fungicide, effect on disease incidence and yield, 1986, 70(2), 127.
- Heritabilities and phenotypic correlations of morphological traits, 1989, 73(4), 349.
- Yield response to tillage techniques, 1988, 72(1), 119.
- Bean, dry**
 Genotypes and *Macrophomina phaseolina*, 1987, 71(4), 385.
- Imbibition, germination and cooking time of seeds, 1989, 73(4), 327.
- Yield stability of genotypes in Honduras, 1989, 73(4), 339.
- Bean, dry, indeterminate**
 Visual indicator of physiological maturity, 1989, 73(4), 361.
- Bean, rust control**
 Systemic and contact fungicides, with, 1986, 70(1), 45.
- Bean, white, native**
 Nitrogen levels and yields with *Rhizobium* inoculation, 1987, 71(1), 1.
Rhizobium inoculation, nitrogen levels and yields, 1987, 71(1), 1.
- Bean, winged**
 Plant spacing and growth and yield, 1988, 72(2), 273.
- Beans**
 Ashy stem blight, resistance and susceptibility, 1987, 71(4), 403.
 Inoculation with *Rhizobium*, 1988, 72(3), 427.
- Beans, dry**
 Varying cultural practices at two locations, 1988, 72(4), 521.
- Beans, seed yields**
 Heritabilities and phenotypic correlations, 1988, 72(2), 301.
- Bee, carpenter**
 Host plants in Puerto Rico, additional, 1986, 70(4), 255.
- Bensulide**
 Cucumber, evaluation in, 1986, 70(2), 85.
 Pumpkin, evaluation in, 1986, 70(2), 85.
 Watermelon, evaluation in, 1986, 70(2), 85.
- Bentazon**
 Rice, mixtures to control weeds in, 1987, 71(2), 217.
- Beskia aelops**
 Natural enemy of pentatomids, 1988, 72(3), 371.
- Bird**
 Damage in 30 sorghum lines, 1986, 70(2), 99.
- Blight, early**
 Tomato, sources of resistance in, 1987, 71(1), 85.

- Blight, leaf
Resistance sources, 1987, 71(3), 293.
- Blight, stem, ashy
Resistance and susceptibility of beans to, 1987, 71(4), 403.
- Boophilus microplus*
Subcutaneously injected Ivermectin to control, 1986, 70(4), 315.
- Boophilus microplus*, control in cattle
Ectrin spray and eartags, 1987, 71(3), 241.
- Brachiaria brizantha*
Production in the humid northern coastal plains, 1988, 72(1), 91.
- Brachiaria humidicola*
Production in the humid mountains, 1988, 72(1), 99.
- Brachiaria plantaginea*
Herbicides, control by several in greenhouse, 1986, 70(3), 207.
- Brachiaria ruziziensis*
Production in the humid northern coastal plains, 1988, 72(1), 91.
- Brachiaria* spp.
Flowering pattern, 1989, 73(4), 405.
- Cabbage
Head characteristics and acceptability of cultivars, 1989, 73(4), 367.
- Cabbage, drip irrigated
Roots, in situ recovery of, 1987, 71(4), 419.
- Café
Susceptibilidad de cultivares al minador, 1988, 72(1), 165.
- Cajanus cajan*
A new blight in Puerto Rico, 1986, 70(1), 79.
Determinate genotypes, 1988, 72(4), 545.
Growth, maturity and flowering at high latitudes, 1989, 73(3), 223.
Light trap studies of *Heliothis virescens* and *Etiella zinckenella*, 1988, 72(4), 557.
Nutritional contents affected by processing and storage, 1987, 71(1), 43.
Nutritional contents canned and fresh, 1987, 71(1), 33.
Postemergence weed control, 1987, 71(4), 359.
Processing and nutritional contents, 1987, 71(1), 43.
Processing, effects of, 1987, 71(1), 33.
Some host plants of its leafhopper, 1988, 72(3), 499.
Storage and nutritional contents, 1987, 71(1), 43.
- Callie, hay
Storage and digestibility, voluntary intake and chemical components, 1988, 72(4), 531.
- Candida utilis*
Contamination control potential, 1987, 71(1), 125.
Feed supplement, source of, 1987, 71(1), 125.
Rum distillery slops, growth on, 1987, 71(1), 125.
- Capsicum annuum*
Potato virus Y, tolerance to, 1987, 71(3), 337.
Yield on northwestern coast, 1988, 72(3), 395.
- Carbaryl: powders, collars and sprays
Brown dog tick, failure to reduce, 1986, 70(4), 299.
- Carrot cultivars
Acceptability, 1987, 71(3), 287.
- Cattle
Common helminth parasites, 1987, 71(2), 231.
Ectrin to control ticks, 1987, 71(3), 241
- Cercospora kikuchii*
Damage to immature soybean seeds, 1988, 72(1), 73.
- Chalcolepidius silbermanni*
Cytology, brief notes on, 1987, 71(3), 323.
- Chloramben
Cucumber, evaluation in, 1986, 70(2), 85.
Pumpkin, evaluation in, 1986, 70(2), 85.
Watermelon, evaluation in, 1986, 70(2), 85.
- Chrysonotomya* spp.
Coffee leaf miner parasitoid in Puerto Rico, 1988, 72(2), 255.
- Cirrospiloideus* spp.
Coffee leaf miner parasitoid in Puerto Rico, 1988, 72(2), 255.
- Citron, bars.
Freezing and shelf life, 1988, 72(1), 171.
- Cladosporium cladosporioides*
Plant pathogenic fungus parasitized by *Hansfordia* sp, 1986, 70(2), 113.
- Coconut palm
Eriophyid mite, 1986, 70(3), 223.
- Cocoyam, in vitro cultured tissue
Salt and sugar levels for effective plant regeneration, 1988, 72(4), 515.
- Coffee
Bacterial leaf spot, 1988, 72(4), 621.
Hand-operated picker, evaluation, 1987, 71(1), 121.
Oxydia vesulia, a geometrid caterpillar attacking it, 1989, 73(2), 159.

- Platypus ratzeburgi*, a new pest, 1987, 71(3), 335.
 Susceptibility of cultivars to leaf miner, 1988, 72(1), 165.
- Coffee, harvested with nets
 Separating machines, 1987, 71(1), 113.
- Coffee leaf miner
 Distribution in the tree canopy, 1988, 72(1), 141.
 Parasitoids in Puerto Rico, 1988, 72(2), 255.
 Soil systemic insecticides to control, 1987, 71(2), 185.
- Coffee, 7 cultivars
Leucoptera coffeella, susceptibility to, 1986, 70(4), 307.
- Coleoptera
 A new rice pest for Puerto Rico, 1988, 72(2), 333.
- Coleoptera, neotropical
Chalcolepidius silbermani, 1987, 71(3), 323.
 Cytology, brief notes on, 1987, 71(4), 415.
- Coleoptera:Platypodidae
Platypus ratzeburgi, a new pest, 1987, 71(3), 335.
- Collembola
 Grasses in the Mayagüez area, associated with, 1986, 70(1), 75.
- Collembola:Entomobryidae
Seira oceanica, redescription of, 1987, 71(3), 331.
- Colletotrichum dematium*
 Damage to immature soybean seeds, 1988, 72(1), 73.
- Colletotrichum gloeosporioides*
 Yield and profit in monocultures and interplantings of yams, 1988, 72(2), 179.
- Concentrates, supplemental
 Heifers reared on moderately fertilized pastures with and without, 1986, 70(2), 143.
- Coniothyrium* leaf spot
 A newly described disease of sorghum, 1988, 72(2), 319.
- Consumptive use, seasonal
 Bell and Cubanelle peppers, 1988, 72(4), 609.
- Contarinia sorghicola*
 A newly introduced pest to Puerto Rico, 1988, 72(1), 161.
 Susceptibility of 8 sorghum hybrids, 1989, 73(2), 155.
- Corn
 Dipteran species complex habits, notes on, 1986, 70(2), 155.
 Yield response to tillage techniques, 1988, 72(1), 119.
- Corn, opaque-2 populations
 Agronomic performance, 1988, 72(2), 309.
- Corn, sweet
Echinochloa colonum chemical control of, 1986, 70(4), 311.
 Estimation of irrigation requirements, 1988, 72(2), 277.
- Corn, two locations
 N applications and population densities, 1988, 72(1), 127.
- Cosmopolites sordidus*
 Plaguicidas y métodos para combatirlo en plátano, 1989, 73(2), 97.
 Resistance to Laclnau plantain cultivar, 1988, 72(3), 353.
- Cotylophoron cotylophorum*
 Cattle in Puerto Rico, prevalence in, 1987, 71(2), 231.
- Cows, dairy
Streptomyces solubles for concentrate pelleted feeds, 1989, 73(1), 1.
- Cows, dairy, confinement feeding of
 Green chopped stargrass or hay, 1988, 72(2), 231.
- Crotalaria*
 Susceptibility to *Etiella zinckenella*, 1988, 72(1), 147.
- Crotalaria palida*
 Hymenopterous parasitoid of larva feeding on, 1988, 72(1), 153.
- Cucumber
 Insect and nematode control in Puerto Rico, 1986, 70(1), 19.
 Performance of varieties in soil infected with root-knot and reniform nematodes, 1989, 73(4), 321.
- Cucumis sativus*
 Insect and nematode control in Puerto Rico, 1986, 70(1), 19.
- Cucurbita moschata*
 Allelopathic effects of weeds, 1988, 72(3), 491.
Diaphania hyalinata as its pest, 1989, 73(4), 313.
 Diquat as a post-emergence herbicide, 1988, 72(2), 285.
- Cucurbita pepo*, dishes of
 Shelf-life, elaboration and evaluation, 1987, 71(3), 301.
- Culinary characteristics
 Sweet potato, new selections, 1987, 71(4), 365.
- Curculionidae
 A new rice pest for Puerto Rico, 1988, 72(2), 333.

Curvularia

Yams, leaf spots, 1986, 70(4), 277.

Cynodon dactylon

Production in humid northern coastal plains (Barceloneta), 1988, 72(2), 201.

Production in semiarid region, 1988, 72(2), 211.

Production in the humid mountains, 1988, 72(1), 99.

Production in the humid northern coastal plains (Toa Baja), 1988, 72(1), 91.

Response to potassium fertilization, 1988, 72(1), 81.

Cynodon dactylon, hay

Storage and digestibility, voluntary intake and chemical components, 1988, 72(4), 531.

Yield and nutritive value at three harvesting intervals, 198, 72(1), 109.

Cynodon nlemfuensis

Confinement feeding of dairy cows, 1988, 72(2), 231.

Four herbicides and the establishment and forage yield, 1989, 73(2), 149.

Production in humid northern coastal plains (Barceloneta), 1988, 72(2), 201.

Production in semiarid region, 1988, 72(2), 211.

Production in the humid mountains, 1988, 72(1), 99.

Production in the humid northern coastal plains (Toa Baja), 1988, 72(1), 91.

Response to potassium fertilization, 1988, 72(1), 81.

Cynodon nlemfuensis, hay

Yield and nutritive value at three harvesting intervals, 1988, 72(1), 109.

Cynodon plectostachyus

Production in humid northern coastal plains (Barceloneta), 1988, 72(2), 201.

Production in semiarid region, 1988, 72(2), 211.

Production in the humid mountains, 1988, 72(1), 99.

Production in the humid northern coastal plains (Toa Baja), 1988, 72(1), 91.

Storage and digestibility, voluntary intake and chemical components, 1988, 72(4), 531.

Cynodon plectostachyus, hay

Yield and nutritive value at three harvesting intervals, 1988, 72(1), 109.

Cynodon spp.

Flowering pattern, 1989, 73(4), 405.

Production in humid northern coastal plains, 1988, 72(2), 201.

Daucus carota

Acceptability of cultivars, 1987, 71(3), 287.

DCPA

Cucumber, evaluation in, 1986, 70(2), 85.

Pumpkin, evaluation in, 1986, 70(2), 85.

Watermelon, evaluation in, 1986, 70(2), 85.

Diamondback moth

Life cycle in Puerto Rico, 1986, 70(4), 229.

Diaphania hyalinata

Natural enemies, 1989, 73(4), 313.

Pest of pumpkin, 1989, 73(4), 313.

Diaprepes abbreviatus

Parasitism of *Tetrastichus haitiensis* on egg masses, 1987, 71(4), 407.

Diaprepes abbreviatus, adult

Sugarcane areas, distribution in 1987, 71(4), 411.

Dichanthium annulatus

Production in semiarid region, 1988, 72(2), 211.

Digestibility, in vitro, of dry matter

Eight sorghums at 2 locations in Puerto Rico, 1986, 70(1), 37.

Digitaria decumbens

Production in the humid mountains, 1988, 72(1), 99.

Production in the humid northern coastal plains (Barceloneta), 1988, 72(2), 201.

Production in the humid northern coastal plains (Toa Baja), 1988, 72(1), 91.

Response to potassium fertilization, 1988, 72(1), 81.

Digitaria milanjaniana

Production in humid northern coastal plains, 1988, 72(2), 201.

Digitaria pentzii

Production in humid northern coastal plains, 1988, 72(2), 201.

Production in the humid mountains, 1988, 72(1), 99.

Response to potassium fertilization, 1988, 72(1), 81.

Digitaria pentzii, hay

Storage and digestibility, voluntary intake and chemical components, 1988, 72(4), 531.

Yield and nutritive value at three harvesting intervals, 1988, 72(1), 109.

Dioscorea alata

Ethephon for the induction of multiple tubers, 1989, 73(3), 195.

Dioscorea cayenensis

Rendimiento y evaluación sensorial, 1989, 73(3), 203.

- Dioscorea rotundata*
 Interrelation of *Fusarium oxysporum* with *Meloidogyne incognita* and *Pratylenchus coffeae*, 1986, 70(4), 245.
 Rendimiento y evaluación sensorial, 1989, 73(3), 203.
 Rendimiento y resistencia a la antracnosis de 5 variedades, 1989 73(4), 381.
- Dioscorea* spp.
 Anthracnose, yield and profit, 1988, 72(2), 179.
Curvularia leaf spot, 1986, 70(4), 277.
 Performance in western Puerto Rico, 1989, 73(2), 133.
- Diptera
 Species complex of corn, 1986, 70(2), 155.
- Diquat
 Post-emergence herbicide in pumpkin, 1988, 72(2), 285.
- Downy mildew in sorghum
 Identity and characterization, 1986, 70(2), 217.
- Dragonfly nymphs
 Tilapia fry, depredation on, 1986, 70(3), 213.
- Dry matter digestibility, in vitro, of
 Eight sorghums at 2 locations in Puerto Rico, 1986, 70(1), 37.
- Dwarfing interstems in trees
 Growth and yield components in mango, 1988, 72(4), 501.
- Eartags, ectrin
 Ticks in cattle, control of, 1987, 71(3), 241.
- Echinochloa colomum*
 Allelopathic effect on pumpkin, 1988, 72(3), 491.
 Chemical control in sweet corn, 1986, 70(4), 311.
 Exudates from its roots in eggplants, 1988, 72(3), 495.
- Ectrichodiinae
 Notes about *Rhiginia* sp., 1988, 72(2), 251.
- Ectrin
 Spray and eartags to control *Boophilus microplus* in cattle, 1987, 71(3), 241.
- Egg masses, *Diaprepes abbreviatus*
 Parasitism of *Tetrastichus haitiensis* on, 1987, 71(4), 407.
- Eggplant
 Yield response to tillage techniques, 1988, 72(1), 119.
- Eggplant transplants
 Exudates of roots of weeds, 1988, 72(3), 495.
- Elateridae:Pyrophorini
Chalcolepidius silbermanni, cytology of, 1987, 71(3), 323.
- Elevation
 Relation to temperature, 1988, 72(3), 449.
- Emitter
 Potential moisture distribution in the soil around an, 1987, 71(4), 423.
- Empoasca*
 Natural enemies in pigeon peas, 1989, 73(2), 161.
- Empoasca* spp.
 Some host plants, 1988, 72(3), 499.
- Endosperm, hard
 Performance of opaque-2 populations in Puerto Rico, 1988, 72(2), 309.
- Entomobryidae
Seira oceanica, redescription of, 1987, 71(3), 331.
- Eriochloa polystachya*
 Production in the humid northern coastal plains, 1988, 72(1), 91.
- Eriophyes guerreronis*
 Coconut palm mite, 1986, 70(3), 223.
- Eroded tropical soils, productivity of
 Restoration under proper management, 1987, 71(1), 13.
- Erwinia chrysanthemi*
 Sorghum, bacterial whorl and stalk rot pathogen in, 1987 71(3), 265.
- Ethanol
 Production from blackstrap by *Zymomonas mobilis* and *Saccharomyces*, 1988, 72(3), 483.
- Ethephon
 Induction of multiple tubers in water yam, 1989, 73(3), 195.
- Etiella zinckenella*
 Damage to immature soybean seeds, 1988, 72(1), 73.
 Natural enemies, 1988, 72(1), 153.
 Susceptibility of *Crotalaria* spp. to its attack, 1988, 72(1), 147.
- Etiella zinckenella* on pigeon pea
 Light trap studies, 1988, 72(4), 557.
- Eumecosomyia nublia*
 New otitid in Puerto Rico, 1986, 70(2), 155.
- Euphorbia heterophylla*
 Allelopathic effect on pumpkin, 1988, 72(3), 491.
 Exudates from its roots in eggplants, 1988, 72(3), 495.

- Evaporimetro
 Coeficiente para Puerto Rico, 1989, 73(1), 89.
- Evaporation, Class A pan, monthly
 Agricultural Experiment Station in
 Puerto Rico, 1989, 73(1), 85.
- Evapotranspiration, potential
 Hargreaves-Samani technique, 1988,
 72(1), 57.
 Vieques island, 1988, 72(1), 177.
- Fasciola hepatica*
 Cattle in Puerto Rico, prevalence in,
 1987, 71(2), 231.
- Fascioliasis
 Relationship to watercress cultivation,
 1988, 72(3), 405.
- Feed supplement
Candida utilis as source of, 1987, 71(1),
 125.
 Rum distillery slops as source of, 1987,
 71(1), 125.
- Feeds, concentrate, pelleted
Streptomyces solubles, 1989, 73(1), 1.
- Fermentation batch
 Patterns for strain of *Zymomonas*,
 1988, 72(3), 475.
- Fermentation, batch and fed-batch
 High test molasses by *Zymomonas*
mobilis, 1988, 72(1), 173.
- Fermentation, high test molasses
 Commercial yeast nutrient, 1988, 72(1),
 173.
 Commercial yeast nutrient evaluation,
 1988, 72(4), 509.
 Compared with blackstrap, 1988, 72(1),
 9.
- Flies, fruit
 Identity and economic importance, 1988,
 72(2), 325.
- Flowering pattern
Brachiaria spp. 1989, 73(4), 405.
Cynodon spp., 1989, 73 (4), 405.
Hemarthria spp., 1989, 73(4), 405.
- Fly, fruit, West Indian
 Bacteria associated, 1988, 72(3), 489.
- Fodder, hay, stargrass
 Confinement feeding of dairy cows,
 1988, 72(2), 231.
- Forage, alfalfa
 Production of 9 cultivars in semiarid re-
 gion, 1988, 72(2), 221.
- Freckling, leaf blade
 Sugarcane seedlings, 1989, 73(3), 285.
- Fried chips
 Sweet potatoes, staple type, 1987, 71(4),
 373.
- Fruit fly, West Indian
 Bacteria associated, 1988, 72(3), 489.
- Fulmekiola serrata*
 A new sugarcane thrip pest in Puerto
 Rico, 1989, 73(4), 391.
- Fungi
 Grower ants in Puerto Rico and adjacent
 islands, 1989, 73(4), 401
- Fungi, vesicular-arbuscular
 Inoculation of sour orange seedlings,
 1988, 72(2), 191.
- Fungicide
 Effect on disease incidence and yield of
 bean, 1986, 70(2), 127.
- Fungicides
 Fungal competitors in Chinese straw
 mushrooms, 1987, 71(2), 165.
- Fungicides, panicle
 Seed quality in sorghum, determinants
 of, 1987, 71(1), 75.
- Fungicides, systemic and contact
 Bean rust under field conditions, control
 of, 1986, 70(1), 45.
- Fusarium oxysporum*
 Interrelation with *Meloidogyne incog-
 nita* and *Pratylenchus coffeae* on
 yam, 1986, 70(4), 245.
- Gallinas
 Parásitos internos y externos,
 tratamiento de, 1987, 71(1), 133.
 Pausa forzada y postura subsiguiente,
 1987, 71(3), 255.
- Genotypes, dry bean
Macrophomina phaseolina, reaction to,
 1987, 71(4), 385.
- Glomus* spp.
 Inoculation of sour orange seedlings,
 1988, 72(2), 191.
- Glycine max* x *Glycine soja* crosses
 Traits, inheritance of, 1987, 71(1), 53.
- Glyphosate
 Optimum time interval and frequency of
 application, 1988, 72(2), 297.
 Tomato and peppers, on 1987, 71(2), 235.
- Glyphosate and paraquat
 Weed control on peppers, pre-transplant
 treatments, for 1987, 71(1), 65.
- Glyphosate, shielded treatments
 Pigeon peas, weed control in, 1987,
 71(4), 359.
- Grapes, Fortuna Blanca variety
 Chemical and organoleptic evaluation of
 wines, 1989, 73(1), 11.
- Grapes, table
 Variety evaluation at Fortuna, 1988,
 72(2), 335.

- Grasses, Mayagüez campus, on
 Collembola associated with, 1986, 70(1), 75.
- Grasses, tropical
 Response to potassium fertilization, 1988, 72(1), 81.
- Grasses, tropical, grazed
 Production in humid mountains, 1988, 72(1), 99.
 Production in humid northern coastal plains (Barceloneta), 1988, 72(2), 201.
 Production in humid northern coastal plains (Toa Baja), 1988, 72(1), 91.
 Production in semiarid region, 1988, 72(2), 211.
- Grasses, tropical, hay
 Storage and digestibility, voluntary intake and chemical components, 1988, 72(4), 531.
 Yield and nutritive value at three harvesting intervals, 1988, 72(1), 109.
- Guanábana
 Pests and their natural enemies, 1989, 73(4), 383.
- Guanábano
 Desfoliación, crecimiento, floración y producción, 1989, 73(2), 141.
- Guinea grass, hay
 Storage and digestibility, voluntary intake and chemical components, 1988, 72(4), 531.
- Gymnocyttia*
 Natural enemies of pentatomids, 1988, 72(3), 371.
- Haemonchus contortus*
 Cattle in Puerto Rico, prevalence in, 1987, 71(2), 231.
- Haiti, southeastern
 Soil erosion in, 1987, 71(2), 239.
- Hansfordia* sp.
 Parasitic pathogen of the plant pathogenic fungi (*Cladosporium cladosporioides*), 1986, 70(2), 113.
- Hargreaves and Samani
 Model for potential evapotranspiration estimation, 1988, 72(1), 177.
- Hargreaves-Samani technique
 Potential evapotranspiration for the south coast, 1988, 72(1), 57.
- Harpactorine
Orbella, a new genus, 1987, 71(2), 193.
- Hay, fodder, stargrass
 Confinement feeding of dairy cows, 1988, 72(2), 231.
- Hay, tropical grasses
 Storage and digestibility, voluntary intake and chemical components, 1988, 72(4), 531.
- Yield and nutritive value at three harvesting intervals, 1988, 72(1), 109.
- Heifers, dairy
 Reared on moderately fertilized pastures with or without supplemental concentrates, 1986, 70(2), 143.
- Heliothis virescens* on pigeonpea
 Light trap studies, 1988, 72(4), 557.
- Helminth parasites
 Cattle in Puerto Rico, common in, 1987, 71(2), 231.
- Hemarthria* spp.
 Flowering pattern, 1989, 73(4), 405.
- Hemiptera
 Description of new species of *Rasahus*, 1988, 72(2), 247.
 Description of *Rhiginia dureti* Carpenter from Perú, 1988, 72(2), 251.
- Hemiptera of Puerto Rico
 Annotated list of the Reduviidae, 1986, 70(1), 1.
- Hemiptera:Reduviidae
Orbella, a new genus, 1987, 71(2), 193.
- Hemiptera:Reduviidae, Stenopodainae
 Genus *Psivrontis*, 1986, 70(1), 9.
- Herbicide candidate
 Oxyfluorfen for pigeon peas, 1987, 71(3), 277.
- Herbicides
Brachiaria plantaginea in the greenhouse, control of, 1986, 70(3), 207.
 Cucumber, evaluation in, 1986, 70(2), 85.
 Pumpkin, evaluation in, 1986, 70(2), 85.
 Rice, evaluation in, 1986, 70(4), 293.
 Watermelon, evaluation in, 1986, 70(2), 85.
- Herbicides, postemergence
 Sugarcane, in, 1986, 70(4), 235.
- Herbicides to control *Echinochloa colonum*
 Sweet corn, in, 1986, 70(4), 311.
- Heritabilities and phenotypic correlations
 Bean seed yield and yield components, 1988, 72(2), 301.
- Heterospilus etiellae*
 Larval parasitoid, 1988, 72(1), 153.
- High test molasses, rums of
 Aging, 1987, 71(2), 137.
- Histopathology of *Meloidogyne incognita*
 Temperature and soil types, influence of, 1987, 71(1), 97.
- Homalocoris punctatus*
 Key to species in genus, 1987, 71(3), 249.
- Homoptera
 Rice pests in Puerto Rico, 1989, 73(4), 395.

- Horismenus* sp.
Coffee leaf miner parasitoid in Puerto Rico, 1988, 72(2), 255.
- Howardula* sp.
A nematode new for Puerto Rico parasitizing a sweet potato associated flea beetle, 1989, 73(2), 171.
- Hymenoptera:Apoidea
Xylocopa brasiliatorum, 1986, 70(4), 255.
- Iconella etiellae*, larval parasitoid
Recovered from soybean, 1988, 72(1), 153.
- Inheritance in soybean crosses
Agronomic and seed composition, 1987, 71(1), 53.
- Inoculation, sour orange seedlings
Vesicular-arbuscular mycorrhizal fungi, 1988, 72(2), 191.
- Inoculum, distillers' dry yeast
Rum fermentation in pilot plant scale, 1988, 72(3), 445.
- Insect
Cucumber (*Cucumis sativus*), control in, 1988, 70(1), 19.
- Insect attraction
Fruity aromas from pink mold, association with, 1987, 71(3), 327.
- Insecticides, systemic, soil
Coffee leafminer, control of, 1987, 71(2), 185.
- Interstems in mango
Dwarfing effect on growth and yield, 1988, 72(4), 501.
- Ivermectin, subcutaneously
Cattle tick, 1986, 70(4), 315.
- Ipomoea batatas*
Amaranthus, competition from, 1987, 71(1), 7.
Culinary characteristics, 1987, 71(4), 365.
Fried chips, 1987, 71(4), 373.
Pigweed, competition from, 1987, 71(1), 7.
Planting dates, morphology and growth, 1988, 72(3), 437.
Sensory evaluation, 1988, 72(2), 265.
- Ipomoea batatas*, bars
Freezing and shelf life, 1988, 72(1), 171.
- Ipomoea batatas*, four clones
Planting dates and yield, 1987, 71(4), 379.
- Ipomoea batatas*, selections
Elaboration, shelf life and quality of dishes, 1989, 73(2), 127.
- Irrigation, drip
Cost for vegetable farming, 1988, 72(1), 31.
- Labor input in vegetable production, 1988, 72(1), 41.
- Root distribution of fertigated peppers, 1988, 72(1), 51.
- Transplanted tomatoes and peppers, weed management in, 1987, 71(4), 349.
- Irrigation (drip) and plastic mulch
Nutrient uptake in sweet peppers, 1988, 72(4), 575.
- Irrigation—furrow, microsprinkler and drip
Response of tomato and sweet pepper, 1989, 73(3), 231.
- Irrigation of sweet corn
Estimation requirements, 1988, 72(2), 277.
- Isariopsis griseola*
Fungicide on bean infected with, effect of, 1986, 70(2), 127.
- Isohyetal charts for Puerto Rico, 1986, 70(4), 267.
- Jaulas de piso con camadas elevadas
Parásitos internos y externos, tratamiento de, 1987, 71(1), 133.
- "Johne", enfermedad
Caso clínico en vaquería de Puerto Rico, 1989, 73(4), 415.
- Johne's disease
Clinical case report on a dairy farm in Puerto Rico, 1989, 73(4), 415.
- Jointvetch
Rice fields, control in, 1987, 71(1), 107.
- Juice, pineapple
Tentative identification of volatile components in 2 varieties, 1989, 73(3), 189.
- K and N sources
Limed stargrass, response of, 1987, 71(1), 23.
- Lamotteus ornatus*, male
First description, 1987, 71(2), 199.
- Leaf miner, coffee
Distribution of parasitoids in the tree canopy, 1988, 72(1), 141.
Soil systemic insecticides to control, 1987, 71(2), 185.
Susceptibility of coffee cultivars, 1988, 72(1), 165.
- Leaf spot
A *Coniothyrium* disease in sorghum, 1988, 72(2), 319.
- Leaf spot, bacteria
Coffee, 1988, 72(4), 621.
- Leaf spot, bacterial
Pigeon pea, 1987, 71(2), 177.
- Leaf spots
Curvularia in yams, 1986, 70(4), 277.

- Leafhopper
Rice pest in Puerto Rico, 1989, 73(4), 395.
- Leafhopper, *Empoasca* spp.
Natural enemies in pigeon peas, 1989, 73(2), 161.
- Leafhopper, pigeon pea
Some host plants, 1988, 72(3), 499.
- Lepidoptera
Diamondback moth, 1986, 70(4), 229.
- Lepidoptera, larvae
Chemical control in tomato, 1988 72(1), 169.
- Leucoptera coffeella*
Distribution of parasitoids in the tree canopy, 1988, 72(1), 141.
Parasitoids in Puerto Rico, 1988, 72(2), 255.
Soil systemic insecticides to control, 1987, 71(2), 185.
Susceptibility of coffee cultivars, 1988, 72(1), 165.
Susceptibility of 7 coffee cultivars to, 1986, 70(4), 307.
- Leucaena leucocephala*
Meloidogyne incognita and *M. javanica* from Puerto Rico, reaction to populations of, 1986, 70(2), 157.
- Lima bean pod borer
Susceptibility or *Crotalaria* spp. to its attack, 1988, 72(1), 147.
- Liming
N and K fertilization, stargrass response to, 1987, 71(1), 23.
- Liriomyza sativae*
Chemical control in tomato, 1988, 72(1), 169.
- Lissorhoptrus isthmicus*
A new rice pest for Puerto Rico, 1988, 72(2), 333.
- Ludgia erecta*
Rice fields, control in, 1987, 71(1), 107.
- Lycopersicon esculentum*
Chemical control of *Liriomyza sativae* and Lepidoptera larvae, 1988, 72(1), 169.
Early blight, sources of resistance to, 1987, 71(1), 85.
Long shelf life, genes for, 1987, 71(3), 313.
- Mabí, bark
Chemical constituents, 1988, 72(4), 625.
- Machines, separating
Coffee harvested with nets, 1987, 71(1), 113.
- Maíz dulce
Irrigation requirements, estimation of, 1988, 72(2), 277.
- Requisitos de riego, estimación de, 1988 72(2), 277.
Tres niveles de riego y crecimiento y rendimiento, 1988 72(4), 565.
- Maize seed
Mycoflora and germination, 1989, 73(2), 115.
- Macrobrachium rosenbergii*
Polyculture with tilapia hybrid males, 1987, 71(2), 225.
- Macrophomina phaseolina*
Bean, dry, genotypes, 1987, 71(4), 385.
Resistance and susceptibility of bean to, 1987, 71(4), 403.
- Mango
Fruit flies which attack, 1988, 72(2), 325.
Mango, dwarfing rootstocks
Tree size and yield of varieties, 1988, 72(1), 1.
Mango, growth and yield
Dwarfing effect of interstems, 1988, 72(4), 501.
Mango, Parvin variety
Shelf life and quality components, 1989, 73(4), 295.
- Mango trees
Growth and yield at three stages of development, 1987, 71(4), 341.
- Mangoes, hot water treated
Shelf life and acceptability, 1988 72(3), 469.
- Manilkara zapota*
Insects of, 1987, 71(1), 129.
Variety performance in southern Puerto Rico, 1989, 73(3), 255.
- Marasmia trapezalis*
Natural enemies and alternate hosts, 1989, 73(4), 397.
Rice pest, 1989, 73(4), 397.
- Mayagüez, University of Puerto Rico campus
Collembola associated with grasses on, 1986, 70(1), 75.
- Medicago sativa*, 9 cultivars
Forage production in semiarid region, 1988, 72(2), 221.
- Meloidogyne incognita*
Arthrobotrys spp. and *Paeecilomyces tilacinus* as biocontrollers in tomato, 1989, 73(3), 281.
Fusarium oxysporum together with *Pratylenchus coffeae*, interrelation with, 1986, 70(4), 245.
Pathogenicity in tanier, 1989, 73(3), 277.
Performance of cucumber varieties in infested soil, 1989, 73(4), 321.
Reaction of *Leucaena leucocephala* to population of, 1986, 70(2), 157.

- Snap beans, histopathology in, 1987, 71(1), 97.
- Suitability of pumpkin genotypes, 1989, 73(2), 167.
- Variedades de tomate y su susceptibilidad a, 1989, 73(1), 83.
- Meloidogyne javanica*
Reaction of *Leucaena leucocephala* to population of, 1986, 70(2), 157.
- Melonworm
Natural enemies, 1989, 73(4), 313.
- Microtominae, new species in
Homalocoris punctatus, 1987, 71(3), 249.
- Mimosa, climbing
Chemical control in local pastures, 1988, 72(4), 615.
- Mirax insularis*
Coffee leaf miner parasitoid in Puerto Rico, 1988, 72(2), 255.
Parasitoid of coffee leaf miner, 1988, 72(1), 141.
- Mite, eriophyid
Coconut palm, of, 1986, 70(3), 223.
- Mites
New records for Puerto Rico, 1987, 71(4), 399.
- Moisture, soil
Mulched drip irrigated peppers, retention in, 1986, 70(4), 303.
- Molasses, blackstrap
Ethanol production by *Zymomonas mobilis* and *Saccharomyces* sp., 1988, 72(3), 483.
- Molasses, high test
Aging of rums, 1987, 71(2), 137.
Batch and fed-batch fermentation by *Zymomonas mobilis*, 1988, 72(3), 485.
Commercial yeast nutrient for fermentation, 1988, 72(1), 173.
Pilot plant scale evaluation of a commercial yeast nutrient in fermentation, 1988, 72(4), 509.
- Molasses, high test, fermentation
Compared with blackstrap, 1988, 72(1), 9.
- Molasses, high test vs blackstrap
Batch fermentation patterns for strains of *Zymomonas*, 1988, 72(3), 475.
- Molds
Seeds of 30 sorghum lines, 1986, 70(2), 99.
- Molds, pink
Fruity aromas from and association with insect attraction, 1987, 71(3), 327.
- Mormidae angustata* Stål
Host plants in rice fields, 1988, 72(3), 365.
Pentatomid parasitized by natural enemies, 1988, 72(3), 371.
- Moth, diamondback
Life cycle in Puerto Rico, 1986, 70(4), 229.
- Mulching types
Soil moisture retention in peppers, 1986, 70(4), 303.
- Musa* sp.
Optimum time interval and frequency of glyphosate application, 1988, 72(2), 297.
- Mushroom, straw
Bacterial basal rot of, 1986, 70(3), 219.
Carbon and nitrogen nutritional influences of growth, 1988, 72(1), 19.
- Mushroom, straw, Chinese
Fungal competitors, control of, 1987, 71(2), 165.
Internal mycoflora of basidiocarps, effect on growth of, 1987, 71(2), 159.
- Mycoflora, internal
Basidiocarps of Chinese straw mushrooms, 1987, 71(2), 159.
- N and K sources
Limed stargrass, response of, 1987, 71(1), 23.
- N and P fertilizers
Sweet peppers, growth and yield of, 1987, 71(2), 209.
- Nasturtium officinale*
Relationship of cultivation sites to fascioliasis incidence, 1988, 72(3), 405.
- Nematode
Cucumber, control in, 1986, 70(1), 19.
- Nematodes
Fusarium oxysporum in yam, interrelation with, 1986, 70(4), 245.
- Neotropical Coleoptera
Cytology, 1987, 71(4), 415.
- Nezara viridula*
Damage to immature soybean seeds, 1988, 72(1), 73.
- Nispero
Insects of, 1987, 71(1), 129.
Variety performance in southern Puerto Rico, 1989, 73(3), 255.
- Nitrogen applications
Corn at two locations, 1988, 72(1), 127.
- Nitrogen, 4 levels
Rice, yield and nitrogen recovery, 1986, 70(3), 197.

- Nitrogen levels
Rhizobium inoculated white beans, 1987, 71(1), 1.
- Nitrogen rates
 Rice yields and nitrogen recovery, effect on, 1986, 70(2), 91.
- Nymphs, dragonfly
 Depredation of tilapia fry by, 1986, 70(3), 213.
- Ñame
 Rendimiento y evaluación sensorial, 1989, 73(3), 203.
 Rendimiento y resistencia a la antracnosis de 5 variedades, 1989, 73(4), 381.
- Oebalus ypsilon-griseus* (De Greer)
 Host plants in rice fields, 1988, 72(3), 365.
 Penatomid parasitized by natural enemies, 1988, 72(3), 371.
- Okra, 6 varieties
 Vegetable and grain behavior 70(1), 57.
- Onions
 Chemical weed management, 1989, 73(1), 59.
- Onions, drip irrigated
 Water rates and planting density on growth parameters, effect of, 1986, 70(2), 135.
- Ooencyrtus submetallicus*
 Natural enemy of pentatomids, 1988, 72(3), 371.
- Opaque-2 corn populations
 Agronomic performance, 1988, 72(2), 309.
- Orange, sour, seedlings
 Inoculation with vesicular-arbuscular mycorrhizal fungi, 1988, 72(2), 191.
- Orbella*
 Harpactorine (Hemiptera:Reduviidae) genus, 1987, 71(2), 193.
- Otitid flies
 New Diptera species in Puerto Rico, 1986, 70(2), 155.
- Oxidia vesulia*
 A geometrid caterpillar attacking coffee, 1989, 73(2), 159.
- Oxyfluorfen
 Pigeon peas, herbicide candidate for, 1987, 71(3), 277.
- Oryza sativa*
 Sustratos para cultivar el hongo *Paecilomyces lilacinus*, 1989, 73(1), 79.
- P and N fertilizers
 Sweet peppers, growth and yield of, 1987, 71(2), 209.
- Paecilomyces lilacinus*
 Biocontroller of *Meloidogyne incognita* on tomato, 1989, 73(3), 281.
 Nematode control in watermelon, 1989, 73(1), 75.
 Sustratos de arroz para cultivarlo, 1989, 73(1), 79.
- Palm, coconut
 Eriophyid mite, 1986, 70(3), 223.
- Panicum maximum*
 Production in humid northern coastal plains (Barceloneta), 1988, 72(2), 201.
 Production in the humid mountains, 1988, 72(1), 99.
 Production in the humid northern coastal plains (Toa Baja), 1988, 72(1), 91.
 Storage and digestibility, voluntary intake and chemical components, 1988, 72(4), 531.
- Panicum maximum*, hay
 Yield and nutritive value at three harvesting intervals, 1988, 72(1), 109.
- Papaya
 Monthly water consumptive use in four climatic regions of Puerto Rico, 1989, 73(2), 175.
 Nematode survey on commercial farms, 1989, 73(2), 165.
 Tumor-like formations, 1989, 73(4), 411.
- Paraquat
 Postemergence weed control in pumpkin, 1988, 72(2), 285.
- Paraquat and glyphosate
 Weed control in peppers, pre-transplant treatment for, 1987, 71(1), 65.
- Parasites, helminths
 Cattle in Puerto Rico, common in, 1987, 71(2), 231.
- Parasitiformes
 New mite records for Puerto Rico, 1987, 71(4), 399.
- Parasitism, *Tetrastichus haitiensis*
Diaprepes abbreviatus, egg masses, on, 1987, 71(4), 407.
- Parásitos, internos y externos
 Gallinas ponedoras, tratamiento en, 1987, 71(1), 133.
- Parthenium hysterophorus*
 Allelopathic effect on pumpkin, 1988, 72(3), 491.
 Exudates from its roots in eggplants, 1988, 72(3), 495.
- Paspalum urvillei*
 Pre- and post-emergence control, 1987, 71(2), 233.

- Pathogenic fungus, dematiaceous, plant
Parasitized by *Hansfordia* sp., 1986,
70(2), 113.
- Pausa forzada
Huevo marrón, gallinas de, 1987, 71(3),
255.
- Pentatomids
Host plants in rice fields, 1988, 72(3), 365.
Natural enemies in rice fields, 1988, 72(3),
371.
- Pepper
Yield response to tillage technique, 1988,
72(1), 119.
- Pepper, bell, cultivars
Potato virus y tolerance to, 1987, 71(3),
337.
- Pepper cultivars
Yield on northwestern coast, 1988, 72(3),
395.
- Pepper, sweet
Response to furrow, microsprinkler and
drip irrigation, 1989, 73(3), 239.
- Pepper weevil
Sampling methods for population estimation,
1988, 72(3), 387.
Yield-loss components and economic
thresholds, 1988, 72(3), 375.
- Peppers
Control of broadleaf weeds with pre-
transplant herbicides, 1989, 73(1), 67.
Drip irrigation, integrated weed manage-
ment, under, 1987, 71(4), 349.
Paraquat and glyphosate as pre-trans-
plant weed control treatments, 1987,
71(1), 65.
Seasonal consumptive use of water, 1988,
72(4), 609.
- Peppers and tomato
Glyphosate and yields, 1987, 71(2), 235.
- Peppers, drip irrigated
Soil moisture retention, 1986, 70(4), 303.
- Peppers, sweet
N and P fertilizers and growth and yield,
1987, 71(2), 209.
Root distribution of nitrogen fertigated,
1988, 72(1), 51.
- Peppers, sweet, nitrogen fertigated
Nitrogen uptake and growth characteris-
tics, 1988, 72(4), 575.
Post harvest evaluation, 1989, 73(2), 109.
- Peppers, transplanted
Selective herbicides to control grass
seeds, 1989, 73(3), 231.
- Peronospera manshurica*
Damage to immature soybean seeds,
1988, 72(1), 73.
- Petrifilm method
Compared to conventional method for
bacteria enumeration, 1989, 73(3), 183.
- Phaseolus vulgaris*
Ashy stem blight, resistance and suscepti-
bility to, 1987, 71(4), 403.
Fungicide, effect on disease incidence and
yield, 1986, 70(2), 127.
Genotypes and *Macrophomina*
phaseolina, 1987, 71(4), 385.
Heritabilities and phenotypic correlations,
1988, 72(2), 301.
Heritabilities and phenotypic correlations
of morphological traits, 1989, 73(4),
349.
Imbibition, germination and cooking time
of seeds, 1989, 73(4), 327.
Inoculation with *Rhizobium*, 1988, 72(3),
427.
Rhizobium inoculation, nitrogen levels
and yields with, 1987, 71(1), 1.
Rust control in the humid tropics, 1986,
70(1), 45.
Varying cultural practices at two loca-
tions, 1988, 72(4), 521.
Visual indicator of physiological maturity,
1989, 73(4), 361.
Yield stability of genotypes in Honduras,
1989, 73(4), 339.
- Phenotypic correlations
Bean seed yield and yield components,
1988, 72(2), 301.
- Phomopsis* spp.
Damage to immature soybean seeds,
1988, 72(1), 73.
- Pigeon pea
Bacterial leaf spot, 1987, 71(2), 177.
Behavior of commercial lines under semi-
arid conditions, 1986, 70(1), 25.
Determinate genotypes, 1988, 72(4), 545.
Growth, maturity and flowering at high
latitudes, 1989, 73(3), 223.
Light trap studies of *Heliothis virescens*
and *Etiella zinckenella*, 1988, 72(4),
557.
- New blight in Puerto Rico, 1986, 70(1),
79.
- Production constraints under the semi-
arid conditions in Puerto Rico, 1986,
70(1), 25.
- Some host plants of its leafhopper, 1988,
72(3), 499.
- Yield response to land preparation tech-
niques, 1987, 71(2), 203.
- Nutritional content affected by processing
and storage, 1987, 71(1), 43.
- Natural enemies of leafhopper of the
genus *Empoasca*, 1989, 73(2), 161.

- Nutritional content canned and fresh, 1987, 71(1), 33.
- Oxyfluorfen for weed control, 1987, 71(3), 277.
- Postemergence weed control, 1987, 71(4), 359.
- Processing and nutritional content, 1987, 71(1), 43.
- Processing, effect of, 1987, 71(1), 33.
- Storage and nutritional content, 1987, 71(1), 43.
- Pigweed
- Sweetpotato, competition with, 1987, 71(1), 7.
- Pineapple
- Characterization of the maturation process by changes in texture, 1989, 73(3), 265.
- Spineless Red Spanish variety, 1989, 73(4), 301.
- Symphylid in fields, 1989, 73(3), 275.
- Pineapple, Smooth Cayenne
- Planting position, pruning and slip size, effect on the vegetative development, 1986, 70(1), 63.
- Pineapple, 2 varieties
- Tentative identification of volatile components in juice, 1989, 73(3), 189.
- Plantain
- In vitro propagation, 1989, 73(1), 51
- Irrigation requirements, 1988, 72(4), 599.
- Optimum time interval and frequency of glyphosate application, 1988, 72(2), 297.
- Plantain, Lacknau cultivar
- Resistance to corm weevil, 1988, 72(3), 353.
- Plantain yields
- Tillage and physical properties of soil, affected by, 1987, 71(3), 307.
- Plátano
- Plaguicidas y métodos para combatir el picudo negro, 1989, 73(2), 97.
- Requisitos de riego, 1988, 72(4), 599.
- Platypus ratzeburgi*
- New pest in coffee, 1987, 71(3), 335.
- Phytella xylostela*
- Life cycle in Puerto Rico, 1986, 70(4), 229.
- Pnirontis*
- Genus of the Hemiptera Subidermis group of species, 1986, 70(1), 9.
- Polymorphism, genic and color
- Diaprepes abbreviatus* and *Compsus maricao*, 1987, 71(4), 391.
- Weevils, Puerto Rican, 1987, 71(4), 391.
- Postura, subsiguiente a pausa forzada
- Huevo marrón, gallinas de, 1987, 71(3), 255.
- Potassium
- Stargrass, response of, 1987, 71(1), 23.
- Potassium fertilization
- Response of tropical grasses in the humid coastal region, 1988, 72(1), 81.
- Potato virus y
- Bell pepper cultivars, tolerance of, 1987, 71(3), 337.
- Pratylenchus coffeae*
- Interrelation with *Fusarium oxysporum* together with *Meloidogyne incognita*, 1986, 70(4), 245.
- Pseudomonas syringae*
- Leaf spot in coffee, 1988, 72(4), 621.
- Posphocarpus tetragonolobus*
- Plant spacing, growth, yield, 1988, 72(2), 273.
- Puccinia melanocephala*, 1989, 73(1), 45.
- Puccinia purpurea*
- Sorghum, 1988, 72(1), 65.
- Pumpkin
- Allelopathic effects of weeds, 1988, 72(3), 491.
- Diaphania hyalinata* as its pest, 1989, 73(4), 313.
- Diquat as a postemergence herbicide, 1988, 72(2), 285.
- Suitability of genotypes to *Meloidogyne incognita*, 1989, 73(2), 167.
- Pumpkin dishes
- Shelf-life, elaboration and evaluation, 1987, 71(3), 301.
- Rainfall
- Distribution in Puerto Rico, 1986, 70(4), 267.
- Rasahus* spp.
- Description of new species, 1988, 72(2), 247.
- Reduviidae
- Description of new species of *Rasahus*, 1988, 72(2), 247.
- Description of *Rhiginia dureti* Carpenter from Peru, 1988, 72(2), 251.
- Lamotteus ornatus*, first description of, 1987, 71(2), 199.
- New names for *Veledella* and *Sastrapada*, 1987, 71(2), 199.
- Orbella*, a new genus, 1987, 71(2), 193.
- Reduviidae Microtominae, new species in *Homalocoris punctatus*, 1987, 71(3), 249.
- Reduviidae of Puerto Rico
- Annotated list, 1986, 70(1), 1.
- Reduviidae, the genus *Pnirontis*
- Subinermis* group of species, 1986, 70(1), 9.

- Resistance and susceptibility
Beans to ashy stem blight, 1987, 71(4), 408.
- Rhigimia* sp.
New species described from Perú, 1988, 72(2), 251.
- Rhizobium*
Inoculation of *Phaseolus vulgaris*, 1988 72(3), 427.
- Rhizobium*, inoculation
White beans, nitrogen levels and yields of, 1987, 71(1), 1.
- Rice
Attacked by *Lissorhoptus isthmicus* in Puerto Rico, 1988, 72(2), 333.
Bentazon mixtures to control weeds, 1987, 71(2), 217.
Herbicides for, 1986, 70(4), 293.
Homoptera pests in Puerto Rico, 1989, 73(4), 305.
Leafhopper pests in Puerto Rico, 1989, 73(4), 397.
Monthly consumptive use in semiarid and humid regions, 1989 73(1), 31.
New disease record from Puerto Rico, 1988, 72(2), 331.
Nitrogen levels and water management systems, 1986, 70(3), 197.
Nitrogen rates, effect on yields and nitrogen recovery, 1986, 70(2), 91.
Straw disposal method effect on yield, 1986, 70(2), 91.
Yield and nitrogen recovery, 1986, 70(3), 197.
- Rice fields
Host plants of pentatomids, 1988, 72(3), 365.
Jointvetch and waterprimrose control, 1987, 71(1), 107.
Natural enemies of pentatomids, 1988, 72(3), 371.
- Rice pests
Marasmia trapezalis and its natural enemies and alternate hosts, 1989, 73(4), 397.
- Riego de maíz dulce
Estimación de los requisitos, 1988, 72(2), 277.
- Root distribution, sweet peppers
Nitrogen fertigated and drip irrigated, 1988, 72(1), 51.
- Roots, cabbage
In situ recovery when drip irrigated, 1987, 71(4), 419.
- Rootstock-scion relation
Mango trees, growth and yield of, 1987, 71(4), 341.
- Rootstocks, dwarfing
Tree size and yield of varieties, 1988, 72(1), 1.
- Rot, basal, bacterial
Straw mushrooms, of, 1986, 70(3), 219.
- Rottboelia exaltata*
Allelopathic effect on pumpkin, 1988, 72(3), 491.
Exudates from its roots in eggplants, 1988, 72(3), 495.
- Rotylenchulus reniformis*
Performance of cucumber varieties in infested soil, 1989, 73(4), 321.
- Rum fermentation
Distillers' dry yeast inoculum, 1988, 72(3), 445.
- Rums, high-test molasses
Aging, 1987, 71(2), 137.
- Rust
Damage in seeds of 30 sorghum lines, 1986, 70(2), 99.
Resistance in sugarcane clones, 1989, 73(1), 45.
- Rust, sorghum, 1988, 72(1), 65.
- Saccharomyces*
Ethanol production from blackstrap molasses, 1988, 72(3), 483.
- Santainezia bicolor*
Synonym of *Rhigimia haenschii*, 1988, 72(2), 251.
- Sapodilla
Insects of, 1987, 71(1), 129.
Variety performance in southern Puerto Rico, 1989, 73(3), 255.
- Sastrapada* and *Veledella*
New names for, 1987, 71(2), 199.
- Scion-rootstock relation
Mango trees, growth and yield of, 1987, 71(4), 341.
- Scutigerella immaculata*
Symphyliid in pineapple fields, 1989, 73(3), 275.
- Seed, asparagus
Production in Puerto Rico, 1988, 72(4), 619.
- Seed, sorghum
Quality determined by panicle fungicides and harvest schedules, 1987, 71(1), 75.
- Seed, soybean
Premature harvest for rapid generation advance, 1986, 70(3), 159.
- Seed, yield and yield components
Heritabilities and phenotypic correlations in beans, 1988, 72(2), 301.
- Seedlings, orange, sour
Inoculation with vesicular-arbuscular mycorrhizal fungi, 1988, 72(2), 191.

- Seira oceanica*
 Redescription of, 1987, 71(3), 331.
- Shelf life
 Pumpkin dishes, 1987, 71(3), 301.
- Shelf life and acceptability
 Hot water-treated mangos, 1988, 72(3), 469.
- Shelf life, long
 Tomato, genes in, 1987, 71(3), 313.
- "Silver Queen" y "Marfa"
 Ingreso bruto generado por aglaonemas a varios niveles de sombra, 1989, 73(4), 399.
- Slops, rum distillery
Candida utilis, growth on, 1987, 71(1), 125.
 Decontamination potential, 1987, 71(1), 125.
 Feed supplement, source of, 1987, 71(1), 125.
- Smut
 Resistance in sugarcane clones, 1989, 73(1), 45.
- Smut, false
 A new disease record from Puerto Rico's rice fields, 1988, 72(2), 331.
- Smut, *Ustilago scitaminae*
 Resistance of 43 sugarcane clones, 1986, 70(4), 287.
- Snap beans
Meloidogyne incognita, histopathology of, 1987, 71(1), 97.
- Soil
 Moisture distribution around an emitter, 1987, 71(4), 423.
- Soil, erosion
 Haiti, southeastern, in, 1987, 71(2), 239.
- Soil, tropical, eroded
 Appropriate management, 1987, 71(1), 13.
- Soil type
 Histopathology of *Meloidogyne incognita* in snap beans, influence on, 1987, 71(1), 97.
- Solanum melongena*
 Exudates of roots of weeds, 1988, 72(3), 495.
- Sombra, niveles
 Ingreso bruto generado por las cultivos "Silver Queen" y "Marfa", 1989, 73(4), 399.
- Sorghum
 A bacterial whorl and stalk rot pathogen in, 1987, 71(3), 265.
 A newly described disease caused by *Coniothyrium*, 1988, 72(2), 319.
 Downy mildew, identity and characterization of, 1986, 70(3), 217.
 Irrigation requirements on the south and north coasts, 1988, 72(4), 585.
 Leaf blight resistance sources, 1987, 71(3), 293.
 Rust, 1988, 72(1), 65.
 Susceptibility of 8 hybrids to the sorghum midge, 1989, 73(2), 155.
- Sorghum halepense*
 Allelopathic effect on pumpkin, 1988, 72(3), 491.
 Exudates from its roots in eggplants, 1988, 72(3), 495.
- Sorghum midge
 A newly introduced pest to Puerto Rico, 1988, 72(1), 161.
- Sorghum, seed quality
 Panicle fungicides and harvest schedules, determined by, 1987, 71(1), 75.
- Sorghum, 30 lines
 Bird and rust damage, 1986, 70(2), 99.
 Seed molds in, 1986, 70(2), 99.
- Sorghums, 8 genotypes
 Agronomic comparison at 2 locations, 1986, 70(1), 37.
 Dry matter digestibility at 2 locations, 1986, 70(1), 37.
- Sorghums, 2 locations
 Agronomic comparison of 8 genotypes, 1986, 70(1), 37.
- Sorgo
 Requisitos de riego en las costas sur y norte, 1988, 72(4), 585.
- Soursop
 Pests and their natural enemies, 1989, 73(4), 383.
- Soybean
 Agronomic and seed composition traits, inheritance of, 1987, 71(1), 53.
Glycine max x *Glycine soja* crosses, 1987, 71(1), 53.
- Soybean roots
 NADH, H⁺ efflux and nutrient ion uptake, 1989, 73(4), 375.
- Soybean seed
 Premature harvest for rapid generation advance, 1986, 70(3), 159.
- Soybean seeds, immature
 Fungi and insect damage, 1988, 72(1), 73.
- Spacing
 Growth and yield of winged bean, 1988, 72(2), 273.
- Sperm cells, large male *Alticinae*
 Storage and activation, 1987, 71(4), 415.
- Spores
 Thermal resistance of 2 species of genus *Bacillus* of, 1986, 70(3), 189.

- Stargrass
 Four herbicides and the establishment and forage yield, 1989, 73(2), 149.
 Liming and K and N fertilization, 1987, 71(1), 23.
- Stargrass, green chopped fodder or hay
 Confinement feeding of dairy cow, 1988, 72(2), 231.
- Storage
 Sugars in staple type sweet potatoes, effect of, 1986, 70(2), 121.
- Streptomyces* solubles, liquids
 Concentrate feeds for dairy cows, 1989, 73(1), 1.
- Subinermis* group of species, the
Psirontis (Hemiptera, Reduviidae, Stenopodainae), 1986, 70(1), 9.
- Sugarcane
 A new Thripidae pest in Puerto Rico, 1989, 73(4), 391.
 Leaf blade freckling in seedlings, 1989, 73(3), 285.
 Monthly consumptive use of water at four sites, 1989, 73(1), 93.
 Postemergence herbicides, 1986, 70(4), 235.
- Sugarcane clones
 Resistance to rust and smut, 1989, 73(1), 45.
- Sugarcane clones, 43
 Resistance to smut, *Ustilago scitaminea*, 1986, 70(4), 287.
- Sugarcane growing area
 Rootstalk borer, distribution of, 1987, 71(4), 411.
- Sugars in staple type sweet potatoes
 Cooking and storage, affected by, 1986, 70(2), 121.
- Susceptibility and resistance
 Beans to ashy stem blight, 1987, 71(4), 403.
- Sweet corn
 Chemical control of *Echinochloa colonum*, 1986, 70(4), 311.
- Sweet potato
Amaranthus competition from, 1987, 71(1), 7.
 A nematode parasitizing an associated flea beetle, 1989, 73(2), 171.
 Coto clay, tillage and physical properties of, 1987, 71(3), 307.
 N and P fertilizers and growth and yield, 1987, 71(2), 209.
 Pigweed, competition from, 1987, 71(1), 7.
- Sweet potato, bars
 Freezing and shelf life, 1988, 72(1), 171.
- Sweet potato, clones
 Planting dates and yield, 1987, 71(4), 379.
- Sweet potato, 4 clones
 Planting dates, morphology and growth, 1988, 72(3), 437.
- Sweet potato, new selections
 Culinary characteristics, 1987, 71(4), 365.
- Sweet potato selections
 Elaboration, shelf life and quality of dishes, 1989, 73(2), 127.
- Sweet potato selections, cooked
 Sensory evaluation, 1988, 72(2), 265.
- Sweet potato, staple-type
 Fried chips, 1987, 71(4), 373.
 Sugar affected by cooking and storage, 1986, 70(2), 121.
- Symphylid
Scutigera immaculata in pineapple fields, 1989, 73(3), 275.
- Tanier
 Bacterial spot of, 1986, 70(3), 225.
 In vitro propagation, 1988, 72(3), 413.
 Pathogenicity of *Meloidogyne incognita*, 1989, 73(3), 277.
- Temperature
 Histopathology of *Meloidogyne incognita* in snap beans, influence on, 1987, 71(1), 97.
 Relation to elevation, 1988, 72(3), 449.
- Tetrastichus haitiensis*
 Parasitism on egg masses of *Diaprepes abbreviatus*, 1987, 71(4), 407.
- Thermal resistance
 Spores of 2 species of genus *Bacillus*, 1986, 70(3), 189.
- Thrips palmi*
 A new insect pest in Puerto Rico, 1988, 72(2), 327.
- Tick, brown, dog
 Failure of carbaryl powders, collars and sprays to reduce populations of, 1986, 70(4), 299.
- Tick, cattle
 Subcutaneously injected ivermectin to control, 1986, 70(4), 315.
- Ticks, control of
 Ectrin spray and eartags, 1987, 71(3), 241.
- Tilapia fry
 Depredation by dragonfly nymphs, 1986, 70(3), 213.
- Tilapia, hybrids, male
 Polyculture with *Macrobrachium rosenbergii*, 1987, 71(2), 225.

- Tillage of Coto clay
Plantain and sweet potato, physical properties and yields of, 1987, 71(3), 307.
- Tillage techniques
Yield response of vegetables in semiarid region, 1988, 72(1), 119.
- Tissue culture, cocoyam
Salt and sugar levels for effective plant regeneration, 1988, 72(4), 515.
- Tomate
Período crítico de competencia de malezas, 1988, 72(2), 291.
Variedades y susceptibilidad a *M. incognita*, 1989, 73(1), 83.
- Tomato
Arthrobotrys spp. and *Paecilomyces lilacinus* as biocontrollers of *Meloidogyne incognita*, 1989, 73(3), 281.
Chemical control of *Liriomyza sativae* and Lepidoptera larvae, 1988, 72(1), 169.
Critical period of weed competition, 1988, 72(2), 291.
Long shelf life, genes for, 1987, 71(3), 313.
Resistance to early blight, sources of, 1987, 71(1), 85.
Response to furrow, microsprinkler and drip irrigation, 1989, 73(3), 239.
Two drip irrigation rates and two emitter placements, 1989, 73(1), 23.
Yield response to land preparation techniques, 1987, 71(2), 203.
Yield response to tillage technique, 1988, 72(1), 119.
- Tomato and peppers
Glyphosate and yields, 1987, 71(2), 235.
- Tomatoes, transplanted
Selective herbicides to control grass seeds, 1989, 73(3), 231.
Weed management under drip irrigation, integrated, 1987, 71(4), 349.
- Trianthema portulacastrum*
Allelopathic effect on pumpkin, 1988, 72(3), 491.
Exudates from its roots in eggplants, 1988, 72(3), 495.
- Trichogramma* sp.
Parasitism on *Etiella zinckenella* eggs, 1988, 72(1), 153.
- Trifluralin
Cucumber, evaluation in, 1986, 70(2), 85.
Pumpkin, evaluation in, 1986, 70(2), 85.
Watermelon, evaluation in, 1986, 70(2), 85.
- Uromyces appendiculatus*
Rust control in 3 bean cultivars, 1986, 70(1), 45.
- Ustilago nothofragae*
A new disease record from Puerto Rico's rice fields, 1988, 72(2), 331.
- Ustilago scitaminea*
Resistance in sugarcane clones, 1989, 73(1), 45.
Resistance of 43 sugarcane clones, 1986, 70(4), 287.
- Uva de mesa
Evaluación de variedades, 1988, 72(2), 335.
- Uvas, variedad Fortuna Blanca
Evaluación química y organoléptica de vinos de, 1989, 73(1), 11.
- Vasey grass
Pre- and post-emergence control, 1987, 71(2), 233.
- Vegetable farming
Cost of drip irrigation system, 1988, 72(1), 81.
- Vegetables
Yield response to tillage technique, 1988, 72(1), 119.
- Vegetables, drip irrigated
Labor input requirements, 1988, 72(1), 41.
- Veledella* and *Sastrapada*
New names for, 1987, 71(2), 199.
- Vieques Island
Potential evapotranspiration with Hargreaves and Samani model, 1988, 72(1), 177.
- Vino de uva variedad Fortuna Blanca
Evaluación química y organoléptica, 1989, 73(1), 11.
- Vitis vinifera*
Evaluación de variedades, 1988, 72(2), 335.
Variety evaluation at Fortuna, 1988, 72(2), 335.
- Volvariella volvacea*
Carbon and nitrogen nutritional influences on growth, 1988, 72(1), 19.
- Water management systems
Rice, yield and nitrogen recovery in, 1986, 70(3), 197.
- Watercress
Relationship of cultivation sites to fascioliasis incidence, 1988, 72(3), 405.
- Watermelon
Failure of calcium sources to control blossom-end rot, 1989, 73(3), 287.
Nematode control with *Paecilomyces lilacinus*, 1989, 73(1), 75.

- Yield response to land preparation techniques, 1987, 71(2), 203.
- Yield response to tillage technique, 1988, 72(1), 119.
- Waterprimrose
Rice fields, control in, 1987, 71(1), 107.
- Weather
Testing of a monthly model, 1986, 70(3), 169.
- Weed control
Glyphosate in pigeon peas, 1987, 71(4), 359.
- Weed control under drip irrigation
Tomatoes and peppers, transplanted, 1987, 71(4), 349.
- Weeds
Critical competition period in tomatoes, 1988, 72(2), 291.
Exudates from roots and eggplant transplants, 1988, 72(3), 495.
- Weeds, allelopathic effects
Pumpkin, 1988, 72(3), 491.
- Weevil, corm, plantain
Resistance of Lacknau plantain cultivars, 1988, 72(3), 353.
- Weevil, pepper
Sampling methods for population estimation, 1988, 72(3), 387.
Yield-loss components and economic thresholds, 1988, 72(3), 375.
- Wine from Fortuna Blanca grape variety
Chemical and organoleptic evaluation, 1989, 73(1), 11.
- Xanthomomas* sp.
Leaf spot of pigeon pea, 1987, 71(2), 177.
- Xanthosoma caracu*
Pathogenicity of *Meloidogyne incognita*, 1989, 73(3), 277.
- Xanthosoma sagittifolium*
Bacterial spot of, 1986, 70(3), 225.
- Xanthosoma* spp.
In vitro propagation, 1988, 72(3), 413.
- Xylocopa brasilianorum*
Host plants in Puerto Rico, additional, 1986, 70(4), 255.
- Yam, *Dioscorea rotundata*
Interrelation of *Fusarium oxysporum* with *Meloidogyne incognita* and *Pratylenchus coffeae*, 1986, 70(4), 245.
- Yam, monocultures and interplantings
Anthracnose, yield and profit, 1988, 72(2), 179.
- Yam, tropical
Performance in western Puerto Rico, 1989, 73(2), 133.
- Yam, water
Ethephon for the induction of multiple tubers, 1989, 73(3), 195.
- Yams
Culnularia leaf spot, 1986, 70(4), 277.
- Yams, *Dioscorea* spp.
Rendimiento y evaluación sensorial, 1989, 73(3), 203.
- Yeast, commercial
Nutrient for high test molasses fermentation, 1988, 72(1), 173.
- Yeast, distiller's, dry
Inoculum for rum fermentation, 1988, 72(3), 445.
- Yeast nutrient, commercial
Pilot plant scale evaluation for high test molasses fermentation, 1988, 72(4), 509.
- Yponomeutidae
Diamondback moth, 1986, 70(4), 229.
- Zagrammosoma* sp.
Coffee leaf miner parasitoid in Puerto Rico, 1988, 72(2), 255.
- Zea mays*
Irrigation requirements, estimation of, 1988, 72(2), 277.
N applications and population densities, 1988, 72(1), 127.
- Zea mays*, cv. Suresweet
Tres niveles de riego y crecimiento y rendimiento, 1988, 72(4), 565.
- Zymomonas*
Fermentation patterns in high test molasses and blackstrap molasses, 1988, 72(3), 475.
- Zymomonas mobilis*
Batch and fed-batch fermentation of high test molasses, 1988, 72(3), 485.
Ethanol production from blackstrap molasses, 1988, 72(3), 483.
Fermentación de diferentes concentraciones de sacarosa, 1989, 73(2), 177.

