

INDEX TO THE JOURNAL OF AGRICULTURE OF THE UNIVERSITY OF PUERTO RICO, VOLUMES 55-69

(1972 - 1985)

Subjects

- Abelmoschus esculenta*
Hammer-milled seed, digestibility of, 1981, 65(4), 408.
- Natural outcrossing, 1983, 67(1), 50.
- Acarina
Phoresy on *Atractocerus brasiliensis*, 1983, 67(4), 514.
- Acarina: Mesostigmata (Phytoseiidae)
Puerto Rico, of, 1975, 59(4), 279.
- Acarina: Pyemotidae
Mite, predatory of thrips eggs, new record of, 1982, 66(4), 310.
- Acerola
Herbicides under greenhouse conditions, evaluation of, 1983, 67(2), 112.
- Acidification of hot water-peeled green bananas
Processing factors affecting it, 1983, 67(4), 339.
- Acidity factors
Corn in eight soils, response of, 1974, 58(1), 59.
Green beans in six soils, response of, 1974, 58(1), 44.
- Acidity factors, soil
Dry beans in Ultisols and Oxisols, response of, 1983, 67(4), 429.
Grain sorghum in Ultisols and Oxisols, response of, 1983, 67(1), 28.
Taniers in Ultisols and Oxisols, response of, 1983, 67(4), 446.
Yams in Ultisols and Oxisols, response of, 1983, 67(4), 438.
- Acidity factors and soil pH
Plantain yield, effect on, 1979, 63(1), 22.
- Action spectra for ¹⁴C assimilation and transport
Growth-regulatory chemicals, affected by, 1975, 59(1), 15.
- Adactylidium spp*
Mite, predatory of thrips eggs, new record of, 1982, 66(4), 310.
- African crab
Mineral composition, 1974, 58(4), 426.
- Nutrient composition of, 1974, 58(3), 305.
- African crab grass
Fibrous fraction and digestibility, 1974, 58(3), 293.
- Physical and chemical constituents and digestibility, relationships of, 1974, 58(4), 437.
- Age at harvest, taniers
Yield and quality, effect on, 1976, 60(3), 253.
- Age of taniers
Yields, effect on, 1982, 66(1), 1.
- Aging, rum, in a hot chamber, 1979, 63(1), 64.
- Agregado family
Household level and standard of living, 1974, 58(2), 170.
- Alagoosa bicolor*, Puerto Rican fleabeetle
Demes of, 1980, 64(3), 264.
- Alagoosa januaria*
Life history of, additional observations on, 1984, 68(1), 107.
- Alfalfa
Preplant chemicals for weed control in, evaluation of, 1980, 64(1), 129.
- Alfalfa, 8 cultivars
Cumulic haplustoll, evaluation in, 1984, 68(2), 121.
- Alfalfa, 18 nondormant cultivars
Performance and chemical composition, 1983, 67(3), 204.
- Algae
Animal diets, use in, 1982, 66(4), 301.
- Algic acid
Sargassum, seasonal variation and anatomical distribution in, 1983, 67(4), 464.
- Alkali-treated, or raw, bagasse
Digestibility of, 1972, 56(1), 18.
- Allelopathic potential
Pigeon peas, of, 1983, 67(4), 453.
- Allium cepa*
Yield and total solid contents, 1981, 65(4), 380.

- Aluminum toxicity in Oxisols
Organic matter to minimize it, 1980,
64(1), 1.
- Ametryn
Runoff in plantain field, 1985, 69(2), 177.
- Ametryne
Tolerance of six Bermuda grass geno-
types, 1977, 61(1), 49.
- Ametryne, effects on growth
Two *Lemna* species, of, 1974, 58(4), 483.
- Ammonium bifluoride, use of
Yeast propagation and fermentation, in,
1973, 57(2), 107.
- Amylase, sugarcane, in
Behavior under water stress, 1972, 56(2),
115.
- Analysis, joint, of field data
Application of a method, 1972, 56(3), 318.
- ANOVA procedures
Improvements of, 1982, 66(4), 304.
- Anthonomus eugenii*
Occurrence in Puerto Rico, 1985, 69(2),
223.
- Anthracnose and berry disease
Coffee in Puerto Rico, of, 1985, 69(1),
107.
- Anthurium
 CO_2 evolution rate decrease affected in
storage, 1984, 68(3), 269.
- Anthurium (*A. andeanum*)
Different bedding materials at two sites,
performance in, 1979, 69(3), 386.
- Apate monacha*
Cytology, brief notes on, 1977, 61(4), 519.
- Aphid, green peach, on peppers
New Insecticide for control of, 1974,
58(4), 489.
- Aphid, yellow, sugarcane, resistance
Digitaria, in, 1972, 56(1), 33.
- Aphiddae, homoptera
Picturaphis, 1974, 58(3), 381.
- Aphids
Pesticides for control in peppers, evalua-
tion of, 1984, 68(4), 457.
- Araucaria heterophylla* and *Pinus caribaea*
Potential Christmas trees for Puerto
Rico, 1982, 66(2), 145.
- Armyworm, beet
New pest in Puerto Rico, 1985, 69(3),
439.
- Arthropod
New records for Puerto Rico, 1977, 61(3),
409.
- Artocarpus altissis*
Method to obtain relatively uniform trees,
1975, 59(1), 77.
- Asian greater yam
- New, superior varieties, 1978, 62(1), 64.
- Asparagus sprengeri*, performance of
Different potting and rooting media, in,
1973, 57(4), 314.
- Ataenius*
Genus in Puerto Rico, 1984, 68(1), 111.
- Atrachelus*
Mexican Reduviidae of the genus, 1985,
69(2), 185.
- Atractocerus brasiliensis*
Phoresy of a mite on, 1983, 67(4), 514.
- Atrazine
Mobility and persistence in four soils,
1974, 58(3), 379.
- Aulacaspis tuberculatus*
Susceptibility of mango to, 1983, 67(2),
179.
- Bacteria
Ratoon stunting disease, associated with,
1974, 58(4), 418.
- Bacteria, marine
Strains efficient to utilize rum slops, char-
acterization of, 1979, 63(2), 189.
- Strains efficient to utilize rum slops, iso-
lation of, 1979, 63(2), 180.
- Bagasse, raw or alkali-treated
Digestibility of, 1972, 56(1), 18.
- Banana, green, flour
Cupcakes from, preparation of, 1977,
61(4), 521.
- Preparation of, 1977, 61(4), 470.
- Banana nectar
Preparation and acceptability, 1973,
57(2), 96.
- Vitamin C enrichment of, 1976, 60(2),
250.
- Banana root borer
Pesticides for control of, preliminary
screening of, 1975, 59(1), 79.
- Bananas
Climatic factors that affect post-harvest
decay in Jamaica, 1979, 63(1), 45.
- Feed for ruminants, possibilities as, 1976,
60(4), 516.
- Soil acidity factors in Ultisols and Oxi-
sols, response to, 1985, 69(3), 377.
- Bananas, green
Stage of development and color when fro-
zen, relationship of, 1980, 64(3), 283.
- Bananas, green, absorption of aqueous bi-
sulfite
Peeling method, affected by, 1978, 62(2),
191.
- Bananas, green, canned
Storage and processing variables, effect
on chemical composition, texture and
sensory attributes, 1983, 67(4), 366.

- Bananas, green, canned, acidified
Tin containers, corrosion of, 1983, 67(4), 356.
- Bananas, green for freezing
Browning, control of, 1978, 62(3), 232.
- Bananas, green, frozen
Peeling method and sulfitation, effect on shelf life, 1978, 62(3), 241.
- Stage of development, effect on texture, flavor, quality and yield, 1980, 64(3), 275.
- Bananas, green, hot-water-peeled
Processing factors affecting acidification, 1983, 67(4), 339.
- Bananas, green, hot-water-peeled, young
Non-enzymatic darkening, 1981, 65(1), 1.
- Bananas, green, starch of
pH effects on properties of, 1984, 68(4), 323.
- Bean
Seed-transmitted cucumber mosaic virus isolated from, 1977, 61(2), 137.
- Bean, dry
Soil mulches, effect on yield, 1981, 65(1), 79.
- Bean, 11 dry cultivars
Performance over 2 successive seasons on Jamaica hillsides, 1985, 69(3), 245.
- Bean leaf skeletonizer
Life cycle, 1977, 61(2), 253.
- Bean, red, six cultivars
Preliminary trials on an Ultisol in Jamaica, 1985, 69(3), 239.
- Bean, winged, seed
Cooking of, 1978, 62(4), 321.
- Beans
Processing, effect on selected nutrients, 1984, 68(1), 45.
- Yields at physiological and harvest maturity, comparison of, 1985, 69(1), 19.
- Beans, dry
Hydration and cooking properties of, 1984, 69(3), 259.
- Performance in the coastal plains of Puerto Rico, 1985, 69(2), 125.
- Beans, dry, several varieties
Season, effect on yields at two sites, 1983, 67(4), 379.
- Beans, field
Banded and broadcast phosphorus fertilizer in an Ultisol, response to, 1981, 65(2), 171.
- No tillage and various tillage, effects on yields, 1984, 68(4), 349.
- Varying interval between liming and cropping, effects of, 1981, 65(2), 83.
- Beans, green
Acidity factors, response to, 1974, 58(1), 44.
- Beans, in Puerto Rico
Liriomyza munda attacks, 1973, 57(4), 350.
- Beans, mosaic of
Cucumber mosaic virus strain, caused by, 1974, 58(2), 151.
- Beans, pole
Various plant densities, response to, 1979, 63(4), 465.
- Beans, snap
Planting system, effect on density and yield, 1981, 65(4), 313.
- Quality grading for fresh market, 1979, 63(2), 223.
- Yield and seed percentage affected by harvesting systems, 1977, 61(3), 275.
- Beans, white, native
Nitrogen levels in an Oxisol, response to, 1977, 61(4), 438.
- Planting distance, effect on yield and agronomic traits in Oxisols, 1978, 62(2), 145.
- Beans, winged
Potential food and green manure crop, 1981, 65(1), 75.
- Wire support, effect on pod yield, 1980, 64(2), 211.
- Beans, yield components and protein content
Plant competition and pod position, influenced by, 1978, 62(2), 186.
- Bedding materials different, as growing media
Anthurium performance of, 1979, 63(3), 386.
- Bee, carpenter
Host plants, 1976, 60(4), 639.
- Beef, or
Dairy cow culls, used for rearing dairy replacements, 1981, 65(3), 282.
- Beef cattle
Pigeon pea by-products as feed, 1978, 62(4), 424.
- Beef cattle production
Feeding systems in, 1972, 56(4), 327.
- Beef heifers, growing
Dried condensed molasses solubles in complete diets for, 1982, 66(4), 278.
- Beef, production of,
Pasture grass affected by, 1972, 56(2), 104.
- Beef production in Napier grass pastures
Heavy fertilization rates, affected by, 1972, 56(3), 223.
- Beef, production of, in Pangola grass pas-

- tures
Fertilization levels, affected by, 1972, 56(3), 219.
- Beet armyworm
New pest in Puerto Rico, 1985, 69(3), 439.
- Beetle, sap, (*Carpophilus humeralis*)
CaC₂, effect on the oviposition of, 1983, 67(1), 56.
- Conditions that affect populations in pineapple fields, 1983, 67(1), 11.
- Bella Unión area, northwestern Uruguay
Major soils of, 1984, 68(2), 199.
- Benomyl
Variation in tolerance to, among *Colletotrichum* isolates from soybean, 1982, 66(1), 35.
- Bermuda grass
Two cutting heights and three harvest intervals, 1974, 58(1), 26.
- Two fertilizer levels, influence on forage and crude protein, 1984, 68(4), 471.
- Bermuda grass, giant, six genotypes
Ametryne, tolerance to, 1977, 61(1), 49.
- Bermuda grass at two cutting stages, 1973, 57(3), 173.
- Bioassay
Herbicide concentration in water, method for detecting, 1979, 63(1), 80.
- Bigalta
Forage yield under intensive grazing, 1980, 64(3), 259.
- Bigalta limpo grass
Nitrogen fertilization and cutting frequency, effect on yield and chemical composition, 1983, 67(2), 61.
- Biochemical components of mangos
Gamma radiation, affected by, 1972, 56(1), 26.
- Bioregulators
Flower retention, pod set and yield of pigeon peas, influence on, 1981, 65(4), 346.
- Bird, damage
Corn varieties in Haiti, 11, comparison among, 1985, 69(3), 291.
- Birds
Species that depredate rice fields, 1982, 66(2), 150.
- Birds, repellent in sorghum
Methiocarb, rate and frequency of applications, 1977, 61(3), 332.
- Bisulfite, uptake by bananas
Peeling method, affected by, 1978, 62(2), 191.
- Black weevil
Plantains, control in, 1983, 67(3), 270.
- Blacklight, trap
Pheromone traps, compared to, 1973, 57(4), 320.
- Blanching, effect of
Plantain slices, quality and storage of, 1975, 59(2), 85.
- Blanching and freezing of candied citron
Texture and color, effect on, 1979, 63(3), 309.
- Blaps
Sex chromosome system, evolution of, 1974, 58(1), 140.
- Blast
Rice in Puerto Rico, in, 1978, 62(3), 290.
- BOD reduction of rum distillery slops
pH, composition and dilution effect of, 1980, 64(2), 138.
- Boehmeria nivea*
Forage source, evaluation as, 1981, 65(3), 274.
- Bolivia
Aiqu Tropudalfs near Villa Banzer and San Carlitos, 1981, 65(4), 385.
- Cacao production along Mamoré River, 1981, 65(3), 309.
- Major soils of Riberalta and Guayaramerín plains, 1980, 64(4), 391.
- Bolivia, Department of Pando
Soils and their productive potential, observation on, 1981, 65(2), 192.
- Boninotus*
New saicine genus from Panama, 1981, 65(4), 401.
- Bonita, native white bean
Planting distance, effect on yield and agronomic traits in Oxisols, 1978, 62(2), 145.
- Boophilus microplus*
Crotoxyphos sprays to control, efficacy of, 1983, 67(3), 256.
- Boron
Papaya growth and yield, effect on, 1983, 67(3), 181.
- Papaya, growth yield, nutrient content and fruit quality, effect on, 1982, 66(2), 80.
- Papaya petiole and fruit, content in, 1984, 68(1), 5.
- Plantain yields, effect on, 1974, 58(1), 134.
- Sugarcane, roles in growth and sugar transport in, 1973, 57(1), 9.
- Bouquet, meiocytes, of, 1974, 58(3), 338.
- Bovicornia bidoma* n., from St. Thomas and Tortola
First report from neotropical region, 1978, 62(2), 165.

- Bovicornia uniformis* Murphy
 Insecta: Collembola: Sminthuridae, notes on, 1978, 62(2), 165.
- Bovine fascioliasis*
 Status as determined by slaughterhouse studies, 1984, 68(4), 483.
- Bovine fascioliasis*, increase of
 Slaughterhouse survey, shown in, 1979, 63(1), 27.
- Brachiaria brizantha*
 Chemical and physical constituents and digestibility, relationships of, 1974, 58(4), 437.
 Distribution of roots in an Ultisol, 1983, 67(3), 278.
 Fibrous fraction and digestibility, 1974, 58(3), 293.
 Mineral composition, 1974, 58(4), 426.
 Nutrient composition, 1974, 58(3), 305.
 Productivity under grazing in humid hills, 1980, 64(2), 236.
 Weight gain of cows fed on, 1980, 64(1), 43.
 Yield and composition affected by 3 harvest intervals in the humid mountains, 1976, 60(3), 294.
- Brachiaria brizantha* glabrous at two cutting stages, 1973, 57(3), 173.
- Brachiaria brizantha* grass
 Harvest interval, effect on yield and composition of, 1974, 58(4), 448.
 Two cutting stages, 1973, 57(3), 173.
- Brachiaria decumbens*
 Growing heifers, evaluation for, 1983, 67(2), 79.
 Yield and composition affected by 3 harvest intervals in the humid mountains, 1976, 60(3), 294.
- Brachiaria mutica*
 Chemical control of, 1973, 57(2), 129.
 Harvest interval, effect on yield and composition of, 1974, 58(4), 448.
 Two cutting heights and three harvest intervals, 1974, 58(1), 26.
 Yield and composition affected by 3 harvest intervals in the humid mountains, 1976, 60(3), 294.
- Brachiaria cf. mutica* two cutting stages, 1973, 57(3), 173.
- Brachiaria radicans*
 Growing heifers, evaluation for, 1983, 67(2), 79.
 Productivity under grazing in humid hills, 1980, 64(2), 236.
 Weight gain of cows fed on, 1980, 64(1), 43.
- Brachiaria ruziziensis*
- Chemical and physical constituents and digestibility, relationships of, 1974, 58(4), 437.
 Chemical composition and in vitro digestibility, 1975, 59(3), 186.
 Fibrous fraction and digestibility, 1974, 58(3), 293.
 (Germain C. Evrard) at two cutting stages, 1973, 57(3), 173.
 Harvest interval, effect on yield and composition of, 1974, 58(4), 448.
 Mineral composition, 1974, 58(4), 426.
 Nutrient composition, 1974, 58(3), 305.
 Yield and composition affected by harvest intervals in the humid mountains, 1976, 60(3), 294.
- Brachiarias*, 10
 Yield and protein content, effect of three harvest intervals on, 1981, 65(2), 147.
- Breadfruit trees, from a stockplant
 Method to obtain relative uniformity, 1975, 59(1), 77.
- Brine, fermented
 Citron curing, recycling in, 1975, 59(3), 199.
- Broiler rations
 Dried rum distillery stillage in, 1980, 64(2), 194.
- Broth, chicken, homemade
 Canning, feasibility of, 1985, 69(3), 455.
- Browning, control of
 Green bananas for freezing, in, 1978, 62(3), 232.
- Green plantains, in, 1975, 59(2), 92.
- Lye-peeled taniers, in, 1977, 61(4), 489.
- Buffel grass
 Fibrous fraction and digestibility, 1974, 58(3), 293.
 Mineral composition, 1974, 58(4), 426.
 Physical and chemical constituents and digestibility, relationships of, 1974, 58(4), 437.
- Buffel, nutrient composition of, 1974, 58(3), 305.
- Bull calves, suckling
 Zeranol, effect on growth, 1985, 69(2), 225.
- CO₂ evolution rate
 Anthuriums affected by storage, decrease in, 1984, 68(3), 269.
- ¹⁴C, assimilation and transport in sugarcane leaves
 Growth regulator chemicals on the action spectra for, effects of, 1975, 59(1), 15.
- Cabbage
 Fertilization, plant spacing and season,

- effect on yield and quality, 1978, 62(4), 367.
- Cabbage
Hercules 22234, evaluation of as a pre-emergence herbicide, 1977, 61(4), 516.
Soil acidity factors in Ultisols and Oxisols, response to, 1985, 69(3), 367.
- Cabbage at Isabela
Varieties and planting dates, evaluation of, 1976, 60(1), 15.
- Cabbage, hybrid
Performance under different planting methods, 1976, 60(1), 22.
- Cabo Rojo-Hormigueros
Sugarcane new varieties, performance of, 1978, 62(1), 48.
- Cacao
Production in soils along Mamoré River in Bolivia, 1981, 65(3), 309.
- Cachaza, effect of, on
Infection of sugarcane by *Thielaviopsis paradoxa*, 1974, 58(2), 237.
- Cadmium
Carbonic anhydrase and activities dependent on electron transport in isolated chloroplasts, effect on, 1979, 63(2), 195.
- Caja de Muertos Island
Insects of, 1974, 58(2), 244.
- Cajanus cajan*
Allelomorphic potential of, 1983, 67(4), 453.
By-products used as feed for beef cattle, 1978, 62(4), 424.
Distribution of roots in an Ultisol, 1983, 67(3), 278.
Field screening for resistance to foliar diseases, 1984, 68(3), 275.
Fungicide seed treatment, effect on field emergence, 1979, 63(1), 8.
In vitro resistance to *Phytophthora* stem canker, 1985, 69(1), 11.
Irrigation regimes influence phytotoxicity of Prometryn in four soils, 1984, 64(4), 315.
Metribuzin, prometryn and chloramben for weed control, evaluation of, 1980, 64(1), 29.
Nutrient uptake and dry matter accumulation, 1983, 67(3), 188.
Nutrition and bioregulators, influence on flower retention, pod set and yield, 1981, 65(4), 346.
Planting time, plant population and raw spacing, effect on yield of, 1973, 57(4), 275.
The witches' broom disease in Puerto Rico, 1980, 64(4), 424.
Cajanus cajan, effect of foliar fertilizers on, 1977, 61(2), 217.
- Cajanus cajan*, yield and yield components, of
Mechanical, cultural and chemical weed control effects on, 1974, 58(4), 466.
Calcium carbonate in distillery yeast preservation, use of, 1973, 57(3), 203.
- Calcium, metabolism, 1973, 57(2), 149.
Calcium nitrate, depth of application on soybeans
Yield and foliar composition, effect on, 1978, 62(3), 224.
- Calliegrass
Two fertilizer levels, influence on forage and crude protein, 1984, 68(4), 471.
- Calves artificially infected
Efficacy of Mk-401 against *Fasciola hepatica* in, 1984, 68(4), 479.
- Calves, bull, suckling
Zeranol, effect on growth, 1985, 69(2), 225.
- Calves, dairy
Fed with pangola and star grass hays, 1979, 63(1), 87.
- Calving interval, Holsteins, of
Production traits, influence on, 1976, 60(4), 540.
- Canker, stem
Casuarina equisetifolia, of, 1973, 57(3), 255.
- Canker, stem, *Phytophthora*
In vitro resistance of pigeon peas to, 1985, 69(1), 11.
- Canna edulis* roots
Feeding pigs, value for, 1977, 61(3), 267.
- Canning
Homemade chicken broth, feasibility study for, 1985, 69(3), 455.
- Canning of yams
Sulfur dioxide during canning, absorption and removal of, 1980, 64(1), 37.
- Cans, tin, plain
Internal corrosion by acidified green bananas, 1983, 67(4), 356.
- Caño Tiburones
Possible subterranean entrance of ocean water into, 1977, 61(4), 484.
Salinity increase with depth, 1980, 64(2), 247.
- Caño Tiburones, organic soils of
Moisture retention in, 1974, 58(2), 225.
- Capillaria annulata*
Guinea fowl in Puerto Rico, infection of, 1978, 62(4), 428.
- Capsicum annuum*
Yield in northwestern Puerto Rico, 1977, 61(1), 90.

- Carbaryl, methoxychlor and rotenone
Failure to reduce flea population in cat, 1984, 68(3), 311.
- Carbonic anhydride
Cadmium effects on, 1979, 63(2), 195.
- Caribgrass
Distribution of roots in an Ultisol, 1983, 67(3), 278.
Two fertilizer levels, influence on forage and crude protein, 1984, 68(4), 471.
- Carica papaya*
Plant population and fertilization, effect on growth and yield, 1977, 61(2), 152.
- Carica papaya*, new virus disease of, 1972, 56(4), 397.
- Carpenter bee
Host plants, 1976, 60(4), 639.
- Carpophilus humeralis*
CaC₂, effect on the oviposition of, 1983, 67(1), 56.
Conditions that affect populations in pineapple fields, 1983, 67(1), 11.
Insecticides, evaluation for control in pineapple fields, 1983, 67(2), 174.
Life cycle, 1984, 68(1), 53.
- Carrying capacity
Pasture grass, affected by, 1972, 56(2), 104.
- Carrying capacity and weight gains
Three star grass grazing intervals, effect on, 1981, 65(1), 14.
- Carrying capacity of Napier grass pastures
Heavy rates of fertilization, affected by, 1972, 56(3), 223.
- Carrying capacity of pangola grass pastures
Fertilization levels, affected by, 1972, 56(3), 219.
- Cassava
Cultivars, evaluation and acceptability of, 1983, 67(1), 16.
Nutrient and dry matter content, 1983, 67(3), 213.
Root in an Ultisol, 1983, 67(3), 278.
Starch, composition and rheological characteristics of, 1976, 60(1), 93.
- Cassava
Response to soil acidity factors in Ultisols and Oxisols, 1985, 69(2), 145.
Yield response to one and two banded fertilizer applications on a limed Guyana peaty clay soil, 1980, 64(2), 190.
- Cassava, cultivars
Performance in an Oxisol, 1984, 68(4), 375.
- Cassava flour
Amylography of, 1983, 67(3), 303.
Cassava flour, mixed with plantain and tan-
- ier
Typical dishes prepared with, evaluation of, 1984, 68(1), 67.
- Cassava, planting system and practical removal of epidermis of cutting
Growth, yields, root development, 1976, 60(4), 606.
- Cassava, 20 cultivars
Performance in marginal peats and peaty clays of Guyana, 1978, 62(4), 343.
- Cassava, varieties
Differential mite infestation, 1981, 65(1), 81.
- Cassava yields and nitrogen content of
Nitrogen fertilization, effect of, 1975, 59(2), 115.
- Casuarina equisetifolia*
Die-back of, 1973, 57(3), 255.
- Cat
Insecticidal powders, failure to reduce flea populations in, 1984, 68(3), 311.
- Cat, domestic
New host record for *Ornithodoros pueratoricensis* tick, 1977, 61(4), 509.
Rafoxonide foil to control its liver fluke, 1979, 63(1), 78.
- Cat fur mite
Evaluation of insecticides in collars and powders against, 1982, 66(2), 139.
- Catfish, channel
Culture in ponds stocked with tilapia and predatory fish, 1985, 69(1), 119.
- Cats, Persian
Collars against fleas, efficacy of, 1985, 69(3), 421.
- Cattle
MK-401, efficacy against *Fasciola hepatica*, 1983, 67(1), 53.
- Cattle egret
Ectoparasites of, 1984, 68(1), 113.
- Centhrus ciliaris*
Fibrous fraction and digestibility, 1974, 58(3), 293.
- Cenchrus ciliaris*
Mineral composition, 1974, 58(4), 426.
Nutrient composition, 1974, 58(3), 305.
Relationships of chemical and physical constituents and digestibility, 1974, 58(4), 437.
- Cenchrus*, 6 cultivars
Performance under cutting management in the Lajas Valley, 1982, 66(4), 268.
- Centipedegrass, 12 introduced strains
Performance in Puerto Rico, 1976, 60(4), 619.
- Chemical composition
Merker and Guinea grass hays, 1980,

- 64(3), 294.
 Pangolagrass and Stargrass hays, 1978, 62(4), 389.
 Plantains, 1977, 61(2), 256.
 Chemical composition and digestibility
 Tropical grasses, of, 1976, 60(2), 186.
 Chemical control
 Nematodes and insects in tomato, 1984, 68(1), 79.
 Chemical control for nematodes
 Plantains, 1977, 61(2), 192.
 Chemical ripener
 Variable solar radiation regimes, response
 under, 1977, 61(1), 19.
 Chemical ripener action in sugarcane
 Growth and responses as a function of
 leaf area treated, 1978, 62(3), 265.
 Chemical ripeners, candidates, evaluation of
 Sugarcane, early-juvenile, in, 1976, 60(4), 443.
 Chemical ripeners, Mon 0139 and 2139
 Small-plot field experiment, evaluation
 in, 1977, 61(4), 421.
 Chemical ripeners in sugarcane
 CP 70139 better than Polaris, 1977, 61(2), 160.
 Growth and qualitative effects as a function
 and frequency of applications, 1977, 61(1), 11.
 Chick peas
 Cultivation in Puerto Rico, 1983, 67(2), 167.
 Chicken broth, homemade
 Canning, feasibility of, 1985, 69(3), 455.
 Chips from yam, 1972, 56(3), 228.
 Chips, yam
 Shelf-life of, 1973, 57(3), 196.
 Chironja
 Flavor constituents, identification of, 1977, 61(1), 113.
 Fruit characters affected by rootstock, 1972, 56(3), 301.
 Traits of seedling trees, 1980, 64(2), 232.
 Chironja, characteristic indices of, 1973, 57(1), 65.
 Chironja, cytological studies on, 1972, 56(4), 426.
 Chironja, keeping quality
 Storage at 45° F., effect of, 1976, 60(3), 348.
 Chironja, processing, 1972, 56(2), 183.
 Chironja, 10 clones
 Fresh and processed fruits at 3 sites, evaluation of, 1982, 66(1), 65.
 Fruit quality at 3 sites, 1980, 64(3), 323.
 Growth and yields at 3 sites, 1980, 64(3), 318.
 Interaction of genotype × environment, 1981, 65(3), 299.
 Chloramben
 Weed control on pigeon peas, evaluation
 for, 1980, 64(1), 29.
 Chlormequat chloride
 Tanner yield and yield components, effect
 on, 1982, 66(2), 109.
 Chlorophyll
 Citron, in, 1972, 56(3), 244.
 Citrus medica L., in, 1972, 56(3), 244.
 Chlorophyll and enzyme gradients
 Sucrose content of sugarcane leaves, relationship to, 1974, 58(4), 406.
Chlorophytum comosum,
 Various growing media, performance in, 1975, 59(2), 125.
 Chloroplasts, isolated, activities dependent
 on electron transport in
 Cadmium effects on, 1979, 63(2), 195.
 Christmas trees, potential in Puerto Rico
 Araucaria heterophylla and *Pinus caribaea*, 1982, 66(2), 145.
 Chromatogram ghost peaks
 Guide to trouble-shooting, 1983, 67(4), 518.
 Chromatographic method, gas, single column
 Direct trace analysis of high boiling components in rum, 1978, 62(4), 330.
 Chromatography, gas
 Comparative study of methanol with
 three different columns, 1985, 69(2), 135.
 Chromatography, paper
 Endogenous growth regulators in fresh
 and old seeds of two papaya varieties,
 detected by, 1980, 64(2), 164.
 Chromosome, sex
 Evolution in *Blaps*, 1974, 58(1), 140.
 Chromosomes
 Banding in *Oedionychina*: C- and Ag-bands, 1983, 67(3), 221.
Cicer arietinum
 Cultivations in Puerto Rico, 1983, 67(2), 167.
Cichla ocellaris ponds
 Predation, effects on *Tilapia nilotica*, 1984, 68(1), 101.
 Citron
 Chlorophyll, in, 1972, 56(3), 244.
 Histopathology when infected with
Sphaeropsis tumefaciens, 1985, 69(3), 397.
 Lye peeling, of, 1972, 56(2), 154.
 Sphaeropsis knot, occurrence on, 1984,

- 68(2), 179.
- Citron bars
Chemical changes due to pH changes during processing, 1977, 61(3), 279.
- Citron bars, packed in plastic film
Texture and organoleptic traits, effect of pH on, 1977, 61(3), 290.
- Citron, candied
Blanching and freezing effect on texture and color, 1979, 63(3), 309.
- Citron, curing in
Fermented brine, recycling of, 1975, 59(3), 199.
- Citron in syrup and bars
Stability of vitamin C, 1976, 60(4), 479.
- Citrus clones
Virus-free, preliminary evaluation of 21, 1985, 69(3), 429.
- Citrus medica*
Chlorophyll, in, 1972, 56(3), 244.
Histopathology when infected with *Sphaeropsis tumefaciens*, 1985 69(3), 397.
Sphaeropsis knot, occurrence on, 1984, 68(2), 179.
- Citrus medica L.*
Lye peeling, of, 1972, 56(2), 154.
- Citrus species
Host of *Sphaeropsis tumefaciens*, suitability as, 1985, 69(1), 57.
- Climate of Puerto Rico
Agricultural water balance, 1976, 60(2), 139.
- Climatic factor effect on post harvest decay of bananas in Jamaica, 1979, 63(1), 45.
- Coast Cross
Forage yield under intensive grazing, 1980, 64(3), 259.
- Cochliomyia minima*
Myiasis in dogs, first report in Puerto Rico, 1980, 64(1), 126.
- Coconut meal, levels
Egg production, effect on, 1976, 60(4), 635.
- Coconut milk
Crude fat, determination of, in, 1973, 57(2), 169.
- Coconut milk, of
Extraction by continuous screw press, 1974, 58(3), 322.
- Coconut oil
Milk press-cake, extraction from, 1976, 60(3), 281.
- Coconut pulp, frozen
Milk extraction from, 1976, 60(3), 271.
- Coffee
Anthracnose and berry disease in Puerto Rico, 1985, 69(1), 107.
- Distribution of roots in an Ultisol, 1983, 67(3), 278.
- Nematodes, chemical control in seedbeds, 1980, 64(4), 474.
- Three post-emergence herbicides, effect on growth, 1983, 67(3), 262.
- Two levels of fertilizer and frequency, effect on, 1973, 57(2), 89.
- Coffee, *arabica*, parched
Equilibrium moisture content of, 1985, 69(2), 219.
- Coffee groves
Herbicide applications, frequency of, 1980, 64(3), 249.
- Coffee, harvested in plastic nets
Additional evaluation of, 1983, 67(2), 169.
Organoleptic evaluation, 1981, 65(2), 190.
- Coffee, harvested with plastic nets
Cleaning, improved machine for, 1983, 67(3), 197.
- Separating and washing, 1972, 56(1), 11.
Washing operation improvements in, 1974, 58(1), 1.
- Coffee, production of
Economic impact of recommended cultural practices on, 1981, 65(3), 269.
- Coffee seeded in plastic bags
Herbicidal control of weeds, in, 1973, 57(4), 294.
- Coffee, 16 *arabica* varieties
Yields of, 1972, 56(4), 337.
- Colapsis tricolor*
Cytology, notes on, 1975, 59(4), 305.
- Coleoptera: Alticinae: Oedionychina
Banding of chromosomes: C- and Ag-bands, 1983, 67(3), 221.
- Coleoptera: Curculionidae
Oviposition preference of *Diaprepes abbreviatus*, 1983, 67(2), 117.
- Coleoptera: Lymexylonidae: *Atractocerus brasiliensis*
Phoresy of a mite on, 1983, 67(4), 514.
- Coleoptera, neotropical
Cytology, notes on, 1977, 61(4), 519.
Cytology of *Luperodes antillarum* (*Lysania ludoviciana*), notes on, 1979, 63(1), 100.
- Coleoptera, neotropical, cytology of
Notes on, 1975, 59(4), 305.
- Coleoptera: Nitidulidae
CaC₂, effect on the oviposition of *Carpophilus humeralis*, 1983, 67(1), 56.
Life cycle of *Carpophilus humeralis*, 1984, 68(1), 53.
Sap beetle, *Carpophilus humeralis* of pineapple fields, 1983, 67(1), 11.

- Coleoptera of Puerto Rico
 Habitats, distribution, frequency, 1978, 62(3), 301.
 Ten new insect records, 1978, 62(3), 301.
- Coleoptera: Scarabaeidae
 Genus *Ataenius* in Puerto Rico, 1984, 68(1), 111.
- Coleoptera, 2 Puerto Rican oedionychina
 Ovarirole number, 1979, 63(1), 50.
- Collars
 Efficacy against fleas on Persian cats, 1985, 69(3), 421.
- Collembola
 Nine new records from Puerto Rico and first from Tortola, 1977, 61(3), 405.
 Two new species, description of, 1979, 63(2), 214.
Willowsia jacobsoni, redescription of, 1981, 65(4), 361.
- Collembola: Entomobryidae
Dicranocentrus and *Heteromurus* from Mérida, Venezuela, 1983, 67(2), 148.
 Genus *Metasinella*, revision of, 1983, 67(2), 121.
 New species and complements to descriptions of 9 others, 1981, 65(2), 160.
- Collembola: Entomobryidae: Orchesellinae
 New genus, new species and complements to description of 7 species, 1981, 65(2), 90.
 New genus from Mexico, 1981, 65(1), 8.
- Collembola of Puerto Rico
 Keys and diagnoses, 1976, 60(1), 113.
- Colletotrichum dematium* var. *truncata*
 Variation among isolates from soybean in tolerance to benomyl, 1982, 66(1), 35.
- Colletotrichum gloeosporioides*
 Perfect stage and morphological variants in guava, 1972, 56(2), 171.
- Compaction, soil
 Sugarcane fields, in, 1974 58(3), 279.
- Competition, weed-crop
 Pigeon peas, in, 1985, 69(2), 201.
- Composition of Congo grass
 Cutting height, harvest interval and nitrogen rate, effect on, 1972, 56(3), 280.
- Computer program to analyze experimental data, 1978, 62(4), 431.
- Concentrate feeding
 Milk production, effect on, 1972, 56(2), 97.
- Conductivity, capillary
 Oxisols and Ultisols, 1976, 60(4), 508.
- Congo grass
 Chemical composition and in vitro digestibility, 1975, 59(3), 186.
- Fibrous fraction and digestibility, 1974, 58(3), 293.
- Harvest interval, effect on yield and composition of, 1974, 58(4), 448.
- Mineral composition, 1974, 58(4), 426.
- Nutrient composition of, 1974, 58(3), 305.
- Relationships of physical and chemical constituents and digestibility, 1974, 58(4), 437.
- Star and pangola grasses, heavily fertilized compared in humid mountains, 1976, 60(2), 179.
- Two cutting stages, at, 1973, 57(3), 173.
- Under tropical conditions, 1972, 56(3), 280.
- Copestylum vacuum*, immature stages
 New record for Puerto Rico, 1977, 61(3), 395.
- Coqui, *Cyperus rotundus*
 Control with DPX 4129, 1983, 67(2), 176.
- Cordyline terminalis*
 Effect of Ethrel on, 1972 56(4), 439.
- Corm, plantain
 Size, influence on initial growth, 1977, 61(3), 386.
- Corms, plantain
 Four nematicides in preplant treatments, 1979, 63(2), 269.
- Corn
 Acidity factors, response to, 1974, 58(1), 59.
 Banded and broadcast phosphorus fertilizer in an Ultisol, response to, 1981, 65(2), 171.
 Bird damage comparison among 11 varieties in Haiti, 1985, 69(3), 291.
 Liming in several soils, response to, 1977, 61(3), 361.
 Phosphorus fertilization, response to, 1976, 60(1), 88.
 Rooting depth, growth and yield affected by soil water availability, 1976, 60(3), 316.
 Tar spot disease in, 1973, 57(3), 211.
 Zinc applications in an Oxisol, response to, 1980, 64(4), 482.
- Corn, cultivars
 Insect and disease resistance, 1977, 61(3), 319.
- Nitrogen levels and time of application, influence on yield plant traits and leaf composition, 1979, 63(3), 273.
- Corn, depth of lime application
 Yield, effect on, 1978, 62(3), 203.
- Corn hybrids and selections, 12
 Performance in 3 consecutive crops on same site and year, 1979, 63(2), 170.
- Corn hybrids, high yielding

- Performance in Ultisols and Oxisols at high fertilization levels, 1976, 60(1), 132.
- Corn, sweet, two hybrids and two varieties Yield in Isabela, 1977, 61(2), 175.
- Corn, sweet, varieties Response to planting season, 1977, 61(2), 170.
- Corn, 12 hybrids and selections Effect of plant density on yield and plant traits, 1980, 64(4), 407.
- Corn, varieties Trials on an Eutrustox, 1982, 66(3), 223.
- Corn varieties, high-quality protein Evaluation in acid and infertile soils, 1976, 60(1), 135.
- Corn, white-kernel high yielding Nitrogen fertilization of, 1976, 60(3), 336.
- Cosmopolites sordidus* Pesticides for control of, preliminary screening for, 1975, 59(1), 79.
- Plantains, control in, 1983, 67(3), 270.
- Costa Rica Conflict in land-use in the Puriscal area of Rio Parrita watershed, 1985, 69(3), 451
- Physical geography of Río Nosara watershed in Nicoya Peninsula, 1985, 69(3), 449
- Cotylophorum cotylophorum* Infection in cattle and in snail hosts, diagnosis of, 1975, 59(2), 129.
- Cow, dairy, culms Rearing dairy replacements for beef, use in, 1981, 65(3), 282.
- Cowpea Powdery mildew and foliar spots in, chemical control of 1984, 68(4), 445.
- Cowpea, 8 cultivars Performance in an Oxisol, 1981, 65(1), 62.
- Cows Weight gains when fed on 5 grass pastures, 1980, 64(1), 43.
- Cows, cull, dairy Foster mothers, use as, 1974, 58(4), 385.
- Cows, dairy Poisoning with hydrocyanic acid, 1977, 61(1), 106.
- Supplementary when grazing intensively managed tropical grass pastures, 1979, 63(3), 281.
- Cows, grazing Liquid Streptomyces solubles and condensed molasses solubles as feed supplements for, 1982, 66(4), 261.
- Cows, Holstein Fed exclusively on well-managed tropical grass pastures, 1980, 64(1), 47.
- Island born vs United States born, performance of, 1979, 63(1), 13.
- Milk production when fed grass only, 1976, 60(3), 436.
- Cows, Holstein, grazing Performance at 3 stocking rates, 1983, 67(3), 317.
- Cows, lactating Liquid supplements based on *Streptomyces* solubles and cane molasses, 1982, 66(1), 11.
- Utilization of tropical grass pastures with and without supplement, efficiency of, 1982, 66(3), 200.
- Cows, lactating, grazing fertilized grass pastures
- Supplementary feeding, value of, 1977, 61(2), 204.
- Supplementary pelleted maize or grass hay, value of, 1979, 63(3), 390.
- Crop residues, nitrogen from Utilization in Oxisols and Ultisols, 1977, 61(4), 450.
- Cropping systems in plantains Chemical properties of soils, effect on, 1985, 69(2), 215.
- Crotoxyphos* Sprays to control cattle tick, efficacy of, 1983, 67(3), 256.
- Cuba *Proturna*, first records of, 1980, 64(1), 121.
- Cucumber Summer drip irrigation requirements, 1983, 67(3), 328.
- Cucumber in Puerto Rico *Liriomyza munda* attacks, 1973, 57(4), 350.
- Cucumber, seed-transmitted mosaic virus Isolated from bean, 1977, 61(2), 137.
- Cucumbers, pickling Cultivar evaluation, 1982, 66(3), 177.
- Cucumis sativus* Cultivar evaluation, 1982, 66(3), 177.
- Cupcakes from green banana flour Preparation of, 1977, 61(4), 521.
- Curing citron Fermented brine, recycling of, 1975, 59(3), 199.
- Curing of yam Type of wound, species and humidity, effect of, 1974, 58(2), 211.
- Cutting height, effects on yield and composition Star grass, in, 1972, 56(3), 267.
- Cutting size of, and planting distance

- Dracaena sanderiana* production at shade intensities, effect on, 1977, 61(4), 479.
- Cutting, stem
Edible yams, propagation of, 1978, 62(3), 249.
- Cynodon* cultivars
Harvest intervals and fertilizer rates, effect on HCN content, 1979, 63(1), 35.
- Cynodon dactylon*
Forage yield under intensive grazing, 1980, 64(3), 259.
- Cynodon dactylon*, six genotypes
Ametryne, tolerance to, 1977, 61(1), 49.
- Cynodon dactylon* var *coursii*
Harvest interval, effect on yield and composition of, 1974, 58(4), 448.
Two cutting heights and three harvest intervals, 1974, 58(1), 26.
Two cutting stages, 1973, 57(3), 173.
- Cynodon nemfuensis*
Chemical composition and in vitro digestibility, 1975, 59(3), 186.
Distribution of roots in an Ultisol, 1983, 67(3), 278.
Forage yield under intensive grazing, 1980, 64(3), 259.
Nitrogen fertilization and cutting frequency, effect on yield and chemical composition, 1983, 67(2), 61.
Two heights and three intervals of grazing, effects on, 1975, 59(3), 215.
Yield and composition affected by 3 harvest intervals in the humid mountains, 1976, 60(3), 294.
- Cynodon nemfuensis* var *nemfuensis*
Harvest interval, effect on yield and composition of, 1974, 58(4), 448.
Two cutting stages, 1973, 57(3), 173.
Two fertilizer levels, influence on forage and crude protein, 1984, 58(4), 471.
- Cynodon plectostachys*
Forage yield under intensive grazing, 1980, 64(3), 259.
Two fertilizer levels, influence on forage and crude protein, 1984, 68(4), 471.
- Cynodon* spp
Two fertilizer levels, influence on forage and crude protein, 1984, 68(4), 471.
- Cyperus rotundus*
Control with DPX 4129, 1983, 67(2), 176.
- Cytokinin
Activity in storage organs of tanier, 1984, 68(3), 281.
- Cytology
Neotropical Coleoptera: *Apate monacha*, 1977, 61(4), 519.
- Cytology of neotropical Coleoptera
Luperodes antillarum (*Lysathia ludoviciana*), 1979, 63(1), 100.
Notes on, 1975, 59(4), 305.
- Dairy cattle
Fasciola hepatica infestation, epidemiology of, 1980, 64(1), 93.
- Dairy cattle, Fascioliasis in, 1972, 56(1), 88.
- Daminozide
Tanier yield and yield components, effect on, 1982, 66(2), 109.
- Deficiencies in yams, nutritional
Yield and leaf composition, effects on, 1975, 59(4), 264.
- Deficiency symptoms
Papaya plants under controlled conditions, displayed by, 1978, 62(4), 413.
- Deficiency symptoms, mineral
Shown by rice, 1980, 64(4), 369.
- Delamarentulus tristani*
Synopsis of, 1980, 64(1), 121.
- Demes of a Puerto Rican flea beetle, 1980, 64(3), 264.
- Desecheo Island, insects of, 1974, 58(1), 125.
Desecheo Island, new insect records, 1976, 60(4), 682.
- Desiccant, preharvest, sugarcane
Paracquat, 1976, 60(3), 262.
- Diaprepes abbreviatus*
Entomogenous nematode *Neoplectana cariopsae*, control with, 1985, 69(2), 153.
Entomogenous nematodes attacked by, 1983, 67(3), 311.
Oviposition preference on various ornamental foliage plants, 1983, 67(2), 117.
- Dicatraea saccharalis*, adults
Pheromone and blacklight trap efficacy compared, 1973, 57(4), 320.
- Dicatraea saccharalis*, male adults of
Recaptured at different distances from pheromone-baited traps, 1973, 57(4), 330.
- Dicamba, mixed with 2, 4-D and Picloram
Resistant broad leaf weed species, control of, 1977, 61(3), 326.
- Dichlorvos, in collars
Efficacy against fleas on Persian Cats, 1985, 69(3), 421.
- Dicranocentrus*
Complements to description of 7 neotropical species, 1981, 65(2), 90.
Eight new species, 1985, 69(3), 297.
Four new species from Mérida, Venezuela, 1983, 67(2), 148.
New species and complements to descriptions of 9 others, 1981, 65(2), 160.

- Dicranocentrus pilosus*
Redescription of, 1985, 69(3), 297.
- Dicranocentrus thtaicus*
Redescription of, 1985, 69(3), 297.
- Die-back
Casuarina equisetifolia, of, 1973, 57(3), 255.
- Diet, pigs, protein level of
Carcass traits, growth, effect on, 1978, 62(3), 273.
- Diets
Complete, for horses, 1977, 61(3), 413.
- Diets, animal
Seaweed, used in, 1982, 66(4), 301.
- Diets, laying hens
Dry rum distillery slops, effect on laying rate, feed conversion, egg size and quality, 1977, 61(4), 465.
- Diffusion of sugar from sugarcane storage tissue
Chemical ripener effects on, 1973, 57(4), 343.
- Digestibility
Pangola grass and Star grass hays, 1978, 62(4), 389.
- Digestibility
Two sugarcane bagasse rations, 1972, 56(1), 18.
- Digestibility, apparent, and voluntary intake
Star grass hay fed to Holstein bull calves, of, 1977, 61(4), 429.
- Digestibility, chemical composition
Tropical grasses, of, 1976, 60(2), 186.
- Digestibility in vitro, and chemical composition of
Tropical grasses, heavily fertilized, 1975, 59(3), 186.
- Digestibility, in vivo
Merker and Guinea grass hays, 1980, 64(3), 294.
- Digestibility, nutrient
Forage and non-forage rations in the ruminant, 1975, 59(1), 35.
- Digestibility, true and apparent, in vitro of
Pangola, congo, signal, buffel, guinea, jarragua, giant pangola, African crab, Venezuelan elephant and limpo, 1974, 58(3), 293.
- Digitaria decumbens*
At two cutting stages, 1973, 57(3), 173.
- Chemical composition and in vitro digestibility, 1975, 59(3), 186.
- Fibrous fraction and digestibility, 1974, 58(3), 293.
- Growing heifers, evaluation for, 1983, 67(2), 79.
- Harvest interval, effect on yield and composition, 1974, 58(4), 448.
- Mineral composition, 1974, 58(4), 426.
- Nitrogen fertilization and cutting frequency, effect on yield and chemical composition, 1983, 67(2), 61.
- Digitaria decumbens*
Chemical and physical constituents and digestibility, relationships of, 1974, 58(4), 437.
- Nutrient composition, 1974, 58(3), 305.
- Productivity under grazing in humid hills, 1980, 64(2), 236.
- Two cutting heights and three harvest intervals, 1974, 58(1), 26.
- Weight gain of cows fed on, 1980, 64(1), 43.
- Yield and composition affected by 3 harvest intervals in the humid mountains, 1976, 60(3), 294.
- Digitaria eriantha*
Harvest interval, effect on yield and composition of, 1974, 58(4), 448.
- Digitaria milaniana*
Growing heifers, evaluation for, 1983, 67(2), 79.
- Weight gain of cows fed on, 1980, 64(1), 43.
- Digitaria milaniana* and 6 stylosanthes cultivars
Comparison in the humid mountain region, 1984, 68(4), 355.
- Digitaria milaniana* sp. *eylesina*
Yield and composition affected by 3 harvest intervals in the humid mountains, 1976, 60(3), 294.
- Digitaria pentzii*
Two fertilizer levels, influence on forage and crude protein, 1984, 68(4), 471.
- Digitaria pentzii* x *D. milaniana*
Yield and composition affected by 3 harvest intervals in the humid mountains, 1976, 60(3), 294.
- Digitaria pentzii* x *D. pentzii*
Yield and composition affected by 3 harvest intervals in the humid mountains, 1976, 60(3), 294.
- Digitaria pentzii* x *D. smutzii*
Yield and composition affected by 3 harvest intervals in the humid mountains, 1976, 60(3), 294.
- Digitaria*, resistance in,
Sipha flava, to, 1972, 56(1), 33.
- Digitaria setivalva*
Yield and composition affected by 3 harvest intervals in the humid mountains, 1976, 60(3), 294.

- Digitaria smutii*
Harvest interval, effect on yield and composition of, 1974, 58(4), 448.
- Digitaria smutizi*
Yield and composition affected by 3 harvest intervals in the humid mountains, 1976, 60(3), 294.
- Digitaria swazilandensis*
Fibrous fraction and digestibility, 1974, 58(3), 293.
Mineral composition, 1974, 58(4), 426.
Nutrient composition, 1974, 58(3), 305.
Relationships of chemical and physical constituents and digestibility, 1974, 58(4), 437.
- Digitaria validia*
Fibrous fraction and digestibility, 1974, 58(3), 293.
Mineral composition, 1974, 58(4), 426.
Nutrient composition, 1974, 58(3), 305.
Relationships of chemical and physical constituents and digestibility, 1974, 58(4), 437.
- Dioscorea alata*
Flake size on pasting characteristics, effect of, 1974, 58(2), 219.
Leaf spot, control of, and liming increase yield, 1983, 67(3), 286.
Management studies on, 1981, 65(1), 58.
Selected varieties of, 1975, 59(3), 165.
Soil acidity factors in Ultisols and Oxisols, response to, 1983, 67(4), 438.
Sprout inhibition by gamma irradiation, 1974, 58(3), 330.
Starch, properties of, 1974, 58(3), 312.
Storage under controlled conditions, 1972, 56(1), 46.
Storing, improved method for, 1974, 58(4), 456.
- Dioscorea alata*, chips
Shelf-life of, 1973, 57(3), 196.
- Dioscorea alata*, fresh, lye peeling of, 1972, 56(1), 57.
- Dioscorea alata*, instant flakes from
Precooking, effect on quality of, 1974, 58(3), 317.
- Dioscorea alata L.* flakes, preparation of, 1972, 56(1), 39.
- Dioscorea alata*, new superior varieties, 1978, 62(1), 64.
- Dioscorea cayenensis*
Dry rotting in planting material, critical levels of, 1985, 69(3), 231.
- Pratylenchus coffeae*, control in planting material, 1985, 69(3), 231.
- Dioscorea esculenta*
Selected varieties for the hot humid trop- ics, 1979, 63(2), 236.
- Dioscorea rotundata*
High yielding and out-of-season cultivar, 1984, 68(2), 193.
Nematicides for, evaluation of, 1984, 68(2), 157.
Oxamyl to control nematodes in, 1984, 68(4), 383.
Propagation by tissue culture, 1983, 67(4), 419.
Starch properties of, 1982, 66(1), 27.
Storage of, 1981, 65(1), 50.
Sulfur dioxide, absorption and removal of during canning, 1980, 64(1), 37.
Sulfur dioxide, absorption of, 1981, 65(3), 258.
Ventilation and humidity during storage, influence on weight and quality changes, 1984, 68(4), 341.
- Dioscorea rotundata*, nematode control in, 1976, 60(3), 395.
- Dioscorea rotundata*, starch of
pH effect on pasting properties, 1981, 65(2), 154.
- Dioscorea rotundata*, tubers
Shoot dominance, nature of, 1984, 68(4), 335.
- Dioscorea species*
Performance in East-central Puerto Rico, 1975, 59(3), 182.
- Dioscorea spp.*
Herbicide trials on, 1981, 65(4), 353.
Income elasticity of household demand, estimation of, 1972, 56(4), 432.
Seed-piece protection by treatment with fungicide, 1984, 68(2), 185.
- Dioscorea spp.*, chips and french fries from, 1972, 56(3), 228.
- Dioscorea spp.*, flour from
Substitute for wheat flour, 1975, 59(4), 255.
- Dioscorea spp.*, latent virus of
Purification, electron microscopy and serology, 1974, 58(3), 351.
- Dioscorea spp.*, processing potential
Lye peeling, studies on, 1976, 60(2), 207.
Precooked drum dried instant flakes, 1976, 60(2), 215.
- Dioscorea spp.*, production of flakes from, 1972, 56(3), 235.
- Dioscorea spp.*, propagation from stem cuttings, 1978, 62(3), 249.
- Diplodia, stem canker
Casuarina equisetifolia, of, 1973, 57(3), 255.
- Diptera, Lonchaeidae
New Silba species, 1973, 57(2), 165.

- Diptera: Syrphidae, *Copestylum vacuum*
New record for Puerto Rico, 1977, 61(3), 395.
- Discomycetes of the Caribbean
Notes on, 1974, 58(3), 358.
- Disease resistance
Corn cultivars, 1977, 61(3), 319.
- Diseases, foliar
Dry bean genotypes in the Dominican Republic, reaction of, 1985, 69(3), 283.
- Distance, planting and size of cutting
Production of *Dracaena sanderiana* at 5 shade intensities, effect on, 1977, 61(4), 479.
- Diuron
Leaching of, 1974, 58(4), 473.
Runoff in plantain field, 1985, 69(2), 177.
- Diuron, effects on growth
Two *Lemna* species, of, 1974, 58(4), 483.
- Diuron and Prometryn
Phytotoxicity to 4 vegetables of residue levels of, 1982, 66(3), 238.
- Dogs
Myiasis in, 1980, 64(1), 126.
- Dominican Republic
Dry bean genotypes, reaction to natural infection and foliar diseases, 1985, 69(3), 283.
Erosion on the hillsides, 1984, 68(1), 117.
Protura, two new records, 1978, 62(3), 305.
- Dorado Area
Fascioliasis in dairy cattle, 1972, 56(1), 88.
- Dracaena deremensis*
Nutrient deficiency symptoms under greenhouse conditions, 1977, 61(4), 456.
- Dracaena deremensis* growth and leaf nutrient composition
Nitrogen levels and shade intensities, affected by, 1977, 61(3), 305.
- Dracaena sanderiana*
Different potting and rooting media, in, 1973, 57(4), 314.
Nitrogen applications, effect on nutrient content of, 1976, 60(3), 344.
Size of propagating material and planting distance effect on production of, 1977, 61(4), 479.
- Dracaena sanderiana*, growth of
Affected by levels of nitrogen, phosphorus and potassium, 1979, 63(2), 229.
- Dracaena sanderiana*, growth under 47% shade
Six levels of nitrogen, effects of, 1977, 61(3), 314.
- Dracaena sanderiana*, leaves of
Variation in chemical composition, 1973, 57(2), 136.
- Drip irrigation, peppers under
Labor-input requirements for experimental production, 1983, 67(1), 22.
- Drought
Graphic model to appraise occurrence in humid tropics, 1981, 65(3), 264.
- Dry bean genotypes
Reaction to natural infection and foliar diseases in Dominican Republic, 1985, 69(3), 283.
- Dry matter production
Intensively managed yams in an Ultisol, by, 1985, 69(1), 1.
- Dry non-fat milk
Enrichment of potato flour with, 1984, 68(2), 163.
- Dry rotting
Yellow yam planting material, critical levels in, 1985, 69(3), 231.
- Dyrene, fungicide
Soil microflora after its application, changes in, 1974, 58(1), 78.
- E. puertoricense*
Protura in Puerto Rico, new species of, 1978, 62(2), 133.
- Ecological aspects and agricultural consequences
Monk parakeets, populations of, 1973, 57(3), 262.
- Ectoparasites of the cattle egret
Notes on, 1984, 68(1), 113.
- Ectopic populations of monk parakeets
Ecological aspects and agricultural consequences, 1973, 57(3), 262.
- Eggplant
Fertilizer levels and plant densities in an Oxisol, response to, 1981, 65(3), 250.
Two transplanting media, effect on, 1975, 59(1), 75.
- Egg production
Molasses levels, affected by, 1976, 60(4), 631.
- Egg quality
Laying intensity and feed utilization, effect on, 1976, 60(4), 626.
- Egg size and quality of white leghorn hens
Dry rum distillery slops in the diet, affected by, 1977, 61(4), 465.
- Egg of *Schistosoma mansoni* and *Fasciola hepatica*, apparent density of, 1972, 56(3), 324.
- Eggs, palatability and odor
Tuna fish oil, affected by, 1976, 60(4), 675.

- Electron transport dependent activities of isolated chloroplasts
Cadmium, effects of, 1979, 63(2), 195.
- Empoasca fabae*, chemical control of
Snap beans, in, 1975, 59(1), 82.
- Empoasca* spp.
Soil mulches, effect on population of, 1981, 65(1), 79.
- Encore
New late-season mandarin hybrid, 1978, 62(3), 304.
- Endosulfan
Residues in pigeon peas, analysis of, 1980, 64(2), 219.
- Engine, fluidyne heat
Construction and performance, 1985, 69(1), 45.
- Enicocephalus*, genus, Hemiptera
Revision of, 1979, 63(1), 91.
- Entomogenous nematode *Neoplectana carposaiae*
Sugarcane rootstalk borer, control of, 1985, 69(2), 153.
- Entomogenous nematodes
Puerto Rican soils, survey of, 1983, 67(3), 311.
- Enzymatic browning in green bananas
Control of, 1978, 62(3), 232.
- Enzyme and chlorophyll, gradients of, relationship of
Sucrose content of sugarcane leaves, to, 1974, 58(4), 406.
- Enzymes, and leaf chlorophyll of sugarcane raised in sand culture
Manganese deficiency, effects of, 1972, 56(1), 75.
- Eosentomon mutti*
New species of Protura in Puerto Rico, 1978, 62(2), 133.
- Epidemiology
Fasciola hepatica infestation in dairy cattle, 1980, 64(1), 93.
- Equation, fertilizer-yield
Production of sugar per acre, applicability to, 1972, 56(3), 193.
- Eremochloa ophiurooides*, 12 introduced strains
Performance in Puerto Rico, 1976, 60(4), 618.
- Eriochloa polystachya*
Distribution of roots in an Ultisol, 1983, 67(3), 278.
- Forage and crude protein, influence of 2 fertilizer levels on, 1984, 68(4), 471.
- Erosion
Dominican Republic, hillsides, 1984, 68(1), 117.
- Ethepon
Sprouting of yam tubers, stimulated by, 1976, 60(4), 592.
- Tanier yield and yield components, effect on, 1982, 66(2), 109.
- Ethrel, dwarfing effect of, 1972, 56(4), 439.
- Euptoeta claudia*, new record, 1976, 60(3), 439.
- Eurychilella*
New species, 1984, 68(1), 75.
- Evapotranspiration and frequency of irrigation
Effect on plantain yield, 1980, 64(2), 204.
- Experimental data
Computer program to analyze them, 1978, 62(4), 431.
- Fasciola hepatica*
Dairy cattle infestation, epidemiology of, 1980, 64(1), 93.
Eggs, density of, 1972, 56(3), 324.
Helminths in goats, 1983, 67(4), 501.
Infection in cattle and in the snail hosts, 1975, 59(2), 129.
Lymnaea cubensis, harbored by, in Puerto Rico, 1975, 59(3), 236.
Marisa cornuarietis, infected by, 1977, 61(2), 230.
MK-401 in artificially infected calves, efficacy of, 1984, 68(4), 479.
MK-401 treatment in cattle, efficacy of, 1983, 67(1), 53.
- Fasciola hepatica*, lymnaeid hosts
Terrestrial plants molluscicidal to, 1979, 63(3), 366.
- Fasciola hepatica* miracidia
Mass production, a method for, 1973, 57(1), 87.
- Fascioliasis
Dairy cattle in Dorado area, in, 1972, 56(1), 88.
- Fascioliasis, bovine
Status as determined by slaughterhouse studies, 1984, 68(4), 483.
- Fascioliasis, bovine, increase of
Slaughterhouse surveys, shown in, 1979, 63(1), 27.
- Fascioliasis in Puerto Rico
Prevalence increased by rainfall, 1978, 62(2), 139.
- Fast foods, fried, Puerto Rican
Microbiological quality of, 1985, 69(1), 91.
- Fast foods, frozen or refrigerated, Puerto Rican
Microbiological quality of, 1985, 69(1), 81.
- Fat, crude, in coconut milk
Determination of, 1973, 57(2), 169.
- Fat test, rapid

- Fried plantain products, 1974, 58(2), 273.
- Feed, commercial, based on liquid *Streptomyces* solubles
Digestibility of, 1982, 66(1), 44.
- Feed conversion of white Leghorn hens
Dry rum distillery slops in diet, affected by, 1977, 61(4), 465.
- Feed for beef cattle
Pigeon pea by-products used as, 1978, 62(4), 424.
- Feed for pigs
Tanner corms as, 1978, 62(3), 283.
- Feed supplements for grazing cows
Liquid *Streptomyces* solubles and condensed molasses solubles as, 1982, 66(4), 261.
- Feed, swine
Garbage as, 1977, 61(4), 513.
- Feed utilization
Laying intensity, egg quality and feed utilization, effect on, 1976, 60(4), 626.
- Feed utilization of white leghorn hens
Protein sources, effect of, 1976, 60(4), 622.
- Feeding systems, evaluation of
Beef cattle production, in, 1972, 56(4), 327.
- Feeding systems for dairy heifers
Evaluation of, 1978, 62(4), 311.
- Feeds, concentrate
Holstein heifers grazing intensively, effect on, 1979, 63(3), 336.
- Felistrophorus radiosshi*
Insecticides in collars and powders, evaluation of, 1982, 66(2), 139.
- Fermentation
High test molasses, of, 1984, 68(1), 33.
Mabi, microbiological studies of, 1981, 65(3), 219.
- Fermentation, alcoholic
Congeners from high test molasses, 1984, 68(1), 59.
- Fermentation, alcoholic, of high test molasses
Characterization of, 1982, 66(3), 235.
- Fern, silver leaf
Performance of in various growing media, 1975, 59(2), 125.
- Fertility status of two tropical soils
Nemagon and DD, effect on, 1975, 59(1), 43.
- Fertilization
Cabbage yield and quality, affected by, 1978, 62(4), 367.
Papaya growth and yield, affected by, 1977, 61(2), 152.
Fertilization, effect of
Three rice varieties at two locations, yields of, 1975, 59(1), 1.
- Fertilization, high levels
Corn hybrids in acid and infertile soils, 1976, 60(1), 132.
- Fertilization levels in a steep Ultisol
Productivity of Star grass, effects on, 1976, 60(2), 172.
- Fertilization, Napier grass pastures, of
Beef production, effect on, 1972, 56(3), 223.
- Fertilization, nitrogen
White-kernel corn, high yielding, 1976, 60(3), 336.
- Fertilization, nitrogen, effects of
Cassava, yields and nitrogen content of, 1975, 59(2), 115.
- Fertilization of plantains under irrigation
Influence on production, 1978, 62(1), 1.
- Fertilization, pangola grass pastures, of
Beef production, effect on, 1972, 56(3), 219.
- Fertilizer
Coffee, effect of two levels and frequency on, 1973, 57(2), 89.
- Fertilizer application in pineapple PR 1-67
Yields, comparison of, 1976, 60(1), 31.
- Fertilizer, inorganic
Vegetable crops, yield responses to farm-yard rates in presence of, 1984, 68(3), 243.
- Fertilizer for sweet potato
Four levels of N, P, K and micronutrients, 1976, 60(4), 597.
- Fertilizer level
Mineral content of leaf of 2 papaya varieties, effect on, 1982, 66(4), 286.
- Plantains at 2 locations, effect on yields, 1981, 65(4), 395.
- Fertilizer levels in onions
Yield and dry bulb weight, effect on, 1979, 63(4), 417.
- Fertilizer levels, two
Forage and crude protein yields of 7 tropical grasses, influence of, 1984, 68(4), 471.
- Fertilizer, N, P, K, Ca, Mg and Si
Tomato yields in an Oxisol, effect on, 1975, 59(1), 26.
- Fertilizer, one- and two-banded applications
Cassava, yield response in a limed Guyana peaty clay soil, 1980, 64(2), 190.
- Fertilizer, phosphorus, residual
Soybean, response in an Ultisol, 1977, 61(2), 179.
- Fertilizer-yield, equation
Production of sugar per acre, applicabil-

- ity, 1973, 56(2), 193.
- Flake size**
Pasting characteristics of yam flake slurries, effect on, 1974, 58(2), 219.
- Flakes, instant**, from Florida yam
Precooking, effect on quality of, 1974, 58(3), 317.
- Flakes, instant**, from yam, 1972, 56(3), 235.
- Flakes, instant, yam**
Shelf-life of, 1981, 65(4), 412.
- Flakes, tanier, instant**
Preparation of, 1977, 61(1), 26.
- Flakes, tanier, instant and wheat flour**
Food ingredients, affected by, 1977, 61(2), 234.
- Flakes, yam**
Preparation of, 1972, 56(1), 39.
- Flakes, yams, instant**
Precooked drum dried, 1976, 60(2), 215.
- Flavor constituents**
Chironja, 1977, 61(1), 113.
- Fleabeetle, *Alagoasa bicolor***
Demes of, 1980, 64(3), 264.
- Fleabeetles, *Oedionychina*, of a Puerto Rican marshland**, 1980, 64(1), 63.
- Fleas**
Insecticidal powders, failure to reduce populations in a cat, 1984, 68(3), 311.
- Fleas on Persian cat**
Efficacy of collars against, 1985, 69(3), 421.
- Flooding, night**
Behavior of sugarcane under, 1972, 56(2), 115.
- Flour from green bananas**
Cupcakes, preparation of, 1977, 61(4), 521.
- Flour from sweet potato**
Techniques and problems in small scale production, 1984, 68(4), 423.
- Flour, green banana**
Preparation of, 1977, 61(4), 470.
- Flour, potato**
Soybean protein and non-fat dry milk, enrichment with, 1984, 68(2), 163.
- Flour, wheat**
Yam flours, replaced by, 1975, 59(4), 255.
- Flour, wheat and instant tanier flakes**
Food ingredients, affected by, 1977, 61(2), 234.
- Flower control**
Sugarcane, in, 1972, 56(3), 201.
- Flowering of sugarcane**
Individual leaf-trimming, affected by, 1972, 56(4), 403.
- Leaves, role in, 1974, 58(4), 393.
- Flowering, off-season**
- Sugarcane, in, 1973, 57(3), 271.
- Flowering process of sugarcane**
Leaf shading effects on, 1975, 59(3), 208.
- Fluidyne heat engine**
Construction and performance, 1985, 69(1), 45.
- Fluometuron**
Adsorption by soils, 1973, 57(4), 286.
- Leaching of, 1974, 58(4), 473.
- Fluometuron, effects on growth**
Two *Lemna* species, of, 1974, 58(4), 483.
- Fodder yeast**
Rum distillery slops, growth in, 1980, 64(2), 148.
- Foliar composition of 2 rice varieties**
Soil acidity factors, affected by, 1984, 68(4), 413.
- Foliar fertilizers, effect on pigeon peas**, 1977, 61(2), 217.
- Foliar spots in cowpea**
Chemical control of, 1984, 68(4), 445.
- Food Stamp Program**
Econometric explanation of participation behavior, 1980, 64(3), 310.
- Forage**
Ramie, evaluation as a source of, 1981, 65(3), 274.
- Forage and non-forage rations**,
Nutrient digestibility in the ruminant, 1975, 59(1), 35.
- Forage crop**
Stylosanthes guianensis in the humid mountain region, potential of, 1981, 65(3), 232.
- Forage yield and protein content**
Two sorghum hybrids, 1977, 61(3), 300.
- Fowl**
Mite *Ornithonyssus sylvarium* in Puerto Rico, attacked by, 1977, 61(3), 400.
- Freezing**
Plantains, green, 1975, 59(2), 85.
- Freezing and blanching of candied citron**
Texture and color, effect on, 1979, 63(3), 309.
- Freezing pineapples**
Studies with Red Spanish and Smooth Cayenne varieties, 1977, 61(3), 354.
- French fries from yam**, 1972, 56(3), 228.
- Fried chips, sweet potato**
Variability of, 1984, 68(3), 223.
- Fried Puerto Rican fast foods**
Microbiological quality of, 1985, 69(1), 91.
- Frozen or refrigerated Puerto Rican fast foods**
Microbiological quality of, 1985, 69(1), 81.
- Frozen products, quality of**
Maturity stage at harvest, effect of, 1975,

- 59(2), 107.
Fruit shells, West Indian Mahogany, crushed
Potential potting media constituent, 1981, 65(4), 374.
Fungi, seedborne, internally, in pigeon pea
Growing location, affected by, 1978, 62(4), 355.
Fungi, soil
Pratylenchus zeae in sorghum, interaction of, 1977, 61(4), 501.
Fungicide
Yam seed-pieces, treatment of, 1984, 68(2), 185.
Fungicide, seed treatment
Field emergence, effect on, 1979, 63(1), 8.
Fungicide sprays
Pigeon pea seed quality, effect on, 1979, 63(4), 428.
Fusarium species
Soybean seed under tropical conditions, association with, 1985, 69(1), 25.
Gamma irradiation
Sweet potato stem cuttings, effect on, 1973, 57(4), 351.
Gamma irradiation, by
Sprout inhibition in yam, 1974, 58(3), 330.
Gamma radiation
Biochemical component of mangos, affected by, 1972, 56(1), 26.
Gamma radiation, acute
Oedionychina karyotype, response to, 1979, 63(2), 116.
Garbage
Feed for swine, as, 1977, 61(4), 513.
Gas chromatographic analysis
Molasses and fermented mash, of, 1976, 60(4), 585.
Gas chromatographic column, analytical capillary
Coupled to preparative column by a trap-splitter unit, 1977, 61(1), 108.
Geography, physical
Rio Nosara watershed in Nicoya Peninsula of Costa Rica, 1985, 69(3), 449.
Germination, seeds, two papaya varieties
Aeration, potassium treatment, removal of sarcotesta, high temperature, soaking and age, effect on, 1980, 64(2), 173.
Ghost peaks, in chromatograms
Guide to trouble-shooting, 1983, 67(4), 518.
Giant pangola grass
Fibrous fraction and digestibility, 1974, 58(3), 293.
Mineral composition, 1974, 58(4), 426.
Physical and chemical constituents and digestibility, relationships of, 1974, 58(4), 437.
Giant pangola, nutrient composition of, 1974, 58(3), 305.
Giberellic acid, flower control, in sugarcane with, 1972, 56(3), 201.
Glycine max (L) Merrill response to soil acidity
Ultisols, Oxisols, in, 1978, 62(1), 90.
Glycine max, seeds of
Storage, changes in viability and microflora during, 1978, 62(3), 255.
Glyphosate
Weed control in pastures with, 1984, 68(3), 289.
Weed control in plantains, 1981, 65(4), 317.
Glyptotermes liberatus
New termite record for Puerto Rico, 1973, 57(4), 355.
Goats
Fasciola hepatica and other helminths, infected by, 1983, 67(4), 501.
Golden-yellow mosaic virus
Phaseolus lunatus, transmitted to, 1972, 56(1), 64.
Whitefly, transmitted by, 1972, 56(1), 64.
Grain legumes, 4
Herbicide screening for, 1982, 66(1), 18.
Grain sorghum
Performance of 10 lines, 1977, 61(4), 443.
S-triazine herbicides for early weed control, 1984, 68(4), 331.
Grain sorghum in tropics, subtropics, at four climatic sites
Growth and water consumption rates, 1978, 62(1), 10.
Grapefruit, characteristic indices of, 1973, 57(1), 65.
Grapefruit, Marsh seedless, in Jamaica
Growth and yield, effect of rootstock on, 1976, 60(4), 485.
Grass, Napier
Harvest readiness, 1973, 57(4), 300.
Grass, pasture
Root distribution in an Ultisol, 1983, 67(3), 278.
Grass, pastures, tropical
Utilization efficiency by lactating cows with and without supplement, 1982, 66(3), 200.
Grasses, forage, 6 *Cenchrus* and 4 *Panicum*
Performance under cutting management in the Lajas Valley, 1982, 66(4), 268.
Grasses, tropical
Influence of 7 fertilizer levels on forage

- and crude protein of, 1984, 68(4), 471.
- Grazing**
Compared to 3 supplementations in Holstein heifers, 1985, 69(1), 69.
- Grazing intervals**
Carrying capacity and weight gains, effect on, 1981, 65(1), 14.
- Grazing of Star grass**
Two heights and three intervals, effects on, 1975, 59(3), 215.
- Grazing, two heights and three intervals, effects of**
Heavily fertilized, 1972, 56(2), 110.
Pangola productivity, on, 1972, 56(2), 110.
- Grazing at two stocking rates**
Supplementation of dairy cows in intensively managed tropical grass pastures, 1979, 63(3), 281.
- Greenalata**
Forage yield under intensive grazing, 1980, 64(3), 259.
- Greenalata limpo grass**
Nitrogen fertilization and cutting frequency, effect on yield and chemical composition, 1983, 67(2), 61.
- Growing media, various**
Silver leaf fern and spider plant, performance of, 1975, 59(2), 125.
- Growth and leaf nutrient composition, *Dra-
caena deremensis* leaves**
Nitrogen levels and shade intensities, affected by, 1977, 61(3), 305.
- Growth and pathogenicity of *Thielaviopsis
paradoxa*, 1972, 56(2), 162.**
- Growth and water use by sorghum**
Tropics, subtropics, in, 1978, 62(1), 10.
- Growth, *Dracaena sanderiana*, at 47% shade**
Six nitrogen levels, affected by, 1977, 61(3), 314.
- Growth, plant, sugarcane, in**
Water, excess or deficiency, influence of, 1972, 56(1), 81.
- Growth rate**
Holstein heifers in Puerto Rico, average for, 1977, 61(3), 416.
- Growth rate, White Leghorn hens**
Protein sources, effect on, 1976, 60(4), 622.
- Growth regulator**
Flowering, fruit set and development of tomato, effect on, 1980, 64(4), 460.
- Growth regulators, endogenous**
Seeds of two papaya varieties, fresh and old, 1980, 64(2), 164.
- Guava**
Perfect stage and cultural and morpholog-
- ical variants of *Colletotrichum gloeos-
poroides*, in, 1972, 56(2), 171.
- Selection in Puerto Rico, progress in, 1981, 65(1), 73.
- Guava yields**
Pruning and harvesting methods, affected by, 1977, 61(2), 148.
- Guilianella**
New species from Panama, 1981, 65(4), 401.
- Guinea and star grass pastures**
Comparative productivity in terms of milk production, 1979, 63(4), 436.
- Guinea fowl**
Growth cycle in Puerto Rico, 1977, 61(4), 510.
- Infected with *Capillaria annulata* and *Heterakis gallinarum*, 1978, 62(4), 428.
- Guinea grass**
Chemical composition and in vitro digestibility, 1975, 59(3), 186.
- Fibrous fraction and digestibility, 1974, 58(3), 293.
- Growing heifers, evaluation for, 1983, 67(2), 79.
- Mineral composition, 1974, 58(4), 426.
- Physical and chemical constituents and digestibility, relationships of, 1974, 58(4), 437.
- Root distribution in an Ultisol, 1983, 67(3), 278.
- Seeding rates and establishment methods, effects on yield, 1985, 69(3), 331.
- Two fertilizer levels, influence on forage and crude protein, 1984, 68(4), 471.
- Weight gain of cows fed on, 1980, 64(1), 43.
- Guinea grass hay**
Chemical composition and in vivo nutrient digestibility, 1980, 64(3), 294.
- Guinea grass, nutrient composition of, 1974,
58(3), 305.**
- Gulf S-6797 and Hercules 22234**
Preemergence herbicides for okra, 1976, 60(3), 434.
- Guyana**
Performance of 20 cassava cultivars in marginal peats and peaty clays, 1978, 62(4), 343.
- Soybean performance in peats and peaty clays of, 1979, 63(4), 443.
- Guyana, peaty clay soil, limed**
Response of cassava to one- and two-banded fertilizer application, 1980, 64(2), 190.
- Guyana, soybean in**
Varieties under three edaphic conditions,

- evaluation of, 1979, 63(4), 450.
- Haiti
Bird damage among 11 corn varieties, comparison of, 1985, 69(3), 291.
- K values of soils in the Acul watershed, 1985, 69(3), 441.
- Protura, first records of, 1980, 64(1), 121.
- Small irrigation systems, potential of, 1985, 69(3), 445.
- Harvest interval
Yield and composition of Congo grass, 1972, 56(3), 280.
- Yield and composition of 19 forage grasses, effect on, 1976, 60(3), 294.
- Yield and composition of Star grass, 1972, 56(3), 267.
- Harvesting systems
Yield and seed percentage of snap beans, effect on, 1977, 61(3), 275.
- Hay, grass
Value as supplementary feeding for lactating cows grazing fertilized grass pastures, 1979, 63(3), 390.
- Hay, Guinea and Merker grasses
Chemical composition and in vivo nutrient digestibility, 1980, 64(3), 294.
- Hay, stargrass
Voluntary intake and apparent digestibility in Holstein bull calves, 1977, 61(4), 429.
- Hays, pangola and star grasses
Dairy calves, feed for, 1979, 63(1), 87.
- HCN content of *Cynodon* cultivars
Harvest intervals and fertilizer rates, affected by, 1979, 63(1), 35.
- Heifers, beef, growing
Dried condensed molasses solubles in complete diets for, 1982, 66(4), 278.
- Heifers, dairy
Feeding systems, evaluation of, 1978, 62(4), 311.
- Pelleted maize plants as forage extender for dairy heifers, 1981, 65(3), 241.
- Heifers, Holstein
Average growth rate in Puerto Rico, 1977, 61(3), 416.
- Rotation length of pangola pastures, effect on liveweight gain, 1980, 64(2), 243.
- Heifers, Holstein, grazing
Concentrate supplementation from breeding age to parturition, effect of, 1983, 67(4), 476.
- Heifers, Holstein, grazing intensively managed grass pastures
Supplementary feeding, affected by, 1979, 63(3), 336.
- Heifers, Holstein, growing
Five tropical grasses, evaluation of, 1983, 67(2), 79.
- Height, effect on yield and composition, 1972, 56(3), 280.
- Helminths
Infection of goats, 1983, 67(4), 501.
- Hemarthria altissima*
Chemical and physical constituents and digestibility, relationships of, 1974, 58(4), 437.
- Fibrous fraction and digestibility, 1974, 58(3), 293.
- Forage yield under intensive grazing, 1980, 64(3), 259.
- Mineral composition, 1974, 58(4), 426.
- Nitrogen fertilization and cutting frequency, effect on yield and chemical composition, 1983, 67(2), 61.
- Nutrient composition, 1974, 58(3), 305.
- Hemiptera, genus *Enicopecephalus*
Revision of, 1979, 63(1), 91.
- Hemiptera: Membracidae
Umbonia crassicornis, 1973, 57(4), 307.
- Hemiptera: Miridae
Eurychilella, new species of, 1984, 68(1), 75.
- Paraproba* senior types of, and key to North American *Paraproba* species, 1982, 66(4), 282.
- Hemiptera: Miridae: Orthotylinae
Genus *Jobertus* defined and 2 new species described, 1980, 64(3), 304.
- Hemiptera: Reduviidae
Heza, new and old species of, 1983, 67(4), 407.
- Hen feeding
Laying rations with rum stillage, 1978, 62(2), 149.
- Hens, layer
Fodder yeast grown on distillery stillage as protein supplement, 1985, 69(3), 435.
- Hens, white leghorn
Laying rate, feed conversion and egg size and quality affected by dry rum distillery slops in diets, 1977, 61(4), 465.
- Herbicide
Acerola under greenhouse conditions, evaluation for, 1983, 67(2), 112.
- Bioassay method for detecting herbicide concentration in water, 1979, 63(1), 80.
- Coffee groves, frequency of applications in, 1980, 64(3), 249.
- Grain legumes, screening for 4, 1982, 66(1), 18.
- Sweet potatoes, evaluation for, 1982, 66(4), 254.

- Herbicide
Yams, screening trials on, 1981, 65(4), 353.
- Herbicide, preemergence
Hercules 22234 on cabbage, evaluation of, 1977, 61(4), 516.
- Herbicides, effects of,
Soil microorganism, respiration of, 1972, 56(4), 417.
- Herbicides, 4 S-triazine
Early weed control in grain sorghum, evaluation for, 1984, 68(4), 331.
- Herbicides, okra, preemergence, 1976, 60(3), 434.
- Herbicides photosynthetic inhibitor
Nitrate reductase activity, effect on non-target species, 1979, 63(3), 412.
- Herbicides, post-emergence, 3
Coffee growth and weed control, effect on, 1983, 67(3), 262.
- Hercules 22234 and Gulf S-6747
Preemergence herbicides for okra, 1976, 60(3), 434.
- Heritability, estimates of, in Holsteins
Components of variance associated with, 1976, 60(4), 551.
- Heterakis gallinarum*
Guinea fowl in Puerto Rico, infection of, 1978, 62(4), 428.
- Heteromurtrella*
Heteromurus, new subgenus of, 1979, 63(2), 214.
- Heteromurus*
Four new species from Mérida, Venezuela, 1983, 67(2), 148.
- Heteromurus*, genus
Heteromurtrella, new subgenus of, 1979, 63(2), 214.
- Heterosis
Effect on forage sorghum hybrids, 1984, 68(2), 131.
- Sudangrass x Sudangrass and Sudangrass x Sudangrass hybrids and their parents, of, 1984, 68(2), 143.
- Hexapangola
Harvest interval, effect of, on yield and composition of, 1974, 58(4), 448.
- Two cutting heights and three harvest intervals, 1974, 58(1), 26.
- Heza*
Hemiptera: Reduviidae, 1976, 60(3), 403.
New and old species, 1983, 67(4), 407.
- High test molasses, slops of
Alcoholic fermentation, characterization of, 1982, 66(3), 235.
- Holstein bull calves
Voluntary intake and apparent digesti-
- bility of star grass hay, 1977, 61(4), 429.
- Holstein cows
Fed exclusively on well-managed tropical grass pastures, 1980, 64(1), 47.
- Island born vs United States born, performance of, 1979, 63(1), 13.
- Milk production when fed grass only, 1976, 60(3), 436.
- Milk production when grazed on steep, intensively managed tropical grass pastures, 1974, 58(1), 18.
- Holstein cows, grazing
Milk production of, 1972, 56(2), 97.
Performance at 3 stocking rates, 1983, 67(3), 317.
- Holstein heifers
Average growth rate in Puerto Rico, 1977, 61(3), 416.
- Rotation length of pangola pastures, effect on liveweight gain, 1980, 64(2), 243.
- Grazing alone versus supplementation schedules, 1985, 69(1), 69.
- Holstein heifers, grazing
Concentrate supplementation, effect of, from breeding age to parturition, 1983, 67(4), 476.
- Holstein heifers, grazing intensively managed grass pastures
Supplementary feeding effect on, 1979, 63(3), 336.
- Holstein heifers, growing
Five tropical grasses for, evaluation of, 1983, 67(2), 79.
- Holstein, performance of
Herd, year, age and season, influence on, 1976, 60(4), 526.
- Holstein, production traits and estimates of
Heritability components of variance associated with, 1976, 60(4), 551.
- Holstein, production traits of
Lactation length, days dry, days open and calving interval, influence on, 1976, 60(4), 540.
- Homoptera aphididae
Picturaphis, 1974, 58(3), 381.
- Homoptera: Diaspididae
Aulacaspis tubercularis, scale infesting mango trees, 1983, 67(2), 179.
- Honduras pine foliage
Adding magnesium nitrate before drying, effect on phosphorus, 1984, 68(2), 219.
- Hormigueros-Cabo Rojo
Sugarcane, new varieties, performance of, 1978, 62(1), 48.
- Hornworm, tobacco

- Life cycle, notes on, 1975, 59(1), 51.
- Horses
Complete diet for, 1977, 61(3), 413.
- Household demand for sweet potatoes and yams
Estimation of elasticity, 1972, 56(4), 432.
- Hybridization
Tanier in Puerto Rico, preliminary work with, 1979, 63(4), 469.
- Hybrids and selections, corn, 12
Performance in 3 consecutive crops, same site, year, 1979, 63(2), 170.
- Hybrids, F₁
Crosses of 3 sudan grasses and 6 forage sorghums with a Rhodesian sudangrass, performance of, 1981, 65(2), 142.
- Hybrids Pioneer X-306 B and Funk's G-795 W, corn
Performance in Ultisols and Oxisols at high fertilization levels, 1976, 60(1), 132.
- Hydrocyanic acid
Poisoning of dairy cows, 1977, 61(1), 106.
- Hydrocyanic acid potential
Forage sorghum hybrids, in, 1984, 68(2), 131.
- Sudan grass × sundangrass and sundangrass × sudangrass hybrids and their parents, 1984, 68(2), 143.
- Sorghum hybrids, of, 1983, 67(1), 39.
- Hyparrhenia rufa*
Fibrous fraction and digestibility, 1974, 58(3), 293.
- Mineral composition, 1974, 58(4), 426.
- Nutrient composition, 1974, 58(3), 305.
- Relationships of chemical and physical constituents and digestibility, 1974, 58(4), 437.
- Income elasticity of household demand for sweet potatoes and yams
Estimation of, 1972, 56(4), 432.
- Index, 1972-1985
Volumes 56 to 69 of the *Journal of Agriculture of the University of Puerto Rico*, 1985, 69(4), 1.
- Indexes
Household level and standard of living of Agregado and Parcelero families, 1974, 58(2), 170.
- Inoculant, types and rates in soybeans
Evaluated under dry and irrigated conditions, 1982, 66(4), 241.
- Insect
New records from Desecheo Island, 1976, 60(4), 682.
- Insect resistance
Corn cultivars, 1977, 61(3), 319.
- Insecticide
Evaluation for the control of *Carpophilus humeralis* in pineapple fields, 1983, 67(2), 174.
- Insects
Caja de Muertos Island, of, 1974, 58(2), 244.
- Chemical control in tomato, 1984, 68(1), 79.
- New records for Puerto Rico, 1973, 57(3), 247.
- Insects and mites
New records for Puerto Rico, 1984, 68(1), 115.
- Insects, Desecheo Island, of,
Preliminary list, 1974, 58(1), 125.
- Insects, microorganisms associated with
Preliminary survey of, 1975, 59(1), 69.
- Intake, voluntary
Pangolagrass and stargrass hays, 1978, 62(4), 389.
- Invertase acid, sugarcane
Behavior in early-juvenile and early-adult plants treated with Polaris, 1977, 61(1), 41.
- Invertase, sugarcane, in
Behavior under water stress, 1972, 56(2), 115.
- Ipomoea batatas*
Acidity factors in Ultisols and Oxisols, response to, 1979, 63(2), 250.
- Income elasticity of household demand, estimation of, 1972, 56(4), 432.
- Irradiation, gamma, by
Sprout inhibition in yam, 1974, 58(3), 330.
- Irrigation
Taniers with and without, yield of, 1977, 61(1), 100.
- Irrigation, drip
Cucumber requirements in summer, 1983, 67(3), 328.
- Sweet pepper, fertilizer for, 1981, 65(2), 123.
- Irrigation, drip, peppers under
Labor-input requirements for experimental production, 1983, 67(1), 22.
- Irrigation, drip, tomatoes under
Water rates, plastic mulch and staking, effect on size classification of, 1983, 67(3), 293.
- Irrigation in plantains
Frequency, effect on yields, 1980, 64(2), 204.
- Irrigation regimes
Phytotoxicity of prometryn to pigeon peas in 4 soils, influence on, 1984, 68(4), 315.

- Irrigation systems, small
 Potential in Haiti, 1985, 69(3), 445.
- Isabela
 Yields of sugarcane at 12, 14 and 16 months, 1973, 57(1), 1.
- Isabela, cabbage at
 Varieties and planting dates, evaluation of, 1976, 60(1), 15.
- Isabela, two snap bean varieties
 Time of planting, effect on marketable yield, 1975, 59(3), 219.
- Jam, papaya
 Preparation, 1976, 60(1), 129.
- Jamaica
 Banana post harvest decay caused by climatic factors, 1979, 63(1), 45.
- Bench terraces, alternatives to, 1985, 69(3), 256.
- Dry bean cultivars, performance of 11 over 2 successive seasons, 1985, 69(3), 245.
- Multiple cropping in, 1985, 69(3), 273.
- Protura, first records of, 1980, 64(1), 121.
- Red bean cultivars, trials of 6, in an Ultisol, 1985, 69(3), 239.
- Jaragua grass
 Fibrous fraction and digestibility, 1974, 58(3), 293.
- Mineral composition, 1974, 58(4), 426.
- Physical and chemical constituents and digestibility, relationships of, 1974, 58(4), 437.
- Jaragua, nutrient composition of, 1974, 58(3), 305.
- Jobertus*
 Hemiptera genus, 1980, 64(3), 304.
- Johnson grass
 Downy mildew, occurrence of, 1980, 64(4), 489.
- K fertilizer
 Onion production, influence on, 1979, 63(2), 111.
- K values
 Soils in the Acul watershed, 1985, 69(3), 441.
- Soils of Puerto Rico, 1982, 66(4), 311.
- Karyotype, *Oedionychina*
 Acute Gamma radiation, response to, 1979, 63(2), 116.
- Keeping quality, chironja
 Storage at 45° F., effect of, 1976, 60(3), 348.
- Knightonia*
 Key to 3 species, 1984, 68(3), 307.
- Laboratory animals
 Mites, infected with, 1979, 63(1), 84.
- Lactation length, Holstein, of
 Production traits, influence on, 1976, 60(4), 540.
- Lactose, metabolism, 1973, 57(2), 149.
- Lajas Valley
 Soil compaction in sugarcane fields, in, 1974, 58(3), 279.
- Sugarcane, new varieties, performance of, 1978, 62(1), 39.
- Land-use in Costa Rica
 Conflict in Puriscal area of Río Parrita watershed, 1985, 69(3), 451.
- Laying diets, crude protein levels, in, 1976, 60(4), 677.
- Laying intensity, ration components
 Affected by, 1976, 60(4), 626.
- Laying rates of white leghorn hens
 Dry rum distillery slops in the diet, affected by, 1977, 61(4), 465.
- Laying rations
 Rum stillage, dried, in, 1978, 62(2), 149.
- Leaf composition of yams
 Nutritional deficiencies, affected by, 1975, 59(4), 264.
- Leaf composition, yield, corn
 Nitrogen levels and time of application, influence on, 1979, 63(3), 273.
- Leaf nutrient content of *Dracaena deremensis*
 Nutrient deficiencies, affected by, 1977, 61(4), 456.
- Leaf shading of sugarcane
 Flowering process, effects on, 1975, 59(3), 208.
- Leaf spot, spraying for
 Yam yield increased by, 1983, 67(3), 286.
- Leaf trimming
 Flowering in sugarcane, effect on, 1972, 56(4), 403.
- Leafhopper
 Soil mulches, effect on population of, 1981, 65(1), 79.
- Leafhopper, chemical control of
 Snap beans, on, 1975, 59(1), 82.
- Leaves, plantain
 Chemical composition of, 1977, 61(2), 256.
- Leaves, roles of
 Sugarcane flowering, in, 1974, 58(4), 393.
- Leaves, rooted sweet potato
 Stress resistances, differences in, 1984, 68(3), 235.
- Leaves, tropical
 Dietary protein, feasible sources of, 1977, 61(1), 32.
- Legume crop residues
 Nitrogen in Oxisols and Ultisols, as

- sources of, 1978, 62(4), 361.
- Legumes, grain**, 4
- Herbicide screening for, 1982, 66(1), 18.
- Legumes, tropical**
- Indigenous to Puerto Rico, survey of, 1974, 58(1), 87.
- Lemna**, growth of
- Fluometuron, Prometryne, Ametryne, and Diuron, effects of, 1974, 58(4), 483.
- Lemna perpusilla**, photosynthesis
- Substituted urea and s-triazine herbicides, effects on, 1976, 60(3), 369.
- Lima bean pod borer**
- Seed losses of *Tephrosia vogelii*, caused by, 1972, 56(1), 93.
- Lime**, depth of placement
- Corn yield, effect on, 1978, 62(3), 203.
- Lime**, depth of placement on soybeans
- Foliar composition and yield, effect on, 1978, 62(3), 224.
- Liming**
- Response of three crops in several soils, 1977, 61(3), 361.
- Yam yield increased by, 1983, 67(3), 286.
- Liming, interval to cropping**
- Varying in an Oxisol, effect of, 1981, 65(2), 83.
- Limpo grass**
- Fibrous fraction and digestibility, 1974, 58(3), 293.
- Mineral composition, 1974, 58(4), 426.
- Nutrient composition of, 1974, 58(3), 305.
- Relationships of physical and chemical constituents and digestibility, 1974, 58(4), 437.
- Liperus caponis**
- Domestic fowl attacked by, 1978, 62(3), 309.
- Liriomyza munda**
- Beans and cucumber attacked by, 1973, 57(4), 350.
- Liver-fluke of domestic cat**
- Rafoxonide treatments, inefficacy of, 1979, 63(1), 78.
- Livestock feeding**
- Ramie as a forage source for, evaluation of, 1981, 65(3), 274.
- Lonchaeidae (Diptera)**
- New *Silba* species, 1973, 57(2), 165.
- Louse, wing**
- Poultry in Puerto Rico attacked by, 1978, 62(3), 309.
- Luperodes antillarum (*Lysathia ludoviciana*)**
- Cytology of, notes on, 1979, 63(1), 100.
- Lye**
- Citron peeled with, 1972, 56(2), 154.
- Lye-peeled taniers**
- Control of browning, 1977, 61(4), 489.
- Lye**, fresh yam peeled with, 1972, 56(1), 57.
- Lye**, taniers peeled with, 1977, 61(3), 345.
- Lye peeling**, yams, 1976, 60(2), 207.
- Lymnaea cubensis**
- Cryptobiosis of, 1975, 59(3), 236.
- Lymnaea cubensis** snails
- Molluscicidal activity of *Solanum glycosidic* alkaloids on, 1981, 65(1), 69.
- Lymnaeid hosts to *Fasciola hepatica***
- Terrestrial plants molluscicidal to, 1979, 63(3), 366.
- Lysathia ludoviciana**
- Notes on the cytology of, 1979, 63(1), 100.
- Mabi**
- Composition of ingredients when prepared by the conventional method and by controlled fermentation, 1982, 66(4), 293.
- Microbiological studies of fermentation**, 1981, 65(3), 219.
- Preservation by chemical and physical means, 1982, 66(2), 89.
- Magnesium nitrate addition before dry-ashing**
- Phosphorus in Honduras pine foliage, effects on, 1984, 68(2), 219.
- Mahogany, West Indian**
- Crushed fruit shells as potential potting media constituent, 1981, 65(4), 374.
- Maize**
- No tillage and various tillage, effects on yields, 1984, 68(4), 349.
- Nutritive value and yield in southwestern Puerto Rico, 1979, 63(3), 400.
- Maize, pelleted**
- Supplementary feeding for lactating cows grazing fertilized grass pastures, 1979, 63(3), 390.
- Maize, pelleted plants**
- Forage extender for dairy heifers, 1981, 65(3), 241.
- Malpighia puniceifolia**
- Herbicides under greenhouse conditions, evaluation of, 1983, 67(2), 112.
- Mandarin, Encore, Pixie**
- Late-season hybrids, new, 1978, 62(3), 304.
- Manihot sexta**
- Life cycle, notes on, 1975, 59(1), 51.
- Manebe, fungicide**
- Soil microflora after its application, changes in, 1974, 58(1), 78.
- Manganese content of soybean seedlings**
- Plant residue additives and soil moisture effect on, 1977, 61(2), 221.
- Manganese deficiency in sugarcane in sand**

- culture
- Leaf chlorophyll, effects on, 1972, 56(1), 75.
- Manganese, soil, extractable
 - Organic matter and moisture level, affected by, 1977, 61(2), 115.
- Mangifera indica*
 - Susceptibility to *Aulacaspis tubercularis*, 1983, 67(2), 179.
- Mango
 - Susceptibility to *Aulacaspis tubercularis*, 1983, 67(2), 179.
- Mango, 4 cultivars
 - Evaluation for nectar, 1982, 66(3), 153.
 - Flavor and aroma components, 1980, 64(3), 357.
- Mango, marmalades
 - Acceptability and keeping quality, 1982, 66(3), 159.
- Mango, Ruby cultivar
 - Nectar, marmalade and canned slices in heavy syrup, evaluation for, 1983, 67(2), 165.
- Mango, slices canned in heavy syrup
 - Acceptability and keeping quality, 1982, 66(3), 159.
- Mango, 16 varieties
 - Yield and fruit size of, 1972, 56(4), 343.
- Mangoes, biochemical components of
 - Gamma radiation effects on, 1972, 56(1), 26.
- Mangoes, Edward
 - Fruit set as index for harvesting, 1979, 63(1), 31.
- Mangoes, Edward variety
 - Fruit size, effect on ripening, 1979, 63(4), 460.
- Mangoes, Puerto Rican
 - New York market, supplying, 1972, 56(1), 1.
- Manihot esculenta*
 - Composition and rheological characteristics of its starch, 1976, 60(1), 93.
- Manihot esculenta*
 - Cultivars, evaluation and acceptability of, 1983, 67(1), 16.
 - Nutrient and dry matter content, 1983, 67(3), 213.
 - Performance in an Oxisol, 1984, 68(4), 375.
 - Root distribution in an Ultisol, 1983, 67(3), 278.
 - Soil acidity factors in Ultisols and Oxisols, response to, 1985, 69(2), 145.
 - Yield response to one- and two-banded fertilizer applications on a limed Guyana peaty clay soil, 1980, 64(2), 190.
- Manure, cattle
 - Star grass, response of, 1985, 69(3), 323.
- Manure, farm yard, rates
 - Vegetable crops in the presence of inorganic fertilizer, yield responses of, 1984, 68(3), 243.
- Manure, green
 - Winged beans as a potential crop, 1981, 65(1), 75.
- Maricongo plantain, nutrient content
 - Growth and fruit production, during, 1978, 62(2), 178.
- Marisa cornuarietis*, refractivity of
- Schistosoma mansoni* and *Fasciola hepatica*, infection of, 1977, 61(2), 230.
- Market, New York
 - Puerto Rican mangos, supplying, 1972, 56(1), 1.
- Marmalade, mango
 - Ruby cultivar, evaluation for, 1983, 67(2), 165.
- Marpesia chiron*, records of, 1976, 60(3), 439.
- Mash, fermented
 - Gas chromatographic analysis of, 1976, 60(4), 585.
- Maturity stage of harvest, effect of
 - Frozen plantain production, on quality of, 1975, 59(2), 107.
- Meal, coconut, levels
 - Egg production, effect on, 1976, 60(4), 635.
- Meal, meat, with bone
 - Laying intensity, egg quality and feed utilization, effect on, 1976, 60(4), 626.
- Medicago sativa*, 8 cultivars
 - Evaluation in cumulic haplustolls, 1984, 68(2), 121.
- Medicago sativa*, 18 nondormant cultivars
 - Performance and chemical composition, 1983, 67(3), 204.
- Meloidogyne incognita*
 - Paecilomyces lilacinus* in tomato, control with, 1985, 69(2), 159.
- Meloidogyne incognita* and *Pratylenchus zeae*
 - Pathogenicity in sugarcane roots, 1980, 64(3), 338.
- Membracidae (Hemiptera)
 - Umbonia crassicornis*, 1973, 57(4), 307.
- Merker grass
 - Chemical composition and in vitro digestibility, 1975, 59(3), 186.
- Merker grass hay
 - Chemical composition and in vivo nutrient digestibility, 1980, 64(3), 294.

- Mesostigmata, Acarina (Phytoseiidae)
Puerto Rico, of, 1975, 59(4), 279.
- Metasinella*
Revision of genus, 1983, 67(2), 121.
- Meteorological indices
Yield and nutrient composition of napier grass, affected by, 1978, 62(1), 76.
- Methanol
Comparative analysis by gas chromatography with three different columns, 1985, 69(2), 135.
- Methiocarb, rates and frequency of application
Bird repellent in sorghum, 1977, 61(3), 332.
- Methoxychlor, rotenone and carbaryl
Failure to reduce flea populations in a cat, 1984, 68(3), 311.
- Metrubuzin
Mobility and persistence in four soils, 1974, 58(3), 379.
- Weed control on pigeonpeas, evaluation for, 1980, 64(1), 29.
- Mexico
Neorchesella, new genus of springtails from, 1981, 65(1), 8.
- Mg fertilizer, plantain response to, 1975, 59(3), 233.
- Microbial population of two tropical soils
Nemagon and DD effects on, 1975, 59(1), 43.
- Microbiological quality
Puerto Rican fried fast foods, 1985, 69(1), 91.
- Puerto Rican frozen or refrigerated fast foods, 1985, 69(1), 81.
- Microflora and viability of soybean seed
Changes during storage under various conditions, 1978, 62(3), 214.
- Microflora, soil
Changes after application of Dydrene and Maneb, 1974, 58(1), 78.
- Micronutrients
Yields of peppers in an alkaline soil, effect on, 1984, 68(1), 1.
- Micronutrients, effect of
Sweet potato yields in an Oxisol, 1976, 60(4), 597.
- Microorganisms associated with some insects
Preliminary survey of, 1975, 59(1), 69.
- Microorganism injured
Frozen mofongo, modified versus conventional methods for enumeration in, 1983, 67(2), 100.
- Microorganisms of soils
Various herbicide effects on respiration,
- 1972, 56(4), 417.
- Mildew, downy
Sorghum and Johnson grass, occurrence in, 1980, 64(4), 489.
- Sugarcane not infected by, 1984, 68(3), 313.
- Mildew, powdery in cowpea
Chemical control of, 1984, 68(4), 445.
- Milk, coconut
Extraction by continuous screw press, 1974, 58(3), 322.
- Pulp, frozen, extraction from, 1976, 60(3), 271.
- Milk, coconut, press-cake
Oil extraction from, 1976, 60(3), 281.
- Milk, coconut, quality of
Frozen coconut pulp, extracted from, 1976, 60(1), 99.
- Milk, dry, non-fat
Enrichment of potato flour with, 1984, 68(2), 162.
- Milk production
Holstein cows fed grass only, 1976, 60(3), 436.
- Holstein cows, when fed on steep, intensively managed tropical grass pastures, 1974, 58(1), 18.
- Milk, production of Holstein cows
Concentrate feeding, affected by, 1972, 56(2), 97.
- Millo Blanco, two hybrids
Forage yield and protein content, 1977, 61(3), 300.
- Mineral composition
African crab grass, 1974, 58(4), 426.
- Buffel grass, 1974, 58(4), 426.
- Congo grass, 1974, 58(4), 426.
- Giant pangola grass, 1974, 58(4), 426.
- Guinea grass, 1974, 58(4), 426.
- Jaragua grass, 1974, 58(4), 426.
- Limpio grass, 1974, 58(4), 426.
- Pangola grass, 1974, 58(4), 426.
- Signal grass, 1974, 58(4), 426.
- Venezuelan elephant grass, 1974, 58(4), 426.
- Mineral content, leaf of papaya varieties
Planting distance and fertilizer level, effect on, 1982, 66(4), 286.
- Mineralization of two tropical soils
Nemagon and DD effects on 1975, 59(1), 43.
- Miracidia, of *Fasciola hepatica*
Mass production, method for, 1973, 57(1), 87.
- Miridae: Dicyphinae: Hyaliodini
Genus *Knightonia*, 1984, 68(3), 307.
- Mite

- Differential infestation of cassava varieties, 1981, 65(1), 81.
- Phoresy on *Atractocerus brasiliensis*, 1983, 67(4), 514.
- Mite, cat fur
Evaluation of insecticides in collars and powders against, 1982, 66(2), 139.
- Mite, *Ornithonyssus sylvarium*
Fowl in Puerto Rico, attacked by, 1977, 61(3), 400.
- Mite, predatory of thrips eggs, New record, 1982, 66(4), 310.
- Mites
Pesticides for control in peppers, evaluation of, 1984, 68(4), 457.
- Mites and insects
New records for Puerto Rico, 1984, 68(1), 115.
- Mites, listrophorid
Laboratory animals in Puerto Rico, on, 1979, 63(1), 84.
- MK-401
Fasciola hepatica in artificially infected calves, efficacy against, 1984, 68(4), 479.
- MK-401 (4-amino-6 trichloroethenyl-1, 3 benzenedisulfonimide)
Efficacy against *Fasciola hepatica* in cattle, 1983, 67(1), 53.
- Mocis latipes*
Sugarcane and grasses, severe attack on, 1973, 57(4), 348.
- Mofongo
Elaboration, sensory and microbiological evaluation, 1983, 67(2), 95.
- Mofongo, frozen
Modified versus conventional methods for enumeration of injured microorganisms in, 1983, 67(2), 100.
- Moisture level
Extractable soil manganese, affected by, 1977, 61(2), 115.
- Moisture, limited
Productivity of 25 rice varieties, 1977, 61(1), 1.
- Moisture, retention and availability
Oxisols and Ultisols, in, 1976, 60(3), 386.
- Moisture, retention of
Organic soils of Caño Tiburones, in, 1974, 58(2), 225.
- Moisture, soil
Growth and manganese content of soybean seedlings, effect on, 1977, 61(2), 221.
- Molasses
Gas chromatographic analysis of, 1976, 60(4), 585.
- Molasses, blackstrap
Ammonium bifluoride in its yeast propagation and fermentation, use of, 1973, 57(2), 107.
- Molasses, cane, condensed solubles
Digestibility of commercial feed based on, 1982, 66(1), 44.
- Molasses distillery slops
Sources of nitrogen and potassium fertilizer in flooded rice, 1984, 68(4), 395.
- Molasses, high test
Fermentation of, 1984, 68(1), 33.
- Molasses, high test, alcoholic fermentation
Congeners from, 1984, 68(1), 59.
- Molasses, high test, slops of
Alcoholic fermentation, characterization of, 1982, 66(3), 235.
- Molasses, solubles, condensed
Feed supplement for grazing cows, 1982, 66(4), 261.
- Molasses, solubles, dried and condensed
Component for complete diets for growing beef heifers, 1982, 66(4), 278.
- Molasses stillage from rum distillery
Laying rations, in, 1978, 62(2), 149.
- Molasses, sugarcane
Liquid supplements for lactating cows based on, 1982, 66(1), 11.
- Molasses, sugarcane, levels of
Egg production, effect on, 1976, 60(4), 631.
- Mold
Rum distillery slops, growth in, 1979, 63(3), 325.
- Mold growth
pH, composition and dilution of rum distillery slops, effect on, 1980, 64(2), 138.
- Mollisols, upland, 6
Potassium supplying capacity, 1983, 67(4), 394.
- Mosaic
Vigna hosei, of, 1973, 57(1), 56.
- Virus particles and resistance of sugarcane varieties in Puerto Rico, 1979, 63(3), 315.
- Mosaic virus, a seed-transmitted cucumber strain
Isolated from bean, 1977, 61(2), 137.
- Mosaic virus of cucumber
Mosaic of beans, caused by, 1974, 58(2), 151.
- Mosaic virus of sugarcane, 1972, 56(3), 292.
- Mother, foster
Dairy cull cows as, use of, 1974, 58(4), 385.
- Mulch, plastic
Growth parameters of drip irrigated pep-

- pers, effect on, 1984, 68(4), 365.
- Performance of drip irrigated winter and summer peppers, effects on, 1984, 68(3), 297.
- Mulch types
Temperature at varying depths, affected by, 1985, 69(1), 121.
- Mulches, soil
Leafhopper population and dry bean weight, effect on, 1981, 65(1), 79.
- Multiple cropping
Jamaica, 1985, 69(3), 273.
- Mungbeans
Crop with potential for Puerto Rico, 1981, 65(3), 304.
- Musa* AAB, group, nutrient content
Growth and fruit production, during, 1978, 62(2), 178.
- Musa* AAB, plant density of
Yield and other quantitative characters, effect on, 1975, 59(4), 245.
- Musa acuminata* x *M. balbisiana*, AAB
Banded and broadcast N and P at planting on an Ultisol, response to, 1978, 62(1), 29.
- Plant parasitic nematodes associated with, 1982, 66(1), 52.
- Planting material, effect on yield and quality, 1979, 63(3), 351.
- Planting pattern and spacing, effect on yield and quality, 1978, 62(3), 214.
- Musa acuminata* x *M. balbisiana*, AAB
chemical weed control in, 1977, 61(2), 259.
- Musa acuminata* x *M. balbisiana*, AAB in north central Puerto Rico
Planting season, effect on yield and horticultural traits, 1978, 62(1), 113.
- Musa acuminata* x *M. balbisiana*, AAB under irrigation
Influence of fertilizers, 1978, 62(1), 1.
- Musa paradisiaca*
Cold storage, effect on the quality of frozen sliced green plantain, 1975, 59(4), 239.
- Mycelia grown in rum distillery slops
Nitrogen content of, 1979, 63(3), 330.
- Mycofloral succession
Viability of pigeon pea seeds, diminished by, 1984, 68(1), 19.
- Myiasis, canine
Caused by *Cochliomyia minima*, 1980, 64(1), 126.
- Myiopsitta monachus*
Ectopic populations of, 1973, 57(3), 262.
- Myzus persicae*
New insecticides for control of, 1974,
- 58(4), 489.
- Naled, in collars
Efficacy against fleas on Persian Cats, 1985, 69(3), 421.
- Napier grass
Harvest readiness, 1973, 57(4), 300.
- Napier grass, 5 cultivars
Yield, crude protein and chemical composition, 1983, 67(2), 70.
- Napier grass, pastures of, fertilization rates of
Beef production, affected by, 1972, 56(3), 223.
- Napier grass, seven cultivars
Three harvest intervals, effect on yield and nutritive value, 1981, 65(2), 129.
- Napier grass, yield and nutrient composition
Meteorological effects on, 1978, 62(1), 76.
- Navel orange, five clones
Growth yield, efficiency and fruit quality during 4 years, 1984, 68(4), 405.
- Nectar, banana
Preparation and acceptability, 1973, 57(2), 96.
- Vitamin C enrichment of, 1976, 60(2), 250.
- Nectar, mango
Four cultivars, evaluation of, 1982, 66(3), 153.
- Ruby cultivar for, evaluation of, 1983, 67(2), 165.
- Nectar, papaya
Unpeeled papaya puree, prepared from, 1972, 56(1), 79.
- Nematicides
Plantain corms, preplant treatments for, 1979, 63(2), 269.
- Nematicides: Nemagon and DD, effects on
Mineralization, nitrification, soil microbial population and soil fertility status, 1975, 59(1), 43.
- Nematode
Control in *Dioscorea rotundata*, 1976, 60(3), 395.
- Nematode, entomogenous
Sugarcane rootstalk borer, control of, 1985, 69(2), 153.
- Nematode, hot water to control, 1976, 60(3), 395.
- Nematode, larval population and root knot formation
Control with *Paecilomyces lilacinus*, 1985, 69(2), 159.
- Nematodes
Coffee seedbeds, chemical control in, 1980, 64(4), 474.

- Pesticides, evaluation of, for control in peppers, 1984, 68(4), 457.
- Plantains, control in, 1983, 67(3), 270.
- Tap water, in, 1972, 56(2), 187.
- Tomato, chemical control in, 1984, 68(1), 79.
- Yam, control in, 1984, 68(2), 157.
- Yam, control with Oxamyl, 1984, 68(4), 383.
- Nematodes, associated with sugarcane Dominican Republic, in, 1975, 59(2), 138.
- Nematodes, chemical control of Plantains, 1977, 61(2), 192.
- Nematodes, chemical dips to control, 1976, 60(3), 395.
- Nematodes, entomogenous Survey of Puerto Rican soils for, 1983, 67(3), 311.
- Nematodes in plantains Chemical control of, 1976, 60(1), 36.
- Nematodes, parasitic Plantain, associated with, 1982, 66(1), 52.
- Nematodes, phytoparasitic Control in sugarcane, 1980, 64(3), 348.
- Nematodes, phytoparasitic, in *Sorghum bicolor* (L.) Moench Control in Puerto Rico, 1978, 62(1), 119.
- Neoplectana carpocapsae* Sugarcane rootstalk borer, control of, 1985, 69(2), 153.
- Neorchesella* New genus from Mexico, 1981, 65(1), 8.
- Neorudolphia*, native legume of Puerto Rico Rediscovery of nodulation, 1985, 69(2), 229.
- New York, market of Puerto Rican mangos, supplying with, 1972, 56(1), 1.
- Nitrification of two tropical soils Nemagone and DD, effects on, 1975, 59(1), 43.
- Nitrogen Fertilization of sorghum in an Oxisol, 1978, 62(4), 380.
- Growth and yield of papaya, effect on, 1983, 67(3), 181.
- Growth and yield of sweet potatoes, effect on, 1983, 67(2), 108.
- Growth, yield and fruit quality of papaya, effect on, 1982, 66(2), 71.
- Mycelia grown in rum distillery slops, content of, 1979, 63(3), 330.
- Petiole and fruit of papaya, content in, 1984, 68(1), 5.
- Rates in single and split applications in flooded rice, 1981, 65(1), 35.
- Rates of application to pangola grass, effects of, 1972, 56(4), 410.
- Yield and quality of Cabezona pineapple variety, effect on, 1983, 67(1), 1.
- Nitrogen applications Nutrient content of *Dracaena sanderiana*, influence on, 1976, 60(3), 344.
- Nitrogen content and yields of cassava Nitrogen fertilization, affected by, 1975, 59(2), 115.
- Nitrogen fertilization High yielding white-kernel corn, of, 1976, 60(3), 336.
- Onion production, influence on, 1979, 63(2), 111.
- Yield and chemical composition of five grasses, effect on, 1983, 67(2), 61.
- Nitrogen, five levels and three sources Sweet potato yields in an Ultisol, effects on, 1976, 60(1), 9.
- Nitrogen, five sources applied at four rates Effects of, 1972, 56(4), 410.
- Nitrogen from crop residues Utilization in Oxisols and Ultisols, 1977, 61(4), 450.
- Nitrogen levels Beans in an Oxisol, response of, 1977, 61(4), 438.
- Eggplant in an Oxisol, response of, 1981, 65(3), 250.
- Nitrogen, levels and time of application Irish potatoes, response of, 1979, 63(3), 344.
- Yield, plant traits and leaf composition in corn, influence on, 1979, 63(3), 273.
- Nitrogen rates Nitrogen uptake and growth of irrigated rice, affected by, 1984, 68(4), 387.
- Yield and composition of Congo grass, effects on, 1972, 56(3), 280.
- Yield and composition of star grass, effects on, 1972, 56(3), 267.
- Nitrogen, six levels, effects of Growth of *Dracaena sanderiana* at 47% shade, 1977, 61(3), 314.
- Nitrogen, sources in Oxisols and Ultisols Legume and non legume crop residues, 1978, 62(4), 361.
- Nitrogen, three levels Effects on growth of *Dracaena sanderiana*, 1979, 63(2), 229.
- Nitrogen, timing Lack of response of peppers, 1977, 61(3), 389.
- Nitrogen uptake of irrigated rice Nitrogen rates, affected by, 1984, 68(4), 387.

- Nodulation**
Rediscovery in *Ormosia* and *Neorudolia*, 1985, 69(2), 229.
- Numida meleagris**
Growth cycle in Puerto Rico, 1977, 61(4), 510.
- Infected with *Capillaria annulata* and *Heterakis gallinarum*, 1978, 62(4), 428.
- Nutrient composition**
Pangola, congo, signal, buffel, guinea, jaragua, giant pangola, African crab, Venezuelan elephant and limpo, 1974, 58(3), 305.
- Nutrient composition, leaf, *Dracaena deremensis*
Nitrogen levels and shade intensities, affected by, 1977, 61(3), 305.
- Nutrient content, leaf
Water excess or deficiency, influence of, 1972, 56(1), 81.
- Nutrient content, leaf, *Dracaena deremensis*
Nutrient deficiencies, affected by, 1977, 61(4), 456.
- Nutrient content, leaf, *Dracaena sanderiana*
Nitrogen applications, affected by, 1976, 60(3), 344.
- Nutrient deficiency symptoms under greenhouse conditions
Dracaena deremensis, 1977, 61(4), 456.
- Nutrient uptake
Drip irrigated summer peppers, by, 1985, 69(1), 63.
- Growth stage in taniers, related to, 1982, 66(2), 1.
- Intensively managed yams in an Ultisol, by, 1985, 69(1), 1.
- Nutsedge, purple
Control with DPX 4129, 1983, 67(2), 176.
- Oedionychina**
Banding of chromosomes: C- and Ag-bands, 1983, 67(3), 221.
- Oedionychina** fleabeetles
Additional observations on life history of, 1984, 68(1), 107.
- Oedionychina** fleabeetles of a Puerto Rican marshland, 1980, 64(1), 63.
- Oedionychina**, karyotype of
Response to acute Gamma radiation, 1979, 63(2), 116.
- Oedionychina**, prophase of spermatocyte, 1976, 60(4), 661.
- Oedionychina**, two Puerto Rican species
Ovariole number, 1979, 63(1), 50.
- Oil, coconut**
Milk press-cake, extraction from, 1976, 60(3), 281.
- Oil, cooking**
- Control of dry seed weevils with, 1981, 65(3), 295.
- Oil, tuna fish**
Palatability and odor of eggs, effects on, 1976, 60(4), 675.
- Okra**
Gulf S-6797 and Hercules 22234 as pre-emergence herbicides, 1976, 60(3), 434.
- Natural outcrossing in, 1983, 67(1), 50.
- Seed quality, variability in, 1981, 65(3), 205.
- Spacing, effect on seed protein and oil production, 1980, 64(4), 450.
- Okra seed, ground**
Protein nutritional value in rat feeding trials, 1985, 69(1), 35.
- Okra seed, hammer-milled**
Digestibility of, 1981, 65(4), 408.
- Okra seed meal**
Milling and use at the household level, 1979, 63(1), 1.
- Onion, cv Texas Grano 502**
Spacing and fertilizer levels, effect on yield and dry bulb weight, 1979, 63(4), 417.
- Onion, four cultivars**
Yield and total solid contents, 1981, 65(4), 380.
- Onion, nine cultivars**
Performance in southern Puerto Rico, 1980, 64(4), 414.
- Onions**
Influence of N-P-K fertilizer levels on production, 1979, 63(2), 111.
- Onions, drip irrigated**
Effect of water rates and plant density on size, 1985, 69(3), 383.
- Opaque-2, corn varieties**
Evaluation in acid and infertile soils, 1976, 60(1), 135.
- Orange**
Characteristic indices of, 1973, 57(1), 65.
- Orange, five clones, navel**
Growth yield, efficiency and fruit quality during 4 years, 1984, 68(4), 405.
- Orange, Valencia, in Jamaica**
Growth and yield, effect of rootstocks on, 1976, 60(4), 485.
- Orchid**
Pests in Puerto Rico, 1974, 58(1), 105.
- Organic matter**
Extractable soil manganese, affected by, 1977, 61(2), 115.
- Organic matter, addition of**
Minimizing aluminum toxicity in Ultisols, 1980, 64(1), 1.
- Organic soils of Caño Tiburones**

- Moisture retention in, 1974, 58(2), 225.
- Organoleptic evaluation**
- Coffee harvested with plastic nets, 1981, 65(2), 190.
 - Organoleptic traits, citron fruit bars
pH, effects of, 1977, 61(3), 290.
 - Ormosia*, native legume of Puerto Rico
Rediscovery of nodulation, 1985, 69(2), 229.
 - Ornithodoros puertoricensis*, tick
Domestic cat as a new host record, 1977, 61(4), 509.
 - Ornithonyssus sylvarium*, mite
Fowl in Puerto Rico, attacked by, 1977, 61(3), 400.
 - Orinoco River basin
Micronutrient content of its tropical soils, 1980, 64(3), 363.
 - Ornamental plants**
 - Oviposition preference of *Diaprepes abbreviatus*, 1983, 67(2), 117. - Ortanique in Jamaica
Growth and yield, effect of rootstock on, 1976, 60(4), 485.
 - Ovariole
Number in two Puerto Rican Oedionychina, 1979, 63(1), 50.
 - Oviposition and infestation
Pigeon pea pod borer, of 1975, 59(1), 63.
 - Oxalic acid
Content and accumulation in taniers, 1985, 69(2), 169.
 - Oxamyl
Nematode in yam, control used to, 1984, 68(4), 383.
 - Oxisols of Puerto Rico
K supplying power of, 1976, 60(1), 45.
 - Paecilomyces lilacinus*
Meloidogyne incognita in tomato, control of, 1985, 69(2), 159.
 - Panama
New *Guilianella* and new genus, *Boninotus* from, 1981, 65(4), 401.
 - Pando Department of, Bolivia
Observations on soils and their productive potential, 1981, 65(2), 192.
 - Pangola and star grass hays
Feeding dairy calves with, 1979, 63(1), 87.
Voluntary intake, chemical composition, 1978, 62(4), 389.
 - Pangola grass
Beef production, affected by, 1972, 56(2), 110.
Carrying capacity, affected by, 1972, 56(2), 104.
Chemical composition and in vitro digestibility, 1975, 59(3), 186.
 - Fibrous fractions and digestibility, 1974, 58(3), 293.
 - Five nitrogen sources applied at four rates, effects of, 1972, 56(4), 410.
 - Growing heifers, evaluation for, 1983, 67(2), 79.
 - Harvest interval, effect of, on yield and composition of, 1974, 58(4), 448.
 - Mineral composition, 1974, 58(4), 426.
 - Nitrogen fertilization and cutting frequency, effect on yield and chemical composition, 1983, 67(2), 61.
 - Productivity under grazing in humid hills, 1980, 64(2), 236.
 - Relationships of physical and chemical constituents and digestibility, 1974, 58(4), 437.
 - Rotation length, effect on liveweight gain of Holstein heifers, 1980, 64(2), 243.
 - Star grass, compared with, 1972, 56(2), 104.
 - Two cutting heights and three harvest intervals, 1974, 58(1), 26.
 - Weight gain of cows fed on, 1980, 64(1), 43.
 - Pangola grass at two cutting stages, 1973, 57(3), 173.
 - Pangola grass, establishment and yield
Triazine compounds, effect on, 1976, 60(2), 201.
 - Pangola grass, heavily fertilized
Production of, 1972, 56(2), 110.
 - Pangola prass, pastures, fertilization of
Beef production affected by, 1972, 56(3), 219.
 - Pangola, nutrient composition of, 1974, 58(3), 305.
 - Pangola, star, and congo grasses, heavily fertilized
Compared in humid mountains, 1976, 60(2), 179.
 - Panicum*, four cultivars
Performance under cutting management in the Lajas Valley, 1982, 66(4), 268.
 - Panicum maximum*
Chemical composition and in vitro digestibility, 1975, 59(3), 186.
Distribution of roots in an Ultisol, 1983, 67(3), 278.
 - Fibrous fraction and digestibility, 1974, 58(3), 293.
 - Growing heifers, evaluation for, 1983, 67(2), 79.
 - Mineral composition, 1974, 58(4), 426.
 - Nutrient composition, 1974, 58(3), 305.
 - Relationships of chemical and physical constituents and digestibility, 1974,

- 58(4), 437.
 Two fertilizer levels, influence on forage and crude protein, 1984, 68(4), 471.
 Weight gain of cows fed on, 1980, 64(1), 43.
- Papaya**
 Boron, effects on growth, yield, nutrient content and fruit quality, 1982, 66(2), 80.
 Jam, preparation of, 1976, 60(1), 129.
 Nitrogen and boron application, effect on growth and yield, 1983, 67(3), 181.
 Nitrogen and boron content in petiole and fruit, 1984, 68(1), 5.
 Nitrogen effects on growth, yield and fruit quality, 1982, 66(2), 71.
 Plant population and fertilization effect on growth and yield, 1977, 61(2), 152.
- Papaya cultivars**
 Ripening under controlled conditions, 1974, 58(2), 184.
- Papaya, fertilizer level and planting distance**
 Soil pH, growth, fruit size, disease incidence, yield and profit, effect of, 1977, 61(1), 68.
- Papaya, nectar of**
 Unpeeled papaya puree, prepared from, 1972, 56(1), 79.
- Papaya, new virus disease of**, 1972, 56(4), 397.
- Papaya, two varieties**
 Aeration, potassium treatment, removal of sarcotesta, high temperature, soaking and age of seeds, effect on germination, 1980, 64(2), 173.
 Planting distance and fertilizer level, effect on mineral content of leaves, 1982, 66(4), 286.
- Papaya, two varieties**
 Endogenous growth regulators in fresh and old seeds, 1980, 64(2), 164.
- Papaya, under controlled conditions**
 Mineral deficiency symptoms, 1978, 62(4), 413.
- Papaya varieties**
 Soil pH, growth, fruit size, disease incidence, yield and profit affected by fertilizer level, 1977, 61(1), 68.
- Paragrass**
 Chemical control of, 1973, 57(2), 129.
- Parakeets, monk**
 Ectopic populations of, 1973, 57(3), 262.
- Paraproba pendula**
 Designation of senior types, 1982, 66(4), 282.
- Paraproba spp**
- Key to North American species, 1982, 66(4), 282.
- Paraquat**
 Preharvest desiccant for sugarcane, 1976, 60(3), 262.
- Paraquat, flower control with**
 Sugarcane, in, 1972, 56(3), 201.
- Paraquat, sugarcane desiccated with**
 Water regime, effect on the sucrose-enzyme relationships of, 1972, 56(2), 134.
- Parcelero family**
 Household level and standard of living, 1974, 58(2), 170.
- Pathogenicity, *Thielaviopsis paradoxa*, of**
 Temperature and moisture, effects on, 1972, 56(2), 162.
- Peanut, varieties**
 Performance in an Oxisol, 1979, 63(4), 474.
- Peas, chick**
 Cultivations in Puerto Rico, 1983, 67(2), 167.
- Peats and peaty clays**
 Performance of soybean in Guyana's, 1979, 63(4), 443.
- Peats and peaty clays of Guyana**
 Performance of 20 cassava cultivars, 1978, 62(4), 343.
- Peeling method**
 Shelf life of frozen green bananas, effect on, 1978, 62(3), 241.
- Peeling method of green bananas**
 Bisulfite, absorption of, 1978, 62(2), 191.
- Pelargonium, performance of**
 Different potting mixtures, in, 1976, 60(2), 224.
- Pennisetum purpureum**
 Chemical composition and in vitro digestibility, 1975, 59(3), 186.
 Harvest readiness, 1973, 57(4), 300.
- Pennisetum setosum**
 Three harvest intervals, effect on yield and nutritive value, 1981, 65(2), 129.
- Yield, crude protein and chemical composition**, 1983, 67(2), 70.
- Pennisetum purpureum L., yield and nutritive composition**
 Meteorological effects on, 1978, 62(1), 76.
- Fibrous fraction and digestibility**, 1974, 58(3), 293.
- Mineral composition**, 1974, 58(4), 426.
- Nutrient composition**, 1974, 58(3), 305.
- Relationships of chemical and physical constituents and digestibility**, 1974, 58(4), 437.
- Pepper weevil (*Anthonomus eugenii*)**
 Occurrence in Puerto Rico, 1985, 69(2),

- 223.
- Peppers**
- Labor-input requirements for production under drip irrigation, 1983, 67(1), 22.
 - No tillage and various tillage, effects on yields, 1984, 68(4), 349.
 - Pesticides to control aphids, mites and nematodes, evaluation of, 1984, 68(4), 457.
 - Virus infections, status of, 1974, 58(1), 137.
- Peppers, drip irrigated, summer**
- Plastic mulch types, effect on growth parameters, 1984, 68(4), 365.
- Peppers, drip irrigated, summer and winter**
- Soil temperature at varying depths with different mulch types, 1985, 69(1), 121.
- Peppers, drip irrigated, winter and summer**
- Plastic mulch types, effect on performance, 1984, 68(3), 297.
- Peppers, green peach aphid on**
- New insecticides for control of, 1974, 58(4), 489.
- Peppers in an alkaline soil**
- Phosphorus, sulphur and micronutrients, effects on yields, 1984, 68(1), 1.
- Peppers, summer, drip irrigated**
- Nutrient uptake and solute movement, 1985, 69(1), 63.
- Peppers, sweet**
- Lack of response to phosphorus levels, phosphorus placement and timing of nitrogen application, 1977, 67(3), 389.
- Pesticides, various**
- Evaluation for the control of aphids, mites and nematodes in peppers, 1984, 68(4), 457.
- Pezizales of the Caribbean**
- Preliminary checklist of, 1974, 58(3), 358.
- pH, changes during processing**
- Chemical composition change of fruit bars, 1977, 61(3), 279.
- pH of citron fruit bars packed in plastic film**
- Texture and organoleptic traits, effects of, 1977, 61(3), 290.
- Phaseolus***
- Pure and mixed suspension of virulent and heterologous isolates of *Xanthomonas campestris*, effect on the infectivity of the inoculum in two species of, 1985, 69(2), 191.
- Phaseolus lunatus*, of**
- Golden-yellow mosaic virus, Puerto Rico, in, 1972, 56(1), 64.
- Phaseolus vulgaris***
- Hydration and cooking properties of, 1984, 68(3), 259.
- Planting system effect on density and yield, 1981, 65(4), 313.
- Processing, effect on selected nutrients, 1984, 68(1), 45.
- Various plant densities, response to, 1979, 63(4), 465.
- Yield and seed percentage affected by harvesting systems, 1977, 61(3), 275.
- Phaseolus vulgaris*, 11 dry cultivars**
- Performance throughout two successive seasons on Jamaica hillsides, 1985, 69(3), 245.
- Phaseolus vulgaris* L., yield components and protein content**
- Influenced by plant competition and pod position, 1978, 62(2), 186.
- Phaseolus vulgaris*, mosaic of**
- Strain of cucumber mosaic virus, caused by, 1974, 58(2), 151.
- Phaseolus vulgaris*, six red cultivars**
- Preliminary trials on an Ultisol in Jamaica, 1985, 69(3), 239.
- Phaseolus vulgaris*, white, native**
- Nitrogen levels in an Oxisol, response to, 1977, 61(4), 438.
- Pheromone-baited traps**
- Sugarcane borer males recaptured when released at different distances from, 1973, 57(4), 330.
- Pheromone, traps**
- Blacklight traps, compared to, 1973, 57(4), 320.
- Phomopsis sojae***
- Studies on soybean pods and seed colonization, 1980, 64(3), 330.
- Phoresy**
- A deutonymph on *Atractocerus brasiliensis*, 1983, 67(4), 514.
- Phosphorus**
- Growth and yield of sweet potatoes, effect on, 1983, 67(2), 108.
 - Yields of peppers in an alkaline soil, effect on, 1984, 68(1), 1.
- Phosphorus fertilization of corn**
- Response to, 1976, 60(1), 88.
- Phosphorus fertilizer**
- Banded and broadcast applications in an Ultisol, response of food crops to, 1981, 65(2), 171.
 - Influence on onion production, 1979, 63(2), 111.
- Phosphorus fertilizer, broadcast and banded**
- Response of soybeans in an Ultisol, 1977, 61(2), 179.
- Phosphorus levels**
- Response of eggplant in an Oxisol, 1981, 65(3), 250.

- Phosphorus levels and placement
Peppers, lack of response to, 1977, 61(3), 389.
- Phosphorus organic
Mineralization in an Ultisol, 1981, 65(3), 195.
- Phosphorus, three levels
Growth of *Dracaena sanderiana*, effects on, 1979, 63(2), 229.
- Photosynthesis, *Lemna perpusilla*
Substituted urea and s-triazine herbicides, effect on, 1976, 60(3), 369.
- Photosynthetic inhibitor herbicides
Nitrate reductase activity, effect on non-target species, 1979, 63(3), 412.
- Phytoparasitic nematodes in sorghum
Control in Puerto Rico, 1978, 62(1), 119.
- Phytophthora stem canker
In vitro resistance of pigeon peas to, 1985, 69(1), 11.
- Phytoseiidae (Acarina: Mesostigmata)
Puerto Rico, of, 1975, 59(4), 279.
- Phytotoxicity of Prometryn on pigeon peas
Influence of irrigation regimes in four soils, 1984, 68(4), 315.
- Phytotoxicity of residue levels of Prometryn and Diuron
Four vegetables, to, 1982, 66(3), 238.
- Picloram, mixed with 2, 4-D and Dicamba
Control of resistant broad leaf weed species, 1977, 61(3), 326.
- Picturaphis*
Alate viviparae of, 1974, 58(3), 381.
- Pig feed
Tuber corms as, 1978, 62(3), 283.
- Pig feeding
Value of *Canna edulis* roots, 1977, 61(3), 267.
- Pigeon pea
Field screening for resistance to foliar diseases, 1984, 68(3), 275.
- Fungicide seed treatment, effect on field emergence, 1979, 63(1), 8.
- In vitro resistance to *Phytophthora* stem canker, 1985, 69(1), 11.
- Methods for seed storage, 1979, 63(4), 423.
- Witches' broom disease in Puerto Rico, 1980, 64(4), 424.
- Yield influenced by planting date and pruning, 1984, 68(2), 173.
- Pigeon pea, by-products
Used as feed for cattle, 1978, 62(4), 424.
- Pigeon pea seed
Growing location and seedborne fungi, effect on germination, 1978, 62(4), 355.
- Microfloral succession and viability losses, 1984, 68(1), 19.
- Pigeon pea, seed quality
Delayed harvest and fungicide sprays, effect on, 1979, 63(4), 428.
- Pigeon pea, 2-B, Bushy variety
Determination of optimum harvesting date, 1981, 65(1), 43.
- Pigeon pea, varieties
Oviposition and infestation of pod borer, 1975, 59(1), 63.
- Pigeon peas
Allelopathic potential of, 1983, 67(4), 453.
- Distribution of roots in an Ultisol, 1983, 67(3), 278.
- High yields in low fertility soils, explanation of, 1981, 65(1), 21.
- Influence of nutrition and bioregulators on flower retention, pod set and yield, 1981, 65(4), 346.
- Injurious aftereffects possible on subsequent crops, 1983, 67(2), 171.
- Irrigation regimes, influence on phytotoxicity of prometryn in four soils, 1984, 68(4), 315.
- Maturity pattern, 1980, 64(4), 400.
- Metribuzin, prometryn and chloramben, evaluation for weed control, 1980, 64(1), 29.
- Nutrient uptake and dry matter accumulation, 1983, 67(3), 188.
- Planting time, plant population and raw spacing effect on yield of, 1973, 57(4), 275.
- Residues of endosulfan in, 1980, 64(2), 219.
- Response to soil acidity factors in Ultisols and Oxisols, 1984, 68(4), 433.
- Weed-crop competition in, 1985, 69(2), 201.
- Pigeon peas, foliar fertilizer, effect on, 1977, 61(2), 217.
- Pigeon peas, yield and yield components of
Mechanical, cultural and chemical weed control, effects on, 1974, 58(4), 466.
- Pigs, diet protein level
Growth, carcass traits, effect on, 1978, 62(3), 273.
- Piler of sugarcane, adjustable rake-type
Development of, 1976, 60(1), 78.
- Pine, Honduras, foliage, in
Effect of adding magnesium nitrate before dry-ashing on phosphorus, 1984, 68(2), 219.
- Pineapple
Sexual compatibility, morphology, physiology, pathogenicity and in vitro sensitivity to fungicides of *Thielaviopsis par-*

- adoxa* infecting it, 1973, 57(2), 117.
- Pineapple, Cabezona variety
Spacing, nitrogen and potassium on yield and quality, 1983, 67(1), 1.
- Pineapple fields
Conditions that affect population of *Carpophilus humeralis*, 1983, 67(1), 11.
Insecticide evaluation to control *Carpophilus humeralis*, 1983, 67(2), 174.
- Pineapple, PR 1-67 variety
Planting distance and fertilizer applications, comparison of, 1976, 60(1), 31.
- Pineapple, Red Spanish and PR 1-67 varieties
General composition and general quality, 1983, 67(4), 507.
- Pineapple, Red Spanish and Smooth Cayenne Varieties
Freezing, studies on, 1977, 61(3), 354.
- Pineapple, Red Spanish Variety
Harvesting and storage conditions, 1974, 58(2), 162.
- Pineapple, Red Spanish, yield of
Slip size, slip storage and time of planting, effect of, 1975, 59(3), 141.
- Pineapple, variety PR 1-67
Comparison of 9 planting distances on the yield of, 1982, 66(2), 130.
- Pinus caribaea* and *Araucaria heterophylla*
Potential Christmas trees for Puerto Rico, 1982, 66(2), 145.
- Pixie
New late-season mandarin hybrid, 1978, 62(3), 304.
- Plant density
Maricongo plantain, in
Response of snapbeans, 1978, 62(4), 399.
- Yield and other quantitative characters, effects on, 1975, 59(4), 255.
- Yield and plant traits of 12 corn hybrids and selections, affected by, 1980, 64(4), 407.
- Plant-soil-weather relationships
A differential psychro test, 1973, 57(1), 42.
- Plant spacing
Yield and quality of cabbage, effect on, 1978, 62(4), 367.
- Plantain
Corm size, influence on initial growth, 1977, 61(3), 386.
Cropping system, effect on some chemical properties of soil, 1985, 69(2), 215.
Plant parasitic nematodes associated with, 1982, 66(1), 52.
Planting material, effect on yield and quality, 1979, 63(3), 351.
- Plantain, corms
Four nematicides in preplant treatments, 1979, 63(2), 269.
- Plantain, field of
Runoff of Diuron and Ametryn, 1985, 69(2), 177.
- Plantain flour
Amylography of, 1983, 67(3), 303.
- Plantain, flour, mixed with cassava and tangerine
Evaluation of typical dishes prepared with, 1984, 68(1), 67.
- Plantains, fried products
Rapid fat test for, 1974, 58(2), 273.
- Plantain, horn-type clones
Selection and evaluation in Puerto Rico, 1985, 69(3), 407.
- Plantain, horn-type Maricongo
Planting pattern and spacing effect on yield and quality, 1978, 62(3), 214.
- Plantain, horn-type, Maricongo in north central Puerto Rico
Planting season, effect on yield and horticultural traits, 1978, 62(1), 113.
- Plantain leaves
Chemical composition of, 1977, 61(2), 256.
- Plantain, Maricongo, yield of
Plant density, effect on, 1975, 59(4), 245.
- Plantain, nutrient content
Growth and fruit production, during, 1978, 62(2), 178.
- Plantain, production of
Economic impact of modern technology on, 1982, 66(4), 250.
- Plantain sticks
Shelf life of, 1972, 56(3), 321.
- Plantains
Boron and zinc, effect on yields of, 1974, 58(1), 134.
Control of nematodes and black weevils in, 1983, 67(3), 270.
Frequency of irrigation, effect on yields, 1980, 64(2), 204.
Glyphosate for weed control in, 1981, 65(4), 317.
Nutrient uptake as related to growth stage, 1981, 65(4), 331.
Pseudostem diameter as index of bunch weight, 1977, 61(2), 250.
Response to banded N and P at beginning on an Ultisol, 1978, 62(1), 29.
Response to broadcast N or P at planting on an Ultisol, 1978, 62(1), 29.
Response to residual P on an Ultisol, 1978, 62(1), 29.
Response to soil acidity factors in Ultisols and Oxisols, 1985, 69(3), 377.

- Root distribution in five soil types, 1981, 65(1), 29.
- Three population densities and fertilizer levels, effect on yields at two locations, 1981, 65(4), 395.
- Water table level, effect on yield and root system, 1980, 64(1), 33.
- Plantains, green
Freezing of, 1975, 59(2), 85.
Freezing of, 1975, 59(2), 92.
Storage of, 1973, 57(2), 100.
- Plantains, green, sliced, frozen
Cold storage, effect on quality of, 1975, 59(4), 239.
- Plantains, horn-type, Maricongo cultivar
Relation of tillage and yield, 1981, 65(2), 118.
- Plantains, intercropping with
Tanner yields, effect on, 1981, 65(4), 326.
- Plantains (cv Maricongo), yield of
Soil pH and related acidity factors, affected by, 1979, 63(1), 22.
- Plantains (*Musa acuminata* × *M. balbisiana* AAB)
Chemical control of nematodes, 1977, 61(2), 192.
- Plantains, nematodes in,
Chemical control of, 1976, 60(1), 36.
- Plantains, ripe
Canning in syrup, 1976, 60(2), 248.
- Plantains, in an Ultisol
Mg fertilizer, response to, 1975, 59(3), 233.
- Plantains under irrigation
Fertilizers, influence on production, 1978, 62(1), 1.
- Plantains, weed control in
Chemical control, 1977, 61(2), 259.
- Planting distance
Sugarcane, effect on, 1975, 59(2), 133.
- Planting distance in pineapple variety PR 1-67
Comparison of yields, 1976, 60(1), 31.
- Planting material
Plant traits, yield and yield components of tanner, effect on, 1981, 65(3), 213.
- Planting material
Yield and quality of plantains, effect on, 1979, 63(3), 351.
- Planting methods of cabbage
Performance under different ones, 1976, 60(1), 22.
- Planting season
Sweet corn varieties response to, 1977, 61(2), 170.
- Planting season, effect on yields
Rice, eight short grain varieties under irri-
- gation, 1977, 61(1), 6.
- Planting season of Maricongo plantain in Puerto Rico
- Yield and horticultural traits, effect on, 1978, 62(1), 113.
- Plants, terrestrial
Molluscicidal to lymnaeid host to *Fasciola hepatica* in Puerto Rico, 1979, 63(3), 366.
- Plastic film, citron bars packed in
Texture and organoleptic traits, effect of pH on, 1977, 61(3), 290.
- Plastic mulch
Effect on size classification of mature green tomatoes under drip irrigation, 1983, 67(3), 293.
- Plastic nets, coffee harvested with,
Separating and washing, 1972, 56(1), 11.
- Platynosomum fastosum*, in domestic cats
Survives treatments of rafoxonide, 1979, 63(1), 78.
- Pod borer
Oviposition and infestation of pigeon pea varieties, 1975, 59(1), 63.
- Pod borer, Lima bean
Losses to seed of *Tephrosia vogelii* caused by, 1972, 56(1), 93.
- Pod position, plant competition, influence of
Bean yield components, protein content, 1978, 62(2), 186.
- Poisoning of dairy cows
Hydrocyanic acid, by, 1977, 61(1), 106.
- Polaris as a chemical sugarcane ripener
Field experiments in Puerto Rico, 1977, 61(2), 242.
- Hour of application influence on sucrose content, 1977, 61(3), 383.
- Pole beans
Response to various plant densities, 1979, 63(4), 465.
- Potassium
Capacity of upland inceptisols to supply, 1980, 64(1), 9.
Growth of *Dracaena sanderiana*, effects on, 1979, 63(2), 229.
Supplying capacity of six upland Mollisols, 1983, 67(4), 394.
Yield and quality of Cabezonina pineapple variety, effects on, 1983, 67(1), 1.
- Potassium chloride compounds
Star grass, effect on, 1976, 60(3), 310.
- Potassium levels
Eggplant response in an Oxisol, 1981, 65(3), 250.
- Potassium supplying power
Ultisols and Oxisols of Puerto Rico, 1976,

- 60(1), 45.
- Potato, Irish, varieties
Oxisol, performance in, 1976, 60(4), 612.
- Potatoes, Irish
Nitrogen levels and time of application, response to, 1979, 63(3), 344.
- Potting media
Crushed fruit shells of West Indian Mahogany, potential of, 1981, 65(4), 374.
- Potting media, different
Asparagus sprengeri and *Dracaena sanderiana*, performance in, 1973, 57(4), 314.
- Potting mixtures
Pelargonium stockplants, performance in, 1976, 60(2), 224.
- Power, tractor, use of in sugarcane
Trends in Puerto Rico, 1975, 59(4), 274.
- Pratylenchus allenii*
Vertical distribution in soybean roots, 1982, 66(1), 60.
- Pratylenchus coffeeae*
Yellow yam planting material, control in, 1985, 69(3), 231.
- Pratylenchus scribneri*
Susceptibility of soybean cultivars, 1979, 63(2), 103.
Vertical distribution in soybean roots, 1982, 66(1), 60.
- Pratylenchus zeae*
Interaction in sorghum with four soil fungi, 1977, 61(4), 501.
- Precooking
Quality of instant yam flake, effect on, 1974, 58(3), 317.
- Preparative-capillary system of rum analysis
Newly developed trap-splitter, employed by, 1979, 63(3), 294.
- Press-cake, milk, coconut
Oil extraction from, 1976, 60(3), 281.
- Press, screw, continuous
Coconut milk, extraction of, 1974, 58(3), 322.
- Processing, comparison of characteristics for three tanier cultivars, 1977, 61(3), 337.
- Production traits, of Holsteins
Components of variance associated with, 1976, 60(4), 551.
Lactation length and calving interval, influenced by, 1976, 60(4), 540.
- Productivity, limitations to
Ultisol and Oxisol subsoils, 1974, 58(2), 197.
- Productivity of Pangola, effects on
Two heights and three intervals, grazing of, 1972, 56(2), 110.
- Productivity of Star grass in steep Ultisol
Three fertilizer levels, affected by, 1976, 60(2), 172.
- Prometryn
Weed control of pigeon peas, evaluation for, 1980, 64(1), 29.
- Prometryn and Diuron
Phytotoxicity to four vegetables of residue levels of, 1982, 66(3), 238.
- Prometryn, phytotoxicity on pigeon peas
Irrigation regimes in four soils, influence on, 1984, 68(4), 315.
- Prometryne
Adsorption by soils, 1973, 57(4), 286.
- Prometryne, effects on growth
Two *Lemna* species, of, 1974, 58(4), 483.
- Prophase, spermatocyte I in *Oedionychina*, 1976, 60(4), 661.
- Protein content and forage yield
Two sorghum hybrids, 1977, 61(3), 300.
- Protein content and yield of 10 Brachiarias
Three harvest intervals, effect on, 1981, 65(2), 147.
- Protein content in beans
Pod position, influence of, 1978, 62(2), 186.
- Protein, crude, levels in laying diets, 1976, 60(4), 677.
- Protein, dietary
Leaves, tropical, feasible sources, 1977, 61(1), 32.
- Protein, high quality, corn
Acid and infertile soils, evaluation in, 1976, 60(1), 135.
- Protein nutritional value
Okra seed, of, 1985, 69(1), 35.
- Protein, sources of
Growth rate and feed utilization by white leghorn hens, 1976, 60(4), 622.
- Protein supplement
Fodder yeast grown on distillery stillage for layer hens, 1985, 69(3), 435.
- Proteinaceous invertase-regulatory system
Absence of, 1972, 56(1), 85.
Sugarcane stem tissue, in, 1972, 56(1), 85.
- Protura
New insect order for Puerto Rico, 1978, 62(2), 133.
- Protura in Dominican Republic
Two new records, 1978, 62(3), 305.
- Protura, first records of
Cuba, Jamaica and Haiti, from, 1980, 64(1), 121.
- Pruning
Pigeon pea yield influenced by, 1984, 68(2), 173.

- Pruning and harvesting methods
 Guava yields, effect on, 1977, 61(2), 148.
- Pseudoaulacaspis pentagona*
 Attack on toon, 1974, 58(2), 276.
- Pseudodiceranocentrus*
 Collembola, new genus of, 1981, 65(2), 90.
- Psidium guajava*
 Progress in the selection in Puerto Rico, 1981, 65(1), 73.
- Psophocarpus tetragonolobus*
 Support effect on pod yield, 1980, 64(2), 211.
- Psychro test of plant-soil-weather relationships and water use, 1973, 57(1), 42.
- Pteris ensiformis*, performance of in various growing media, 1975, 59(2), 125.
- Puccinia melanocephala*
 Culture on detached leaves and uprights of sugarcane, 1982, 66(3), 168.
- Varietal reaction and inheritance trends of susceptibility, 1982, 66(2), 99.
- Pulp, coconut, frozen
 Milk extraction from, 1976, 60(3), 271.
 Storage and quality of milk extracted from, 1976, 60(1), 99.
- Puree, unpeeled papaya, from
 Nectar, evaluation of, 1972, 56(1), 79.
- Purple stain disease of soybean seed
 Incidence among cultivars and seasons, 1984, 68(1), 87.
- Pyricularia oryzae* Cav.
 Rice blast, cause of, 1978, 62(3), 290.
- Pythium graminicola*, association with *Meloidogyne incognita* and *Pratylenchus zeae*
 Pathogenicity in sugarcane roots, 1980, 64(3), 338.
- Pythium* root rot
 Pathogenicity and identification in sugarcane, 1980, 64(1), 54.
- Radiation, Gamma, acute
 Response of *Oedionychina* karyotype to, 1979, 63(2), 116.
- Radiation, solar, regimes
 Sugarcane growth response to ripeners, 1977, 61(1), 19.
- Radopholus similis*
 Control in plantains, 1983, 67(3), 270.
- Rafoxonide
 Ineffective against liver fluke of domestic cats, 1979, 63(1), 78.
- Rainfall
 Fascioliasis in Puerto Rico, effect on, 1978, 62(2), 139.
- Rainfall and temperature
 Aphid resistance, related to, 1972, 56(1), 33.
- Rake-type, adjustable piler
 Development of, 1976, 60(1), 78.
- Ramie
 Forage source, evaluation as, 1981, 65(3), 274.
- Ration, complete, containing sugarcane bagasse
 Digestibility of, 1972, 56(1), 18.
- Rations for broilers
 Dried rum distillery stillage in, 1980, 64(2), 194.
- Rations, forage and non-forage, in the ruminant
 Nutrient digestibility of, 1975, 59(1), 35.
- Ratoon stunting disease of sugarcane
 Bacteria associated with, 1974, 58(4), 418.
 Further developments in the study of, 1979, 63(2), 146.
- Red kidney beans in Oxisol
 Planting distance effect on yield and agronomic traits, 1978, 62(2), 145.
- Reducetase, nitrate, activity of non-target species
 Photosynthetic inhibitor herbicides, effect on, 1979, 63(3), 412.
- Reduviidae
 Genus *Geza*, 1976, 60(3), 403.
- Reduviidae, Mexican
 Genus *Atrachelus*, 1985, 69(2), 185.
- Refrigerated or frozen Puerto Rican fast foods
 Microbiological quality of, 1985, 69(1), 81.
- Relative humidity
 Influence on weight and quality changes of yam tubers, 1984, 68(4), 341.
- Resistance to aphid
 Temperature and rainfall, related to, 1972, 60(1), 33.
- Respiration
 Herbicides, effect on, 1972, 56(4), 417.
- Soil microorganisms, of, 1972, 56(4), 417.
- Rheological characteristics of cassava starch, 1976, 60(1), 93.
- Rice
 Banded and broadcast phosphorus fertilizer in an Ultisol, response to, 1981, 65(2), 171.
 Fertilization and yields of two varieties at two locations, 1975, 59(1), 1.
 Yields under humid tropical conditions, 1983, 67(4), 386.
- Rice blast in Puerto Rico, 1978, 62(3), 290.
- Rice, eight short grain varieties under irrigation
 Planting season, effect on yields, 1977, 61(1), 6.
- Rice fields

- Birds depredating on, 1982, 66(2), 150.
- Rice, flooded
Molasses distillery slops as source of nitrogen and potassium fertilizer, 1984, 68(4), 395.
- Nitrogen rates in single and split applications and yield of, 1981, 65(1), 35.
- Water use by, 1982, 66(3), 181.
- Rice, irrigated
Nitrogen uptake and growth affected by nitrogen rates, 1984, 68(4), 387.
- Rice, seven medium grain varieties
Season, effect on yields, 1982, 66(3), 188.
- Rice, 13 varieties
Season, effect on yields, 1974, 58(1), 11.
- Rice, two varieties, overhead irrigated
Soil acidity factors, effect on yield and foliar composition, 1984, 68(4), 413.
- Rice under controlled conditions in the greenhouse
Mineral-deficiency symptoms, 1980, 64(4), 369.
- Rice under limited moisture
Productivity of 25 varieties, 1977, 61(1), 1.
- Rice varieties grown in Puerto Rico
Cooking characteristics, eating quality, and consumer preferences, 1978, 62(2), 171.
- Rice yields
Effect of planting methods and seeding rates, 1982, 66(3), 194.
- Rio Plata basin, in
Fascioliasis in dairy cattle, 1972, 56(1), 88.
- Ripener, chemical
Response under variable solar radiation regimes, 1977, 61(1), 19.
- Ripener, chemical, in sugarcane
Field experiments in Puerto Rico, 1977, 61(2), 242.
- Growth and qualitative effects and frequency of applications, 1977, 61(1), 11.
- Ripeners, chemical, candidate, evaluation of Sugarcane, early-juvenile, in, 1976, 60(4), 443.
- Ripeners, chemical, for sugarcane, evaluation of, 1972, 56(4), 370.
- Ripeners, chemical, in sugarcane
CP 70139 better than Polaris, 1977, 61(2), 160.
- Growth and quality responses to Polaris applied at different hours, 1976, 60(4), 460.
- Small-plot field experiment, evaluation in, 1977, 61(4), 421.
- Time-course for induction of growth, su-
- crose and enzymic changes, 1976, 60(4), 469.
- Ripening of Edward mangoes
Effect of fruit size on, 1979, 63(4), 460.
- Ripening of papaya
Controlled conditions, under, 1974, 58(2), 184.
- Ripening proficiency
Sugarcane, early adult, in, 1976, 60(4), 451.
- Root borer, banana
Preliminary screening of pesticides for control of, 1975, 59(1), 79.
- Root distribution
Plantains in five soil types, 1981, 65(1), 29.
- Root rot, *Pythium*
Pathogenicity and identification in sugarcane, 1980, 64(1), 54.
- Rooting depth, growth and yield of corn
Soil water availability, affected by, 1976, 60(3), 316.
- Rooting depth, growth and yield of sorghum
Soil water availability, affected by, 1976, 60(3), 329.
- Rooting media, different
Performance of *Asparagus sprengeri* and *Dracaena sanderiana*, in, 1973, 57(4), 314.
- Rootstalk borer, sugarcane
Control with entomogenous nematode *Neoplectana carpopcae*, 1985, 69(2), 153.
- Rootstock
Fruit characters of chironja, affected by, 1972, 56(3), 301.
- Growth and yield, effect of, 1976, 60(4), 485.
- Rotenone, methoxychlor and carbaryl
Flea populations in a cat, failure to reduce, 1984, 68(3), 311.
- Rum
Aging in a hot chamber, 1979, 63(1), 64.
- Direct trace analysis of high boiling components through a single column gas chromatographic method, 1978, 62(4), 330.
- Dried distillery stillage in broiler rations, 1980, 64(2), 194.
- Fodder yeast growth in distillery slops, 1980, 64(2), 148.
- pH, composition and dilution, effect on mold growth and BOD reduction in distillery slops, 1980, 64(2), 138.
- Rum distillery slops
Animal feed supplement, as, 1979, 63(3), 325.

- Animal feed supplement, as, 1979, 63(3), 330.
- Rum dried stillage
Laying rations in, 1978, 62(2), 149.
- Rum slops
Utilization by marine bacteria, 1979, 63(2), 180.
- Utilization by marine bacteria, 1979, 63(2), 189.
- Rum testers, panel of
Method for statistical selection, 1976, 60(1), 105.
- Rum trace, analysis of
Preparative-capillary gas chromatographic systems for, 1976, 60(4), 559.
- Ruminants
Feeding on bananas, possibilities of, 1976, 60(4), 516.
- Rums
Newly developed trap-splitter, employed by preparative capillary system of analysis, 1979, 63(3), 294.
- Rust, sugarcane
Occurrence in Puerto Rico, 1979, 63(4), 476.
- Varietal reaction and inheritance trends of susceptibility, 1982, 66(2), 99.
- S-triazine herbicides
Photosynthesis of *Lemna perpusilla*, effects on, 1976, 60(3), 369.
- S-triazine herbicides, 4
Evaluation for early weed control in grain sorghum, 1984, 68(4), 331.
- Salinity
Increased by depth at Caño Tiburones, 1980, 64(2), 247.
- Sand culture
Sugarcane raised in, 1972, 56(1), 75.
- Manganese deficiency in leaf chlorophyll and certain enzymes, effects of, 1972, 56(1), 75.
- Sargassum* spp
Seasonal variation and anatomical distribution of algalic acid, 1983, 67(4), 464.
- Scale, white peach
Attack on toon, 1974, 58(2), 276.
- Schistosoma mansoni*
Density of eggs, 1972, 56(3), 324.
- Infects *Marisa cornuarietis*, 1977, 61(2), 230.
- Sclerospora graminicola*
Failure to infect sugarcane and cause downy mildew, 1984, 68(3), 313.
- Season
Flowering, fruit set and development of tomato, effect on, 1980, 64(4), 460.
- Yield and quality of cabbage, effect on, 1978, 62(4), 367.
- Yields of dry beans at 2 sites, effect on, 1983, 67(4), 379.
- Season, effect on rice yields, 13 varieties, 1974, 58(1), 11.
- Season, planting
Sweet potato cultivar, yield affected by, 1976, 60(2), 163.
- Seasonal changes
Soil and air temperature in, 1972, 56(3), 307.
- Seaweed
Animal diets, use in, 1982, 66(4), 301.
- Seed, composition, soybean
Genetic variability in crosses between high- and low-protein parents, 1982, 66(2), 123.
- Seed, dry, weevils of
Control with cooking oil, 1981, 65(3), 295.
- Seed of winged bean
Cooking of, 1978, 62(4), 321.
- Seed, okra
Variability in quality, 1981, 65(3), 205.
- Seed, okra, ground
Protein nutritional value in rat feeding trials, 1985, 69(1), 35.
- Seed, okra, hammer-milled
Digestibility of, 1981, 65(4), 408.
- Seed, pigeon pea
Mycofloral succession and viability losses, 1984, 68(1), 19.
- Seed, soybean
Association with *Fusarium* species under tropical conditions, 1985, 69(1), 25.
- Purple stain incidence among cultivars and seasons, 1984, 68(1), 87.
- Seed sprouts, edible
Species suitable, 1977, 61(2), 262.
- Seed storage, pigeon pea, 1979, 63(4), 423.
- Seedbeds, coffee
Chemical control of nematodes, 1980, 64(4), 474.
- Seeding rates
Guinea grass yields, effect on, 1985, 69(3), 331.
- Seeds, papaya, in
Detecting endogenous growth regulators in sarcotesta, sclerotesta, endosperm and embryo by paper chromatography, 1980, 64(2), 164.
- Seeds, two papaya varieties, germination of
Aeration, potassium treatment, removal of sarcotesta, high temperature, soaking and age effect on, 1980, 64(2), 173.
- Selection, recurrent
Snapbean yield, for, 1975, 59(3), 222.
- Sencor

- Adsorption by soils, 1973, 57(4), 286.
 Serology, purification, electron microscopy
Dioscorea latent virus, of, 1974, 58(3), 351.
 Sexual dimorphism
Willowsia jacobsoni with conspicuous, 1981, 65(4), 361.
 Shade, artificial, levels
 Tanier yields, effect on, 1981, 65(4), 326.
 Shade, 5 intensities, *Dracaena sanderiana* under
 Production affected by size of propagating material and planting distance, 1977, 61(4), 479.
 Shade, partial, vs. full sunlight
 Coffee yields under, 1972, 56(4), 337.
 Shelf-life
 Instant yam flakes, of, 1981, 65(4), 412.
 Plantain sticks, of, 1972, 56(3), 321.
 Tamarind and soursop soft drinks, 1974, 58(1), 99.
 Shelf life of frozen green bananas
 Peeling method and sulfitation, affected by, 1978, 62(3), 241.
 Shoot dominance
 Nature of in white yam tubers, 1984, 68(4), 335.
 Signal grass
 Fibrous fraction and digestibility, 1974, 58(3), 293.
 Glabrous, at two cutting stages, 1973, 57(3), 173.
 Growing heifers, evaluation for, 1983, 67(2), 79.
 Harvest interval, effect of, on yield and composition of, 1974, 58(4), 448.
 Mineral composition, 1974, 58(4), 426.
 Productivity under grazing in humid hills, 1980, 64(2), 236.
 Relationships of physical and chemical constituents and digestibility, 1974, 58(4), 437.
 Roots in an Ultisol, distribution of, 1983, 67(3), 278.
 Two cutting stages, 1973, 57(3), 173.
 Weight gain of cows fed on, 1980, 64(1), 43.
 Signal, nutrient composition of, 1974, 58(3), 305.
Silba, a new species from Puerto Rico, 1973, 57(2), 165.
 Simazine, periodic applications
 Production of *Tilapia nilotica* fingerlings, effects on, 1984, 68(4), 467.
Sipha flava, resistance to
Digitaria, in, 1972, 56(1), 33.
 Size, fruit
 Ripening of Edward mangoes, effect on, 1979, 63(4), 460.
 Skeletonizer, leaf, bean
 Life cycle, 1977, 61(2), 253.
 Slenderstem digitgrass
 Influence of two fertilizer levels on forage and crude protein, 1984, 68(4), 471.
 Slices, boiled sweet potato
 Variability of, 1984, 68(3), 223.
 Slices, plantain
 Blanching, effect on quality and storage life, 1975, 59(2), 85.
 Slip size, slip storage and time of planting
 Red Spanish pineapple, effect on yield, 1975, 59(3), 141.
 Slops, distillery
 pH, composition and dilution in mold growth, effect of and BOD reduction of, 1980, 64(2), 138.
 Slops, molasses distillery
 Nitrogen and potassium fertilizer in flooded rice, sources of, 1984, 68(4), 395.
 Slops of high test molasses
 Alcoholic fermentation, characterization of, 1982, 66(3), 235.
 Slops, rum
 Utilization by marine bacteria, 1979, 63(2), 180.
 Utilization by marine bacteria, 1979, 63(2), 189.
 Slops, rum distillery
 Animal feed supplement, as, 1979, 63(3), 325.
 Animal feed supplement, as, 1979, 63(3), 330.
 Fodder yeast growth in, 1980, 64(2), 148.
 Potential for the culture of, 1980, 64(2), 181.
 Slops, rum distillery in White Leghorn hens
 Laying rate, feed conversion and egg size and quality, affected by, 1977, 61(4), 465.
 Snap bean harvester
 Preliminary evaluation in Puerto Rico, 1981, 65(2), 138.
 Snap bean, two varieties
 Time of planting, effect on marketable yield, 1975, 59(3), 219.
 Snap beans
 Chemical control of leafhopper on, 1975, 59(1), 82.
 Increasing plant density, response to, 1978, 62(4), 399.
 Planting system, effect on density and yield, 1981, 65(4), 313.
 Quality grading for the fresh market,

- 1979, 63(2), 223.
- Sodium meta-silicate, flower control, with Sugarcane, in, 1972, 56(3), 201.
- Soil acidity
- Cassava in Ultisols and Oxisols, response of, 1985, 69(2), 145.
- Soil acidity factors
- Sweet potato in Ultisols and Oxisols, response of, 1979, 63(2), 250.
- Soil acidity in Ultisols, Oxisols in Puerto Rico
- Soybean response, 1978, 62(1), 90.
- Soil, compaction of,
- Sugarcane fields, in, 1974, 58(3), 279.
 - Tanier yields, effect on, 1978, 62(1), 56.
- Soil fungi
- Interaction of *Pratylenchus zae* in sorghum, 1977, 61(4), 501.
- Soil microorganisms
- Herbicides, effect on respiration, 1972, 56(4), 417.
- Soil pH
- Plantain yield affected by, 1979, 63(1), 22.
- Soil pH and related acidity factors
- Yields of sweet potatoes and soybeans, affected by, 1977, 61(1), 82.
- Soil, saline sodic, partially reclaimed
- Sugarcane var PR 980, performance of, 1979, 63(3), 377.
- Soil temperature at varying depths
- Mulch types in drip irrigated winter and summer peppers, affected by, 1985, 69(1), 121.
- Soil temperature, seasonal changes in, 1972, 56(3), 307.
- Soil water
- Oxisols and Ultisols, in, 1976, 60(4), 508.
- Soil water availability
- Rooting depth, growth and yield of corn, affected by, 1976, 60(3), 316.
- Soil water availability
- Rooting depth, growth and yield of sorghum affected by, 1976, 60(3), 329.
- Soil water in Oxisols and Ultisols
- Moisture retention and availability, 1976, 60(3), 386.
- Water movement, 1976, 60(3), 375.
- Soils
- Herbicide adsorption of, 1973, 57(4), 286.
 - Updated taxonomic classification of U.S. Virgin Islands, 1980, 64(2), 131.
- Soils, acid and infertile
- Corn varieties, high protein, evaluation of, 1976, 60(1), 135.
 - Performance of hybrid corn in Ultisols and Oxisols at high fertilization levels, 1976, 60(1), 132.
- Soils, dark clay
- Morphological, mineralogical and physico-chemical characteristics, 1976, 60(4), 491.
- Soils, low fertility
- Pigeon pea high yields in, explanation of, 1981, 65(1), 21.
- Soils of Puerto Rico
- K values of, 1982, 66(4), 311.
- Soils, some chemical properties
- Plantain cropping system effects on, 1985, 69(2), 215.
- Soils, upland incipient soils
- Capacity to supply potassium, 1980, 64(1), 9.
- Soils, upper Orinoco River basin
- Micronutrient content, 1980, 64(3), 363.
- Soils with compact subsoils
- Technique to manage them, 1973, 57(3), 186.
- Solanum, glycosidic alkaloids
- Molluscicidal activity on *Lymnaea cubensis* snails, 1981, 65(1), 69.
- Solids, total, content
- Four onion cultivars, of, 1981, 65(4), 380.
- Solute movement
- Drip irrigated summer peppers, by, 1985, 69(1), 63.
 - Trickle irrigated tomatoes, patterns in, 1983, 67(4), 486.
- Sorghum
- Maturation time and daily grain yield in Puerto Rico, 1979, 63(2), 152.
- Sorghum
- Methiocarb as a bird repellent, 1977, 61(3), 332.
 - Nitrogen fertilization in an Oxisol, 1978, 62(4), 380.
 - Nutritive value and yield in south western Puerto Rico, 1979, 63(3), 400.
 - Occurrence of downy mildew, 1980, 64(4), 489.
 - Phytoparasitic nematodes in Puerto Rico, control of, 1978, 62(1), 119.
 - Pratylenchus zae* with four soil fungi, interaction of, 1977, 61(4), 501.
 - Rooting depth, growth and yield affected by soil water availability, 1976, 60(3), 329.
- Sorghum and Sudan grass, crosses with a Rhodesian Sudan grass
- Performance of F₁ hybrids, 1981, 65(2), 142.
- Sorghum bicolor* in tropics, subtropics at four climatic sites
- Growth and water consumption rates,

- 1978, 62(1), 10.
- Sorghum bicolor* (L.) Moench, seven grain lines
Days to midflower, height, rust, number heads/plot, weight, threshing, yield, 1978, 62(2), 156.
- Sorghum bicolor*, two hybrids
Forage yield and protein content, 1977, 61(3), 300.
- Sorghum, forage
Fertilization, response to, and harvest intervals, 1985, 69(3), 341.
- Sorghum, forage hybrids
Agronomic performance, hydrocyanic acid potential and heterosis, 1984, 68(2), 131.
- Sorghum, grain
Acidity factors in Ultisols and Oxisols, response to, 1983, 67(1), 28.
- S-triazine herbicides for early weed control, 1984, 68(4), 331.
- Ten lines, performance of, 1977, 61(4), 443.
- Sorghum halapense* in southwestern Puerto Rico, 1972, 56(4), 442.
- Sorghum, hybrids
Agronomic performance and hydrocyanic acid potential, 1983, 67(1), 39.
- Sorghum Sudan grass crosses, four, irrigated Harvest interval, effect on yield, 1981, 65(2), 108.
- Sorghum, sweet
Ten varieties for sugar production, preliminary evaluation of, 1975, 59(1), 5.
- Sorghum verticilliflorum*
Southwestern Puerto Rico, in, 1972, 56(4), 442.
- Sorghums
Selfed and crossed to cytoplasmic male-sterile lines, 1978, 62(2), 156.
- Soursop
Soft drink, preparation and shelf-life, 1974, 58(1), 99.
- Soybean
Colletotrichum dematium isolates, reactions to benomyl, 1982, 66(1), 35.
- Colonization of pod and seeds by *Phomopsis sojae*, detached pods to study, 1980, 64(3), 330.
- Inoculant types and rates evaluated under dry and irrigated field conditions, 1982, 66(4), 241.
- Liming in several soils, response to, 1977, 61(3), 361.
- Peats and peaty clays in Guyana, performance in, 1979, 63(4), 443.
- Soybean cultivars
- Pratylenchus scribneri*, susceptibility to, 1979, 63(2), 103.
- Purple seed stain incidence, 1984, 68(1), 87.
- Soybean forages
Nutritive value and yield in southwestern Puerto Rico, 1979, 63(3), 400.
- Soybean in Guyana
Varieties under three edaphic conditions, evaluation of, 1979, 63(4), 450.
- Soybean meal
Laying intensity, egg quality and feed utilization, effect on, 1976, 60(4), 626.
- Soybean-oil meal
Protein value of *Vigna sinensis* seed, comparison with, 1974, 58(2), 230.
- Soybean protein isolated
Potato flour, enrichment with, 1984, 68(2), 163.
- Soybean response to soil acidity in Puerto Rico
Ultisols, Oxisols, in, 1978, 62(1), 90.
- Soybean roots
Vertical distribution of *Pratylenchus aleni* and *P. scribneri* in, 1982, 66(1), 60.
- Soybean seed
Fusarium species under tropical conditions, association with, 1985, 69(1), 25.
- Soybean, seed composition
Genetic variability in crosses between high- and low-protein parents, 1982, 66(2), 123.
- Soybean seed storage
Viability and microflora, changes in, 1978, 62(3), 255.
- Soybean seedlings, growth and manganese content
Plant residue additives and soil moisture, effect on, 1977, 61(2), 221.
- Soybeans
Banded and broadcast phosphorus fertilizer in an Ultisol, response to, 1981, 65(2), 171.
- Depth of liming, effect on yield and foliar composition, 1978, 62(3), 224.
- Season and plant spacing, effect on yields, 1972, 56(4), 365.
- Yields, affected by soil pH, 1977, 61(1), 82.
- Soybeans, in an Ultisol
Broadcast and banded phosphorus fertilizer, response to, 1977, 61(2), 179.
- Soybeans, yield
Recurrent selection for, 1975, 59(3), 222.
- Spacing
Pole beans, response to, 1979, 63(4), 465.
- Yield and quality of Cabezona pineapple

- variety, effects on, 1983, 67(1), 1.
 Spacing and fertilization
 Growth and yield of papaya, affected by, 1977, 61(2), 152.
 Spacing in onions
 Yield and dry bulb weight, effect on, 1979, 63(4), 417.
 Sperm cells, tails of
 Coiling under stress, 1977, 61(3), 392.
Sphaeropsis knot
 Citron, occurrence in, 1984, 68(2), 179.
Sphaeropsis tumefaciens
 Citron, histopathology of, when infected with, 1985, 69(3), 397.
 Citrus species, suitability as, host of, 1985, 69(1), 57.
 Culture media, temperature and pH, effect on growth, 1985, 69(3), 391.
 Spider plant, performance in various growing media, 1975, 59(2), 125.
Spodoptera exigua
 New pest in Puerto Rico, 1985, 69(3), 439.
Spodoptera frugiperda, of
 Nuclear-polyhedrosis virus isolated in Puerto Rico, 1979, 63(2), 162.
 Spot disease (tar) in corn
 Incidence of, 1973, 57(3), 211.
 Sprayer, small plot, in sugarcane
 Ground applicator with boom, 1978, 62(2), 199.
 Sprays, fungicide
 Pigeon pea seed quality, effect on, 1979, 63(4), 428.
 Springtails
 New genus of *Neorchesella* from Mexico, 1981, 65(1), 8.
 Sprouting, yams
 Stimulated by Ethephon, 1976, 60(4), 592.
 Sprouts, seed, edible
 Species suitable, 1977, 61(2), 262.
 St. Croix, U.S. Virgin Islands
 Tomato varieties for wet season, 1984, 68(3), 253.
 Staking
 Size classification of mature green tomatoes under drip irrigation, effect on, 1983, 67(3), 293.
 Star and guinea grass pastures
 Comparative productivity in terms of milk production, 1979, 63(4), 436.
 Star, congo, and pangola grasses in humid mountains
 Compared when heavily fertilized, 1976, 60(2), 179.
 Star grass
 Beef production, affected by, 1972, 56(2), 104.
 Carrying capacity, affected by, 1972, 56(2), 104.
 Chemical composition and in vitro digestibility, 1975, 59(3), 186.
 Fertilizer and solid cattle manure, response to, 1985, 69(3), 323.
 Forage yield under intensive grazing, 1980, 64(3), 259.
 Harvest interval, effect on yield and composition of, 1974, 58(4), 448.
 Nitrogen fertilization and cutting frequency, effect on yield and chemical composition, 1983, 67(2), 61.
 Pangola, compared with, 1972, 56(2), 104.
 Star grass
 Roots, distribution of, in Ultisols, 1983, 67(3), 278.
 Sulfur-coated urea and potassium chloride, effect on, 1976, 60(3), 310.
 Three grazing intervals, effect on carrying capacity and weight gains produced by, 1981, 65(1), 14.
 Two fertilizer levels, influence on forage and crude protein, 1984, 68(4), 471.
 Yield and composition in Puerto Rico, 1972, 56(3), 267.
 Star grass and pangola grass
 Feeding dairy calves with, 1979, 63(1), 87.
 Voluntary intake, chemical composition, 1978, 62(4), 389.
 Star grass at two cutting stages, 1973, 57(3), 173.
 Star grass hay
 Voluntary intake and apparent digestibility in Holstein bull calves, 1977, 61(4), 429.
 Star grass, heavily fertilized
 Two heights and three intervals of grazing, effects on, 1975, 59(3), 215.
 Star grass on steep Ultisol, productivity of
 Three fertilizer levels, affected by, 1976, 60(2), 172.
 Starch, cassava
 Rheological characteristics of, 1976, 60(1), 93.
 Starch from Florido yam
 Properties of, 1974, 58(3), 312.
 Starch from Habanero yam
 pH, effect on pasting properties, 1981, 65(2), 154.
 Properties of, 1982, 66(1), 27.
 Starch, green banana
 Properties affected by, 1984, 68(4), 323.
 Statistical selection, method for
 Rum testers, panel of, 1976, 60(1), 105.
 Stem tissue, sugarcane, of

- Absence of proteinaceous invertase-regulatory systems in, 1972, 56(1), 85.
- Stillage, distillery
Fodder yeast grown on as protein supplement for layer hens, 1985, 69(3), 435.
- Stillage, rum distillery, dried
Broiler rations, in, 1980, 64(2), 194.
- Stiroflos, in collars
Fleas on Persian Cats, efficacy against, 1985, 69(3), 421.
- Stocking rates, two, dairy cows
Supplementation in intensively managed tropical grass pastures, 1979, 63(3), 281.
- Stockplants, *Pelargonium*
Performance in different potting mixtures, 1976, 60(2), 224.
- Storage at 45° F
Keeping quality of chironja, effects of, 1976, 60(3), 348.
- Storage, cold
Quality of frozen sliced green plantains, effects on, 1975, 59(4), 239.
- Storage, conditions of
Pineapple, Red Spanish variety, 1974, 58(2), 162.
- Storage, frozen coconut pulp
Quality of milk extracted from, 1976, 60(1), 99.
- Storage of fresh yams (*D. alata*), 1972, 56(1), 46.
- Storage of green plantains, 1973, 57(2), 100.
- Storage of soybean seeds
Viability and microflora, changes during, 1978, 62(3), 255.
- Storage tissue, sugarcane, of
Diffusion of sugar from, 1972, 56(3), 253.
- Storing yam
Improved method for, 1974, 58(4), 456.
- Streptomyces*, liquid solubles
Digestibility of commercial feed based on, 1982, 66(1), 44.
- Streptomyces* solubles
Liquid supplements for lactating cows based on, 1982, 66(1), 11.
- Streptomyces* solubles, liquid
Feed supplement for grazing cows, 1982, 66(4), 261.
- Stylosanthes guianensis*
Forage crop in humid mountain region, potential as, 1981, 65(3), 232.
- Stylosanthes*, 6 cultivars, and *Digitaria milanjiana*
Comparison in the humid mountain region, 1984, 68(4), 355.
- Sucrose
Time course for induction of chemical ripeners, 1976, 60(4), 469.
- Sucrose content
Hour of ripener application in sugarcane, influenced by, 1977, 61(3), 383.
- Sucrose content of sugarcane
Time of harvest, effect of, 1977, 61(1), 77.
- Sucrose content of sugarcane leaves
Chlorophyll and enzyme gradients, relationship to, 1974, 58(4), 406.
- Sucrose-enzyme relationships, sugarcane desiccated with paraquat, of
Water regime, effect on, 1972, 56(2), 134.
- Sudan grass
Liming in several soils, response to, 1977, 61(3), 361.
- Sudan grass and sorghum, crosses with a Rhodesian Sudan grass
F₁ hybrids, performance of, 1981, 65(2), 142.
- Sudan grass sorghum crosses, four irrigated Harvest interval, effect on yield, 1981, 65(2), 108.
- Sudan grass x sorghum hybrids and their parents
Agronomic comparison, heterosis and hydrocyanic acid potential, 1984, 68(2), 143.
- Sudan grass x Sudan grass hybrids and their parents
Agronomic comparison, heterosis and hydrocyanic acid potential, 1984, 68(2), 143.
- Sugar
Evaluation of sweet sorghum varieties for production of, 1975, 59(1), 5.
- Sugarcane storage tissue, diffusion from, 1972, 56(3), 253.
- Sugar, diffusion of row storage tissue
Chemical ripener effect on, 1973, 57(4), 343.
- Sugar, losses of
Post harvest washing of sugarcane, during, 1972, 56(2), 181.
- Sugar, per acre, production of
Fertilizer-yield equation, applicability to, 1972, 56(3), 193.
- Sugar yield of sugarcane
Time of harvest, effect of, 1977, 61(1), 77.
- Sugarcane
Adjustable rake-type piler, development of, 1976, 60(1), 78.
- Age, effect on yields, 1973, 57(1), 1.
- Anthills of fields of northwestern Uruguay, 1983, 67(3), 335.
- Boron, roles in growth and sugar transport, in, 1973, 57(1), 9.
- Chemical field ripening in Puerto Rico,

- 1977, 61(2), 242.
- Chemical ripener action, efficiency of, 1976, 60(4), 460.
- Chemical ripeners, evaluation in small-plot field experiment, 1977, 61(4), 421.
- Downy mildew caused by *Sclerospora graminicola*, not infected with, 1984, 68(3), 313.
- Mocis latipes*, attacked by, 1973, 57(4), 348.
- Mosaic virus particles and resistance of varieties, 1979, 63(3), 315.
- Off-season flowering, 1973, 57(3), 271.
- Paraquat as a preharvest desiccant, 1976, 60(3), 262.
- Phytoparasitic nematodes, control, in, 1980, 64(3), 348.
- Pythium* root rot, pathogenicity and identification of, 1980, 64(1), 54.
- Puccinia melanocephala*, culture on detached leaves and uprights, 1982, 66(3), 168.
- Ratoon stunting disease, further studies on, 1979, 63(2), 146.
- Sexual compatibility, morphology, physiology, pathogenicity and in vitro sensitivity to fungicides of *Thielaviopsis paradoxa* infecting it, 1973, 57(2), 117.
- Sucrose content influenced by hour of ripener application, 1977, 61(3), 383.
- Sugar losses during post harvest washing, of, 1972, 56(2), 181.
- Sugarcane, bagasse of
Digestibility of, 1972, 56(1), 18.
- Sugarcane, borer, adults of
Pheromone and blacklight traps, efficacy, to, 1973, 57(4), 320.
- Sugarcane, borer, male adults of
Recaptured at different distances from pheromone-baited traps, 1973, 57(4), 330.
- Sugarcane, chemical ripener action in
Responses to Polaris affected by leaf area treated, 1978, 62(3), 265.
- Sugarcane, chemical ripeners
CP 70139 better than Polaris, 1977, 61(2), 160.
- Growth and qualitative effects as a function and frequency of applications, 1977, 61(1), 11.
- Sugarcane, chemical ripeners for
Evaluation of, 1972, 56(4), 370.
- Sugarcane, chemical ripeners in
Variable solar radiation regimes, response under, 1977, 61(1), 19.
- Sugarcane, desiccated with Paraquat
Water regime, effect on the sucrose-en-
zyme relationships of, 1972, 56(2), 134.
- Sugarcane, early adult, ripening proficiencies
- Polaris, CP 60139, RH 1622, Ripenthal PR 757, 1976, 60(4), 451.
- Sugarcane, early-juvenile
Candidate chemical ripeners, evaluation of, 1976, 60(4), 443.
- Chemical ripener action, efficiency of, 1976, 60(4), 469.
- Sugarcane, early-juvenile and early-adult plants
Diurnal behavior of acid invertase when treated with Polaris, 1977, 61(1), 41.
- Sugarcane, fields of
Soil compaction caused by harvest traffic, 1974, 58(3), 279.
- Sugarcane, flower control
Gibberellic acid, with, 1972, 56(3), 201.
- Paraquat, with, 1972, 56(3), 201.
- Sodium meta-silicate, with, 1972, 56(3), 201.
- Sugarcane, flowering of
Individual leaf-trimming, affected by, 1972, 56(4), 403.
- Leaves, role in, 1974, 58(3), 393.
- Sugarcane, flowering process of
Leaf shading, effects of, 1975, 59(3), 208.
- Sugarcane, infection by *Thielaviopsis paradoxa*
Cachaza and sodium chloride, effect on, 1974, 58(2), 237.
- Sugarcane leaves
Growth-regulatory chemicals on the action spectra for ^{14}C assimilation and transport in, effects of, 1975, 59(1), 15.
- Sugarcane leaves, sucrose content of
Chlorophyll and enzyme gradients, relationships of, 1974, 58(4), 406.
- Sugarcane molasses
Egg production, effect on, 1976, 60(4), 631.
- Sugarcane molasses, condensed
Liquid supplements for lactating cows based on, 1982, 66(1), 11.
- Sugarcane, mosaic virus
Strains of, 1972, 56(3), 292.
- Sugarcane, nematodes associated with
Dominican Republic, in, 1975, 59(2), 138.
- Sugarcane, new varieties
Performance in coastal and inner plains of eastern Puerto Rico, 1979, 63(2), 202.
- Performance in northern humid coastal plains, 1976, 60(1), 61.
- Performance in southern irrigated coastal plains of Puerto Rico, 1980, 64(4), 379.

- Performance in western, humid, coastal plains, 1977, 61(1), 57.
- Sugarcane, plant growth and leaf nutrient content, in
Water excess or deficiency, influence of, 1972, 56(1), 81.
- Sugarcane, production in Puerto Rico
Tractor power, trends in use of, 1975, 59(4), 274.
- Sugarcane, raised in sand culture
Manganese deficiency, effects on leaf chlorophyll, 1972, 56(1), 75.
- Sugarcane, ratoon stunting disease of
Bacteria associated with, 1974, 58(4), 418.
- Sugarcane, research on
Sprayer for small plot application, 1978, 62(2), 199.
- Sugarcane, roots of
Pathogenicity of *Meloidogyne incognita* and *Pratylenchus zeae* and their association with *Pythium graminicola* on, 1980, 64(3), 338.
- Sugarcane rootstalk borer
Entomogenous nematodes *Neoplectana carpocapsae*, control with, 1985, 69(2), 153.
- Sugarcane rootstalk borer (*Diaprepes abbreviatus*)
.Entomogenous nematodes, attacked by, 1983, 67(3), 311.
- Sugarcane rust
Occurrence in Puerto Rico, 1979, 63(4), 476.
- Varietal reaction and inheritance trends of susceptibility, 1982, 66(2), 99.
- Sugarcane, stem tissue
Proteinaceous invertase-regulatory system, absence of, 1972, 56(1), 85.
- Sugarcane, storage tissue
Chemical ripener effects on sugar diffusion, from, 1973, 57(4), 343.
- Sugar diffusion from, 1972, 56(3), 253.
- Sugarcane, *Thielaviopsis paradoxa* from
Temperature and moisture, effect on pathogenicity of, 1972, 56(2), 162.
- Sugarcane, time of harvest
Sucrose content and sugar yield, effect on, 1977, 61(1), 77.
- Sugarcane under night flooding or continuous flooding
Amylase behavior in, 1972, 56(2), 115.
- ATP-ase behavior in, 1972, 56(2), 115.
- Invertase behavior in, 1972, 56(2), 115.
- Sugarcane, use of tractor power in
Trends in Puerto Rico, 1975, 59(4), 274.
- Sugarcane, var. PR 980
Reclaimed saline sodic soil, performance in, 1979, 63(3), 377.
- Sugarcane varieties
Lajas valley, performance in, 1977 61(2), 126.
- Sugarcane varieties, new
Cabo Rojo-Hormigueros, performance in, 1978, 62(1), 48.
- Lajas valley, performance in, 1978, 62(1), 39.
- Sugarcane varieties, yield of
Water table depth, effect on, 1976, 60(2), 228.
- Sugarcane, yield of
Planting distance, effect of, 1975, 59(2), 133.
- Sulfitation
Frozen green bananas, effect on shelf life of, 1978, 62(3), 241.
- Sulfitation to control browning
Green plantains, in, 1975, 59(2), 92.
- Sulfur
Growth and yield of sweet potatoes, effect on, 1983, 67(2), 108.
- Yields of peppers in an alkaline soil, effect on, 1984, 68(1), 1.
- Sulfur-coated urea
Star grass, effect on, 1976, 60(3), 310.
- Sulfur dioxide
Absorption and removal during canning of yams, 1980, 64(1), 37.
- Habanero yam, absorption by, 1981, 65(3), 258.
- Sunflower oil seed, cultivars
Oxisol an, performance in, 1977, 61(2), 200.
- Supplement, with and without
Efficiency utilization of tropical grass pastures by lactating cows, 1982, 66(3), 200.
- Supplementary feeding, value of
Lactating cows grazing fertilized grass pastures, 1977, 61(2), 204.
- Supplementation, concentrate
Grazing Holstein heifers from breeding age to parturition, effect on, 1983, 67(4), 476.
- Supplementation of dairy cows
Performance and health, affected by, 1979, 63(3), 281.
- Supplementation, three schedules
Grazing alone in Holstein heifers, compared to, 1985, 69(1), 69.
- Sweet pepper
Fertilization under drip irrigation in an Oxisol, 1981, 65(2), 123.
- Sweet pepper cultivars
Yield in northwestern Puerto Rico, 1977

- 61(1), 90.
Sweet potato
Boiled slices and fried chips, variability in, 1984, 68(3), 223.
Color, sweetness and mouthfeel, preference for in Puerto Rico, 1985, 69(1), 99.
Gamma irradiation effect on stem cuttings, 1973, 57(4), 351.
Household purchase decision-making, analysis of, 1980, 64(4), 418.
Soil acidity factors in Ultisols and Oxisols, response to, 1979, 63(2), 250.
Sugars and starches in non-sweet cultivars, 1985, 69(3), 401.
Sweet potato, cultivars
Yield affected by planting season, 1976, 60(2), 163.
Sweet potato, flour from
Techniques and problems in small scale production, 1984, 68(4), 423.
Sweet potato leaves, rooted
Stress resistances, differences in, 1984, 68(3), 235.
Sweet potato, white-fleshed cultivars
Performance at two locations, 1976, 60(1), 1.
Sweet potato, yellow-fleshed cultivars
Performance at two locations, 1976, 60(2), 154.
Sweet potato yields in an Oxisol
Four levels of N, P, K and micronutrients, 1976, 60(4), 597.
Sweet potato, yields in an Ultisol
Five levels and three sources of N, effects of, 1976, 60(1), 9.
Sweet potatoes
Chemical weed control, 1977, 61(2), 187.
Herbicide evaluation for, 1982, 66(4), 254.
Soil pH, effect on yields, 1977, 61(1), 82.
Sulfur, phosphorus and nitrogen application, effect on growth and yield, 1983, 67(2), 108.
Zinc applications in an Oxisol, response to, 1980, 64(4), 482.
Sweet potatoes, household demand for
Estimation on the income elasticity, of, 1972, 56(4), 432.
Sweet potatoes; two cultivars
Depth of water table, effect on yield, 1981, 65(2), 114.
Sweet potatoes, white-fleshed
Carotenoid pigments of, 1983, 67(4), 494.
Swine
Garbage as feed, 1977, 61(4), 513.
Syngrapha egena, bean leaf skeletonizer
Life cycle, 1977, 61(2), 253.
Syrphidae of Puerto Rico, 1973, 57(3), 217.
Syrup, ripe plantains in
Canning of, 1976, 60(2), 248.
Tamarind
Preparation and shelf-life of soft drinks, 1974, 58(1), 99.
Tanier
Artificial shade levels and intercropping with plantains, effect on yield, 1981, 65(4), 326.
Cytokinin activity in storage organs, 1984, 68(3), 281.
Diaminozide, chlormequat chloride and ethephon, effect on yield and yield components, 1982, 66(2), 109.
Hybridization work, preliminary, in Puerto Rico, 1979, 63(4), 469.
Plant density, effect on marketable yield, 1974, 58(1), 37.
Planting material, effect on plant traits, yield and yield components, 1981, 65(3), 213.
Tanier corms
Pig feed, 1978, 62(3), 283.
Tanier cultivars
Yield with and without irrigation, 1977, 61(1), 100.
Tanier cultivars, three
Processing characteristics, 1977, 61(3), 337.
Tanier flour
Amylography of, 1983, 67(3), 303.
Tanier, flour, mixed with plantain and cassava
Tanier, four cultivars
Time of planting and age at harvest, effect on yield and quality, 1976, 60(3), 253.
Typical dishes prepared with, evaluation of, 1984, 68(1), 67.
Tanier instant flakes and wheat flour
Food ingredients, affected by, 1977, 61(2), 234.
Tanier, wild
Management of, studies on, 1981, 65(1), 58.
Tanier yields
Soil compaction, effect on, 1978, 62(1), 56.
Taniers
Browning when lye-peeled, control of, 1977, 61(4), 489.
Chemical weed control in, 1980, 64(4), 442.
Depth of water table, effect on yields, 1980, 64(2), 241.
Flowering, inducement of, 1982, 66(2), 115.
Frozen diced, 1979, 63(2), 268.

- Oxalic acid, content and accumulation of, 1985, 69(2), 169.
- Soil acidity factors in Ultisols and Oxisols, response to, 1983, 67(4), 446.
- Taniers, lye peeling of, 1977, 61(3), 345.
- Taniers, mashed
- Preparation and freezing, 1977, 61(4), 507.
- Taniers, Morada variety
- Nutrient uptake related to growth stage, and effect of age on yields, 1982, 66(1), 1.
- Tanner grass
- Growing heifers, evaluation for, 1983, 67(2), 79.
 - Harvest interval, effect on yield and composition of, 1974, 58(4), 448.
 - Productivity under grazing in humid hills, 1980, 64(2), 236.
 - Two cutting heights and three harvest intervals, 1974, 58(1), 26.
 - Weight gain of cows fed on, 1980, 64(1), 43.
- Tanner grass at two cutting stages, 1973, 57(3), 173.
- Tar spot disease in corn
- Incidence of, 1973, 57(3), 211.
- Temperature and rainfall
- Aphid resistance, related to, 1972, 56(1), 33.
- Temperature, soil and air
- Seasonal changes in, 1972, 56(3), 307.
- Tenorio (*Felis tropicus radofskii*)
- Insecticides in collars and powders evaluation of, 1982, 66(2), 139.
- Tensiometers, construction and use, 1976, 60(4), 679.
- Tephrosia vogelii*
- Losses to seed caused by lima-bean pod borer, 1972, 56(1), 93.
- Terraces, bench
- Cropping systems and yields with alternatives on Jamaican, hillsides, 1985, 69(3), 265.
 - Soil losses on Jamaican hillsides, alternatives to, 1985, 69(3), 255.
- Test, fat, rapid
- Fried plantain products, for, 1974, 58(2), 273.
- Texture, citron bars in plastic film
- pH, effects of, 1977, 61(3), 290.
- Thalassia*
- Marine and terrestrial food source, importance and potential as, 1980, 64(1), 107.
- Thielaviopsis paradoxa*
- Infection of sugarcane, by Cachaza and sodium chloride, effect on, 1974, 58(2), 237.
- Sexual compatibility, morphology, physiology, pathogenicity and in vitro sensitivity to fungicides of, 1973, 57(2), 117.
- Temperature and moisture, effect on development, 1972, 56(2), 162.
- Thrips, eggs of
- Predatory mite of, new record of, 1982, 66(4), 310.
- Tiburones, Caño
- Possible subterranean entrance of ocean water into, 1977, 61(4), 484.
- Salinity increases with depth, 1980, 64(2), 247.
- Tick, cattle
- Crotoxyphos sprays to control, efficacy of, 1983, 67(3), 256.
- Tick, cattle, southern
- Characteristics of, 1983, 67(1), 57.
- Tick, horse, tropical
- New host, 1983, 67(1), 57.
- Tick in Puerto Rico, 1977, 61(3), 402.
- Tick *Ornithodoros puertoricensis*
- Domestic cat as a new host record, 1977, 61(4), 509.
- Tilapia
- Rum distillery slops for the culture of, potential utilization of, 1980, 64(2), 181.
- Tilapia and predatory fish
- Culture of channel catfish in ponds stocked with, 1985, 69(1), 119.
- Tilapia nilotica*
- Predation by Tucunaré, effects of, 1984, 68(1), 101.
- Tilapia nilotica* fingerlings
- Periodic applications of Simazine, effects on the production of, 1984, 68(4), 467.
- Tillage
- Horn-type plantains, relation with yields, 1981, 65(2), 118.
- Tillage, various methods vs. no tillage
- Yields of maize, field beans and pepper, effects on, 1984, 68(4), 349.
- Time of planting, effect on marketable yield
- Snap bean varieties, of, 1975, 59(3), 219.
- Time of planting, taniers
- Yield and quality, effect on, 1976, 60(3), 253.
- Tissue culture
- Propagation of yam, 1983, 67(4), 419.
- Tobacco hornworm
- Life cycle, notes on, 1975, 59(1), 51.
- Tomato
- Effect of season and growth regulator on flowering, fruit and development, 1980,

- 64(4), 460.
- Meloidogyne incognita* nematodes, control with *Paecilomyces lilacinus* fungus, 1985, 69(2), 159.
- Nematodes and insects in, chemical control of, 1984, 68(1), 79.
- Wet season varieties for St. Croix, U. S. Virgin Islands, 1984, 68(3), 253.
- Tomato, 4 commercial varieties
Performance of, 1983, 67(4), 390.
- Tomato, yield of
Effect of date of planting and planting system, 1979, 63(1), 57.
- Tomato, yield, in an Oxisol
Fertilizer N, P, K, Ca, Mg and Si, effects of, 1975, 59(1), 26.
- Tomatoes
Response to soil acidity factors in Ultisols and Oxisols, 1985, 69(3), 357.
- Tomatoes, mature green, under drip irrigation
Water rates, plastic mulch and staking, effect on size classification, 1983, 67(3), 293.
- Tomatoes, trickle irrigated
Solute movement, patterns of, 1983, 67(4), 486.
- Toon
White peach scale, attack on, 1974, 58(2), 276.
- Topsoiling, vertical
Technique to manage compact subsoils, 1973, 57(3), 186.
- Tortola
Collembola, first records of, 1977, 61(3), 405.
- Transplanting media
Eggplants, effect on, 1975, 59(1), 75.
- Transvala digitgrass
Harvest interval, effect on yield and composition of, 1974, 58(4), 448.
- Nitrogen fertilization and cutting frequency, effect on yield and chemical composition, 1983, 67(2), 61.
- Transvala grass
Productivity under grazing in humid hills, 1980, 64(2), 236.
- Trap-splitter, newly developed
Employed by preparative-capillary system for rum analysis, 1979, 63(3), 294.
- Trap-splitter unit
Preparative gas chromatographic column, couples to analytical capillary column, 1977, 61(1), 108.
- Triazine compounds, effects of
Pangola grass, establishment and yield, 1976, 60(2), 201.
- Tropical grasses
Chemical composition and digestibility, 1976, 60(2), 186.
- Tropical grass, heavily fertilized
Composition and in vitro digestibility, 1975, 59(3), 186.
- Tucunare
Predation on *Tilapia nilotica*, effects of, 1984, 68(1), 101.
- Tuna fish meal
Laying intensity, egg quality and feed utilization, effect on, 1976, 60(4), 626.
- Tuna fish oil
Palatability and odor of eggs, effects on, 1976, 60(4), 675.
- Turtle grass
Marine and terrestrial food source, importance and potential, 1980, 64(1), 107.
- 2, 4-D
Adsorption by soils, 1973, 57(4), 286.
- 2, 4-D, mixed with Picloram and Dicamba
Control of resistant broad leaf weed species, 1977, 61(3), 326.
- Typical dishes, prepared with mixtures of plantain, cassava and tanier flours
Elaboration and evaluation, 1984, 68(1), 67.
- Ultisols of Puerto Rico
K supplying power of, 1976, 60(1), 45.
- Umbonia crassicornis*
Accidental introduction and control in P.R., 1973, 57(4), 307.
- Umbonia crassicornis*, cytology of, 1976, 60(2), 238.
- Urea-substituted herbicides
Photosynthesis of *Lemna perpusilla*, effects on, 1976, 60(3), 369.
- Urea, sulfur-coated
Star grass, effect on, 1976, 60(3), 310.
- Uruguay, Bella Unión area
Major soils of, 1984, 68(2), 199.
- Uruguay, northwestern
Anthills in sugarcane fields, 1983, 67(3), 335.
- Vega Alta, soil
Leaching of Fluometuron and Diuron on, 1974, 58(4), 473.
- Venezuela, state of Mérida
Dicranocentrus and *Heromurus*, four new species from, 1983, 67(2), 148.
- Venezuelan elephant grass
Fibrous fraction and digestibility, 1974, 58(3), 293.
- Mineral composition, 1974, 58(4), 426.
- Nutrient composition of, 1974, 58(3), 305.
- Relationships of physical and chemical constituents and digestibility, 1974,

- 58(4), 437.
- Ventilation
Weight and quality changes of yam tubers, influence on, 1984, 68(4), 341.
- Viability and microflora of soybean seed
Changes during storage under various conditions, 1978, 62(3), 214.
- Vigna hosei*, mosaic of, 1973, 57(1), 56.
- Vigna sinensis*, seed of
Protein value, comparison with soybean-oil meal, 1974, 58(2), 230.
- Vigna unguiculata*
Performance of cultivars in an Oxisol, 1981, 65(1), 62.
- Virgin Islands, U.S.
Soils, updated taxonomic classification of, 1980, 64(2), 131.
- Virgin Islands, U.S. (St. Croix)
Wet season tomato varieties for, 1984, 68(3), 253.
- Virus-free citrus clones
Preliminary evaluation, 1985, 69(3), 429.
- Virus, infections
Peppers, status in, 1974, 58(1), 137.
- Virus, latent, of *Dioscorea* spp.
Purification, electron microscopy and serology, 1974, 58(3), 351.
- Virus, mosaic, cucumber
Seed-transmitted strain isolated from bean, 1977, 61(2), 137.
- Virus, mosaic, in sugarcane
Particles and resistance of varieties, 1979, 63(3), 315.
- Virus, mosaic, of sugarcane
Strains in Puerto Rico, 1972, 56(3), 292.
- Virus, nuclear-polyhedrosis
Isolated in Puerto Rico from *Spodoptera frugiperda*, 1979, 63(2), 162.
- Virus of papaya
New disease in Puerto Rico, 1972, 56(4), 397.
- Vitamin C
Enrichment of banana nectar with, 1976, 60(2), 250.
- Vitamin C in citron
Stability in syrup and bars, 1976, 60(4), 479.
- Viviparae, alata,
Picturaphis, of, 1974, 58(3), 381.
- Water
Management systems for rice under humid tropical conditions, 1983, 67(4), 386.
- Water availability in soil
Rooting depth, growth and yield of corn, affected by, 1976, 60(3), 316.
Rooting depth, growth and yield of sorghum, affected by, 1976, 60(3), 329.
- Water, balance agricultural
Climate, as function of, 1976, 60(2), 139.
- Water consumption and growth rates of grain sorghum in tropics, subtropics
Four climatic sites, 1978, 62(1), 10.
- Water, excess or deficiency of
Leaf nutrient content, influence on, 1972, 56(1), 81.
- Water in soil
Oxisols and Ultisols, 1976, 60(4), 508.
- Water movement
Oxisols and Ultisols, 1976, 60(3), 375.
- Water, ocean
Possible subterranean entrance into Caño Tiburones, 1977, 61(4), 484.
- Water rates
Size classification of mature green tomatoes under drip irrigation, effect on, 1983, 67(3), 293.
- Water regime, effect of
Sucrose-enzyme relationships of sugar-cane desiccated with Paraquat, on, 1972, 56(2), 134.
- Water table
Depth, effect on tanier yields, 1980, 64(2), 241.
- Water table, depth of
Yield of two sweet potato cultivars, effect on, 1981, 65(2), 114.
- Yield, root system of plantains, effect on, 1980, 64(1), 33.
- Yields of sugarcane, effect on, 1976, 60(2), 228.
- Water, tap
Nematodes, in, 1972, 56(2), 187.
- Weed
Chemical control in taniers, 1980, 64(4), 442.
- Glyphosate for control in plantains, 1981, 65(4), 317.
- Weed control
Four S-triazine herbicides in grain sorghum, evaluation of, 1984, 68(4), 331.
- Preplant incorporated chemicals in alfalfa, evaluation of, 1980, 64(1), 129.
- Weed control, chemical
Sweet potatoes, 1977, 61(2), 187.
- Weed control in pigeon peas
Yield, effect on, 1974, 58(4), 466.
- Weed control in coffee fields
Three post-emergence herbicides, effects of, 1983, 67(3), 262.
- Weeds
Glyphosate, control in pastures with, 1984, 68(3), 289.

- Weeds, broadleaf
 Control with a 2, 4-D, Picloram and Di-camba mixture, 1977, 61(3), 326.
- Weeds, control of
 Coffee seeded in plastic bags, in, 1973, 57(4), 294.
- Weeds in plantains
 Chemical control, 1977, 61(2), 259.
- Weevil, pepper
 Occurrence in Puerto Rico, 1985, 69(2), 223.
- Weevils
 Control in dry seed with cooking oil, 1981, 65(3), 295.
- Weight gains and carrying capacity
 Three star grass grazing intervals, effect on, 1981, 65(1), 14.
- White leghorn hens
 Growth rate and feed utilization, 1976, 60(4), 622.
- Whitefly
 Golden-yellow mosaic virus, transmitted by, 1972, 56(1), 64.
 Mosaic virus to *Phaseolus lunatus*, transmitted by, 1972, 56(1), 64.
- Willowsia jacobsoni*
 Redescription of, 1981, 65(4), 361.
- Witches' broom disease
 Pigeon pea in Puerto Rico, affected by, 1980, 64(4), 424.
- Xanthomonas campestris*
 Pure and mixed suspensions of virulent and heterologous isolates, effect on the infectivity of inoculum on two species of *Phaseolus*, 1985, 69(2), 191.
- Xanthosoma*
 Lye peeling of, 1977, 61(3), 345.
 Oxalic acid, content accumulation in edible species, 1985, 69(2), 169.
- Xanthosoma caracu*
 Diaminozide, chlormequat chloride and ethephon, effect on yield and yield components, 1982, 66(2), 109.
 Planting material, effect on plant traits, yield and yield components, 1981, 65(3), 213.
- Xanthosoma sagittifolium*
 Instant flakes, preparation, 1977, 61(1), 26.
- Xanthosoma spp*
 Flowering, inducement of, 1982, 66(2), 115.
- Xanthosoma spp*
 Management studies on, 1981, 65(1), 58.
 Preliminary hybridization work in Puerto Rico, 1979, 63(4), 469.
 Soil acidity factors in Ultisols and Oxi-
- sols, response to, 1983, 67(4), 446.
- Xanthosoma* spp, cultivar Blanca del País
 Yields, affected by soil compaction, 1978, 62(1), 56.
- Xylocopa brasiliianorum* L.
 Host plants, 1976, 60(4), 639.
- Yam
 Nematicides for, evaluation of, 1984, 68(2), 157.
 Oxamyl to control nematodes in, 1984, 68(4), 383.
 Seed-piece protection by treatment with fungicide, 1984, 68(2), 185.
 Selected varieties for the hot humid tropics, 1979, 63(2), 236.
 Sprout inhibition by gamma irradiation, 1974, 58(3), 330.
 Storing, improved method for, 1974, 58(4), 456.
 Tissue culture propagation, 1983, 67(4), 419.
 Wound type, species and humidity, effect on curing, 1974, 58(2), 211.
 Yield increased by control of leaf spot and liming, 1983, 67(3), 286.
- Yam, Asian greater
 Selected varieties of, 1975, 59(3), 165.
- Yam, chips
 Shelf life of, 1973, 57(3), 196.
- Yam flute slurries
 Flake size on pasting characteristics, effect of, 1974, 58(2), 219.
- Yam flakes, preparation of, 1972, 56(1), 39.
- Yam, Florido
 Starch properties from, 1974, 58(3), 312.
- Yam, Florido, instant flakes from
 Precooking, effect on quality of, 1974, 58(3), 317.
- Yam, fresh, lye peeling of, 1972, 56(1), 57.
- Yam, greater Asian
 New superior varieties, 1978, 62(1), 64.
- Yam, Guinea Negro
 High yielding and out-of-season cultivar, 1984, 68(2), 193.
- Yam, Habanero
 Absorption of sulfur dioxide, 1981, 65(3), 258.
 Starch properties of, 1982, 66(1), 27.
- Storage of, 1981, 65(1), 50.
- Yam (Habanero), starch
 pH, effect on pasting properties, 1981, 65(2), 154.
- Yam, household demand for
 Income elasticity, estimation of, 1972, 56(4), 432.
- Yam, instant flakes
 Shelf-life of, 1981, 65(4), 412.

- Yam, processing potential of
 Precooked drum dried instant flakes, 1976, 60(2), 215.
- Yam, processing potential
 Lye peeling, studies in, 1976, 60(2), 207.
- Yam, production of flakes from, 1972, 56(3), 235.
- Yam, tubers, sprouting
 Ethephon, stimulated by 1976, 60(4), 592.
- Yam varieties
 Performance in East-central Puerto Rico, 1975, 59(3), 182.
- Yam varieties, introduced
 Preliminary evaluation of, 1975, 58(2), 136.
- Yam, white, tubers
 Shoot dominance, nature of, 1984, 68(4), 335.
- Ventilation and humidity during storage, influence on weight and quality changes, 1984, 68(4), 341.
- Yam, wild
 Management of, studies on, 1981, 65(1), 58.
- Yam, yellow
 Dry rotting in planting material, critical levels of, 1985, 69(3), 231.
 Pratylenchus coffeae, control of in planting material, 1985, 69(3), 231.
- Yams
 Herbicide trials on, 1981, 65(4), 353.
 Soil acidity factors in Ultisols and Oxisols, response to, 1983, 67(4), 438.
- Yams, amino acid balance of, 1973, 57(1), 78.
- Yams, canning of
 Sulfur dioxide absorption and removal of during processing, 1980, 64(1), 37.
- Yams, chips and french fries from, 1972, 56(3), 228.
- Yams, edible flour from
 Wheat flour, substitute for, 1975, 59(4), 255.
- Yams, fresh
 Storage under controlled conditions, 1972, 56(1), 46.
- Yams, in an Ultisol
 Nutrient uptake and dry matter production, 1985, 69(1), 1.
- Yams, nutritional deficiencies
 Yield and leaf composition, effects on, 1975, 59(4), 264.
- Yams, propagation from stem cuttings, 1978, 62(3), 249.
- Yams, protein content of, 1973, 57(1), 78.
- Yeast, distillery
 Calcium carbonate to preserve, 1973, 57(3), 203.
- Yeast, fodder
 Growth in rum distillery slops, 1980, 64(2), 148.
 Protein supplement for layer hens, 1985, 69(3), 435.
- Yeast, propagation and fermentation
 Ammonium bifluoride, use of, 1973, 57(2), 107.
- Yield and composition of Star grass
 Nitrogen rates, harvest interval and cutting height, affected by, 1972, 56(3), 267.
- Yield and quality of cabbage
 Fertilization, plant spacing and season, affected by, 1978, 62(4), 367.
- Yield, leaf composition, corn
 Nitrogen levels and time of applications influence of, 1979, 63(3), 273.
- Yield, of Congo grass
 Cutting heights, harvest interval and nitrogen rate, effect on, 1972, 56(3), 280.
- Yield, of pigeon peas
 Weed control, effect on, 1974, 58(4), 466.
- Yields, coffee
 Partial shade vs. full sunlight, 1972, 56(4), 337.
- Ze a mays*
 Variety trials on an Eutrustox, 1982, 66(3), 223.
- Ze a mays*, var *rugosa* hybrids and varieties
 Yield in Isabela, 1977, 61(2), 175.
- Zeranol
 Suckling bull calf growth, effect on, 1985, 69(2), 225.
- Zinc
 Plantain yields, effect on, 1974, 58(1), 134.
- Zinc applications
 Differential response of corn and sweet potatoes in an Oxisol, 1980, 64(4), 482.