

# INDEX TO VOLUME 70 (1986)<sup>1</sup> AUTHORS<sup>2</sup>

## Abreu, E.

The coconut palm Eriophyid mite, *Eriophyes guerreronis* (Keifer) (Acarina: Eriophyidae) in Puerto Rico, 70(3), 223 (RN).

## Abruña, F.

Effect of straw disposal method and of nitrogen rates on rice yield and recovery of fertilizer nitrogen, 70(2), 91.

Four nitrogen levels and three water management systems on rice yield and nitrogen recovery, 70(3), 197.

## Acosta, N.

\*Insect and nematode control in cucumber (*Cucumis sativus*) in Puerto Rico, 70(1), 19.

Reaction of *Leucaena leucocephala* to populations of *Meloidogyne incognita* and *M. javanica* from Puerto Rico, 70(2), 157 (RN).

## Almodóvar, C. R.

Average monthly and annual rainfall distribution in Puerto Rico, 70(4), 267.

## Almodóvar, L.

Herbicide evaluation in three cucurbits, 70(2), 85.

Asulam and other postemergence herbicides for sugarcane, 70(4), 235.

Chemical control of *Echinochloa colonum* in sweet corn, 70(4), 311.

## Almodóvar-Vega, L.

Herbicide evaluation for rice, 70(4), 293.

\* Senior author.

RN Research note.

<sup>1</sup> In supplement #3 to the index of *The Journal of Agriculture of the University of Puerto Rico* (October 1985) the compilers advanced their intention to keep the index current by compiling and publishing annual indexes in the October issue (fourth number) of every volume. With this index the new trend begins.

<sup>2</sup> An author's name may appear in more than one form. Although all first names are abbreviated, an author may appear with one or two initials. Last names may appear single or compound. When compound, they are hyphenated regardless of how they appear in the original.

Alphabetically, names with a single initial precede two-initial ones (Y. Badillo precedes Y. A. Badillo); single names precede hyphenated ones (Abreu, Z. precedes Abreu-Abadia, A.)

Articles under one name are organized chronologically (those in volume I precede those in volume II; those in number 1 precede those in number 2 and those on page 1 precede those on page 2).

## Barbosa, P.

\**Eumecosomyia nubila* (Widemann), a new otitid in Puerto Rico, with notes on the habits of the dipteran species complex of corn, 70(2), 155 (RN).

## Caraballo, E.

\*Effects of water application rates and planting density on growth parameters of drip irrigated onion, 70(2), 135.

## Chao de Baéz, C.

Effects of water application rates and planting density on growth parameters of drip irrigated onion, 70(2), 135.

## Colón-Guasp, W.

*Eumecosomyia nubila* (Widemann), a new otitid in Puerto Rico, with notes on the habits of the dipteran species complex of corn, 70(2), 155 (RN).

## Cortés-Monllor, A.

†Bacterial spot of tanager, *Xanthosoma sagittifolium* (L.) Schott, in Puerto Rico, 70(3), 225 (RN).

## Craig, J.

The identity and characterization of downy mildew on sorghum in Puerto Rico, 70(3), 217 (RN).

## Cruz, C.

Insect and nematode control in cucumber (*Cucumis sativus*) in Puerto Rico, 70(1), 19.

Life cycle of diamondback moth, *Plutella xylostella* (L.) (Lepidoptera: Yponomeutidae), in Puerto Rico, 70(4), 229.

- Dávila, R. F.**  
†Testing of a monthly weather model, 70(3), 169.
- De Kok, C.**  
*Curvularia* leaf spot on yams, *Dioscorea* spp., 70(4), 277.
- De León, D.**  
Failure of carbaryl-based products to reduce brown dog tick population in Puerto Rico, 70(4), 299.  
†Efficacy of ivermectin administered subcutaneously against cattle tick, *Boophilus microplus* (Canestrini), 70(4), 315.
- Echávez-Badel, R.**  
\*Reaction of 43 sugarcane clones to smut, *Ustilago scitaminea* (Sydow), 70(4), 287.
- Fehr, W. R.**  
Premature harvest of soybean seed for rapid generation advance, 70(3), 159.
- Feliciano, C.**  
\*Bird and rust damage and seed molds in 30 sorghum, *Sorghum bicolor* (L.) Moench., lines in Mayagüez, Puerto Rico, 70(2), 99.
- Fernández-Coll, F.**  
\*Thermal resistance of spores of two species of the genus *Bacillus*, 70(3), 189.
- Fox, I.**  
\*Failure of carbaryl-based products to reduce brown dog tick population in Puerto Rico, 70(4), 299.
- Gallardo-Covas, F.**  
†Susceptibility of 7 cultivars of *Coffea arabica* (L.) to *Leucoptera coffeella* (Guérin Méneville), 70(4), 307 (RN).
- González-Ibáñez, J.**  
†Control by several herbicides of Alexander grass, *Bracharia plantaginea* (Link) Hitchc., in the greenhouse, 70(3), 207.
- Goyal, M. R.**  
Effect of water application rates and planting density on growth parameters of drip irrigated onion, 70(2), 135.  
Average monthly and annual rainfall distribution in Puerto Rico, 70(4), 267.  
Mulching types for soil moisture retention in drip irrigated summer and winter peppers, 70(4), 303 (RN).
- Hepperly, P.**  
Premature harvest of soybean seed for rapid generation advance, 70(3), 159.  
\* Senior author.  
† Sole author.  
RN Research note.
- Hepperly, P. R.**  
\*Constraints to pigeon pea production under semi-arid conditions in Puerto Rico, 70(1), 25.  
\*A new blight of pigeon pea in Puerto Rico, 70(1), 79 (RN).  
Bird and rust damage and seed molds in 30 sorghum, *Sorghum bicolor* (L.) Moench., lines in Mayagüez, Puerto Rico, 70(2), 99.  
†*Hansfordia* sp.: A parasitic pathogen of dematiaceous plant pathogenic fungi in Puerto Rico, 70(2), 113.  
\*Bacterial basal rot of straw mushrooms, 70(3), 219 (RN).  
\*The identity and characterization of downy mildew on sorghum in Puerto Rico, 70(3), 217 (RN).
- Jackson, G. C.**  
Additional host plants of the carpenter bee, *Xylocopa brasiliatorum* (L.) (Hymenoptera: Apoidea), in Puerto Rico, 70(4), 255.
- Jordán-Molero, F. L.**  
†Behavior of six okra, *Abelmoschus esculentus* (L.) Moench, varieties as a vegetable and as a grain, 70(1), 57.  
†Effect of planting position, pruning and size of slip on the vegetative development of pineapple, *Ananas comosus* (L.) Merr cv. Smooth Cayenne, 70(1), 63.
- Liu, C. L.**  
\*Herbicide evaluation for rice, 70(4), 293.
- Lozano, J.**  
\*Effect of straw disposal method and of nitrogen rates on rice yields and recovery of fertilizer nitrogen, 70(2), 91.
- Lozano, J. M.**  
Herbicide evaluation for rice, 70(4), 293.
- Maldonado-Capriles, J.**  
†The Reduviidae (Hemiptera) of Puerto Rico: An annotated list, 70(1), 1.  
†The genus *Prionotis*, The *Subinermis* group of species (Hemiptera: Reduviidae: Stenopodainae), 70(1), 9.
- Mari-Mutt, J. A.**  
†Collembola associated with grasses on grounds of the University of Puerto Rico at Mayagüez, 70(1), 75 (RN).
- Martin, F. W.**  
†Sugars in staple type sweet potatoes as affected by cooking and storage, 70(2), 121.
- McGinty, A. S.**

- Depredation of tilapia fry by dragonfly nymphs and a means for control, 70(3), 213.
- Medina-Gaud, S.**  
\*The coconut palm Eriophyid mite, *Eriophyes guerreronis* (Keifer). (Acarina: Eriophyidae), in Puerto Rico, 70(3), 223 (RN).
- Meléndez, P. L.**  
\*Bean rust control under field conditions with systemic and contact fungicides, 70(1), 45.  
Effect of fungicide on disease incidence and yield of bean, *Phaseolus vulgaris*, L., infected with *Isariopsis griseola* Sacc. and *Ascochyta phaseolorum* Sacc., 70(2), 127.  
Histopathology of interrelations between *Fusarium oxysporum* f. sp. *dioscoreae* and two nematode species on yam, 70(4), 245.
- Mignucci, J. S.**  
*Curvularia* leaf spot on yams, *Dioscorea* spp., 70(4), 277.
- Miller F.**  
Agronomic comparison and in vitro dry matter digestibility of eight sorghums at two locations in Puerto Rico, 70(1), 37.
- Montalvo, A. E.**  
\*Histopathology of interrelations between *Fusarium oxysporum* f. sp. *dioscoreae* and two nematode species on yam, 70(4), 245.
- Negrón, J.**  
Insect and nematode control in cucumber (*Cucumis sativus*) in Puerto Rico, 70(1), 19.
- Olmeda, R. F.**  
\*Four nitrogen levels and three water management systems on rice yield and nitrogen recovery, 70(3), 197.
- Ortiz, C.**  
\*Premature harvest of soybean seed for rapid generation advance, 70(3), 159.
- Ramos-Dávila, E.**  
Bacterial basal rot of straw mushrooms, 70(3), 219 (RN).
- Randel, P. F.**  
\*Rearing dairy heifers on pastures fertilized at moderate levels with or without supplemental concentrates at different stages, 70(2), 143.
- Ravalo, E. J.**  
\*Average monthly and annual rainfall distribution in Puerto Rico, 70(4), 267.
- Reyes, I.**  
Herbicide evaluation in three cucurbits, 70(2), 85.
- Rivera, L. E.**  
\*Mulching types for soil moisture in drip irrigated summer and winter peppers, 70(4), 303 (RN).
- Rodríguez, J. L.**  
Reaction of 43 sugarcane clones to smut, *Ustilago scitaminea* (Sydow), 70(4), 287.
- Rodríguez, R.**  
Constraints to pigeon pea production under semi-arid conditions in Puerto Rico, 70(1), 25.  
Bean rust control under field conditions with systemic and contact fungicides, 70(1), 45.  
A new blight of pigeon pea in Puerto Rico, 70(1), 79 (RN).  
\*Effect of fungicide on disease incidence and yield of bean, *Phaseolus vulgaris* L., infected with *Isariopsis griseola* Sacc. and *Ascochyta phaseolorum* Sacc., 70(2), 127.
- Rodríguez de Cianzio, S.**  
Premature harvest of soybean seed for rapid generation advance, 70(3), 159.
- Rodríguez-Toro, W.**  
Thermal resistance of spores of two species of the genus *Bacillus*, 70(3), 189.
- Rosario, C.**  
\*Life cycle of diamondback moth, *Plutella xylostella* (L.) (Lepidoptera: Yponomeutidae), in Puerto Rico, 70(4), 229.
- Saneaux, H.**  
*Curvularia* leaf spot on yam, *Dioscorea* spp., 70(4), 277.
- Segarra-Carmona, A. E.**  
*Eumecosomyia nubila* (Wiedemann), a new otidid in Puerto Rico, with notes on the habits of the dipteran species complex of corn, 70(2), 155 (RN).
- Semidey, N.**  
\*Herbicide evaluation in three cucurbits, 70(2), 85.  
\*Asulam and other postemergence herbicides for sugarcane, 70(4), 235.  
\*Chemical control of *Echinochloa colonum* in sweet corn, 70(4), 311 (RN).
- Shröder, E. C.**  
Reaction of *Leucaena leucocephala* to populations of *Meloidogyne incognita*

\* Senior author.

† Sole author.

RN Research note.

- and *M. javanica* from Puerto Rico, 70(2), 157 (RN).
- Sotomayor-Rios, A.**  
Agronomic comparison and in vitro dry matter digestibility of eight sorghums at two locations in Puerto Rico, 70(1), 37.  
Bird and rust damage and seed molds in 30 sorghums, *Sorghum bicolor* (L.) Moench., lines in Mayagüez, Puerto Rico, 70(2), 99.
- Torres, R. I.**  
\**Curvularia* leaf spot on yams, *Dioscorea* spp., 70(4), 277.
- Torres-Cardona, S.**  
\*Agronomic comparison and in vitro dry matter digestibility of eight sorghums at two locations in Puerto Rico, 70(1), 37.
- \*Senior author.  
† Sole author.  
RN Research note.
- Vélez-Santiago, J.**  
Rearing dairy heifers on pastures fertilized at moderate levels with or without supplemental concentrates at different stages, 70(2), 143.
- Verdegem, M. C. J.**  
\*Depredation of tilapia fry by dragonfly nymphs and a means for control, 70(3), 213.
- Vicente, N. E.**  
\*Reaction of *Leucaena leucocephala* to populations of *Meloidogyne incognita* and *M. javanica* from Puerto Rico, 70(2), 157 (RN).
- Vicente-Chandler, J.**  
Effect of straw disposal method and of nitrogen rates on rice yields and recovery of fertilizer nitrogen, 70(2), 91.
- Wessel-Beaver, L.**  
Bean rust control under field conditions with systemic and contact fungicides, 70(1), 45.