

## SUBJECTS

- Aceria guerreronis*  
Geographical and seasonal distribution in Puerto Rico and Florida, 74(3), 237.
- Aglaonemas  
Shade requirements, 74(2), 95.
- Albizia* sp.  
Chemical control in pastures, 74(4), 433.
- Alcohol  
Validation of the HPLC method in the analysis of alcoholic beverage production, 74(4), 357.
- Allium cepa*  
Cultivar evaluation, 74(3), 323.  
Sizing and total solids of nine cultivars, 74(1), 21.  
Storage tolerance of five cultivars, 74(3), 273.
- Ametryne  
Preemergent control in Peruvian carrot, 74(3), 273.
- Anastrepha obliqua*  
Hot water treatments against larvae in mango, 74(4), 441.
- Ant, Brazilian  
Ecological, toxicological and agricultural aspects, 74(4), 375.
- Anthonomus eugenii*  
Biología, 74(1), 69.
- Anticarsia gemmatalis*  
A new pest of pigeon pea, 74(1), 93.
- Apio  
Control preemergente de yerbajos con ametrina, 74(3), 273.
- Arracacia xanthorrhiza*  
Control preemergente de yerbajos con ametrina, 74(3), 272.
- Arthrobotrys*  
Niveles en una población de *Meloidogyne incognita* en tomate, 74(3), 261.
- Azúcares monoméricas  
Fermentación de sacarosa suplementada con, 74(1), 45.
- Bacillus thuringiensis*  
Susceptibility of diamondback moth in cabbage, 74(2), 153.
- Banana root borer weevil  
Biocontrol with Steinernematid nematodes, 74(1), 15.
- Bananas  
Response to Mg fertilization, 74(4), 419.
- Batata, cultivares  
Susceptibilidad al piche, 74(2), 167.
- Batata, piche  
Ciclo de vida, 74(1), 61.
- Bean  
Evaluation for resistance to ashy stem blight, 74(4), 349.  
Foliar blight, 74(2), 203.  
Pubescence on the lower surface of leaves, 74(2), 111.
- Bean, dry, vining  
TIBA and nitrogen incorporation, senescence and yield, 74(3), 311.
- Bemisia tabaci*  
Silvering of *Cucurbita moschata* associated with, 74(4), 477.
- Blight, ashy, stem  
Evaluation for resistance in beans, 74(4), 349.
- Cabbage  
Susceptibility of the diamondback moth to insecticide sprays, 74(2), 153.
- Café  
Productividad marginal de la investigación de la Estación Experimental Agrícola, 74(4), 427.
- Cajanus cajan*  
A new pest in Puerto Rico, 74(1), 93.
- Calabaza  
Breeding priorities based on preferences among Puerto Rican consumers, 74(3), 229.
- Calla lily  
Bacterial soft rot disease, 74(1), 83.

- Chicken  
Quality evaluation of different types, 74(1), 75.
- Chicken manure  
Organic fertilizer, 74(2), 139.
- Choanephora cucurbitarum*  
Foliar blight of dry beans, 74(2), 203.
- Citrus grandis*  
Fruit characteristics of 18 varieties, 74(3), 331.  
Performance of clones, 74(3), 299.
- Clorsulon  
Effect on levels of four inorganic elements in milk 74(3), 327.
- Cocoa  
Control of scion dieback when graft-propagated, 74(2), 207.
- Coconut mite  
Geographical and seasonal distribution in Puerto Rico and Florida, 74(3), 237.
- Cocoyam  
Rapid multiplication, 74(4), 465.
- Coleoptera: Curculionidae  
Biología del picudo del pimiento, 74(1), 69.  
Ciclo de vida del piche de la batata (*Cylas formicarius*), 74(1), 61.
- Concentrates, supplemental  
Four levels of crude protein for dairy cows, 74(3), 281.
- Cosmopolites sordidus*  
Biocontrol with Steinernematid nematodes, 74(1), 15.
- Cows, dairy  
Supplemental concentrates with 4 levels of crude protein, 74(3), 281.
- Cucumber  
Evaluation of 10 cultivars in southern Puerto Rico, 74(4), 461.
- Cucumis sativa*  
Evaluation of 10 cultivars in southern Puerto Rico, 74(4), 461.
- Cucurbita moschata*  
Breeding priorities based on preferences among Puerto Rican consumers, 74(3), 229.  
Silvering associated with *Bemisia tabaci*, 74(4), 477.
- Cylas formicarius* var. *elegantulus*  
Ciclo de vida, 74(1), 61.  
Susceptibilidad de cultivares de batata, 74(2), 167.
- Cynodon*, 12 cultivars  
Simulated grazing for the elevation of, 74(1), 51.
- Diamondback moth  
Susceptibility to insecticide sprays, 74(2), 153.
- Diaprepes abbreviatus*  
Biocontrol with entomophilic nematodes, 74(4), 395.  
Chromosomes of Puerto Rican "Vaquita," 74(2), 121.  
Parasitism of entomophilic nematodes, 74(2), 197.
- Dioscorea alata*  
Extended dormancy, 74(3), 213.
- Dioscorea rotundata*  
Nitrogen rates and sources, 74(1), 29.  
Soil spray and seed treatment with oxamyl and phenamiphos, 74(2), 103.
- Dioscorea* sp.  
Herbicides, 74(3), 221.
- Dormancy  
Extended in white yam, 74(3), 133.
- Dracaena*  
Bacterial soft rot disease, 74(1), 83.
- Ectrichodiinae  
Notes about *Rhiginia* and *Pothea*, 74(4), 444.
- Eggplant, transplanted  
Grass weed management, 74(2), 133.
- Erwinia carotovora*  
Casual agent of soft rot disease, 74(1), 83.
- Estimador clase K  
Caracterización en modelos económicos, 74(3), 307.
- Evaporation, class A pan  
Versus potential evapotranspiration, 74(3), 343.
- Fermentación  
Sacarosa suplementada con azúcares monoméricos, 74(1), 45.
- Fermentation  
Blackstrap molasses supplemented with 4 different nutrients, 74(4), 467.

- Grapes  
Evaluation of 11 wine varieties, 74(3), 335.
- Grasses, tropical  
Simulated grazing for the evaluation of, 74(1), 51.
- Habichuela, genotipos  
Pubescencia acicular en las hojas, 74(2), 111.
- Hemarthria altissima* 8 cultivars  
Simulated grazing for the evaluation of, 74(1), 51.
- Hormiga brasileña  
Aspectos ecológicos, toxicológicos y agrícolas, 74(4), 375.
- Ipomoea batatas*, cultivares  
Susceptibilidad al piche, 74(2), 167.
- Itchgrass  
Candidate herbicides to control, 74(2), 145.
- Lepidoptera: Noctuidae  
*Anticarsia gemmatalis*: A new pest of pigeon pea, 74(1), 93.
- Lettuce  
Bacterial soft rot disease, 74(1), 83.
- Lycopersicum esculentum*, 6 varieties  
Evaluation for industrial sauce preparation, 74(2), 181.
- Magnesium  
Response of bananas to fertilization, 74(4), 419.
- Mango  
Hot water treatments to destroy *Anastrepha obliqua* larvae, 74(4), 441.
- Mango, Keitt variety  
Influence of storage conditions and market temperatures on shelf life and quality, 74(2), 189.
- Manure, chicken  
Organic fertilizer, 74(2), 139.
- Meloidogyne incognita*  
Niveles de *Arthrobotrys* spp. en tomate, 74(3), 261.
- Melon, honeydew  
Performance of cultivars, 74(2), 209.
- Mesquite  
Chemical control in pastures, 74(4), 433.
- Milk, 4 inorganic elements in  
Effect of Clorsulon on levels, 74(3), 327.
- Modelos econométricos  
Caracterización del estimador de la clase K, 74(3), 307.
- Molasses, blackstrap  
Fermentation when supplemented with 4 different nutrients, 74(4), 467.
- Nematodes, entomophilic  
Biocontrol of sugarcane rootstalk borer, 74(4), 395.
- Onion  
Sizing and total solids of 9 cultivars, 74(1), 21.
- Onion, short-day  
Cultivar evaluation, 74(3), 323.  
Storage tolerance of 5 cultivars, 74(3), 293.
- Oxamyl  
Soil spray and yam seed treatment, 74(2), 103.
- Pasteuria penetrans*  
Agente biorrepresor de nematodos, 74(3), 319.
- Phaseolus vulgaris*  
Evaluation for resistance to ashy stem blight, 74(4), 349.  
Foliar blight, 74(2), 203.  
Pubescencia acicular en las hojas, 74(2), 111.
- Phenamiphos  
Soil spray and seed of yam treatment, 74(2), 103.
- Piche de la batata  
Susceptibilidad de cultivares de la batata, 74(2), 167.
- Pigeon pea  
A new pest in Puerto Rico, 74(1), 93.
- Pimiento, picudo del  
Biología, 74(1), 69.
- Plantain  
Herbicide drift control, 74(4), 471.  
Performance of 7 cultivars, 74(3), 267.
- Plátano  
Comportamiento de 7 clones, 74(3), 267.
- Plutella xylostella*  
Susceptibility to insecticide sprays, 74(2), 153.

- Pothea*  
Contributions to the knowledge of American Ectrichodiinae, 74(4), 449.
- Pothos*  
Bacterial soft rot disease, 74(1), 83.
- Pubescencia acicular  
Caracterización en las hojas de habichuela, 74(2), 111
- Pummelo  
Fruit characteristics of 18 varieties, 74(3), 331.  
Performance of clones, 74(3), 299.
- Pumpkin  
Preferences among Puerto Rican consumers to determine breeding priorities, 73(3), 229.
- Repollo  
Pudrición blanda bacteriana, 74(1), 83
- Rhiginia*  
Contributions to the knowledge of American Ectrichodiinae, 74(4), 449.
- Rottboellia exaltata*  
Candidate herbicides to control, 74(2), 145.
- Rust, sorghum  
Control and losses, 74(1), 37.
- Sacarosa, fermentación  
Suplementada con azúcares monoméricos, 74(1), 45.
- Sauces, sweet-sour  
Elaboration, shelf life and quality, 74(3), 341.
- Scion dieback  
Symptomatology and control in graft-propagated cocoa, 74(2), 207.
- Senescense  
TIBA, nitrogen incorporation and yield of vining dry bean, 74(3), 311.
- Shade  
Requirements of aglaonemas, 74(2), 95.
- Silvering, *Cucurbita* spp. leaves  
Associated with *Bemisia tabaci*, 74(4), 477.
- Solanum melongena*  
Grass weed management, 74(2), 133.
- Solenopsis invicta*  
Aspectos ecológicos, toxicológicos y agrícolas, 74(4), 375.
- Sorghum rust  
Control and losses, 74(1), 37.
- Sorghum, 2 hybrids  
Performance in southwest Puerto Rico, 74(1), 1.
- Steinernema bibionis*  
Biocontrol of the banana root borer weevil, 74(1), 15.  
Parasitism on sugarcane rootstalk borer, 74(2), 197.
- Steinernema feltiae*  
Biocontrol of the banana root borer weevil, 74(1), 15.  
Parasitism on sugarcane rootstalk borer, 74(2), 197.
- Steinernema glaseri*  
Biocontrol of the banana root borer weevil, 74(1), 15.  
Parasitism on sugarcane rootstalk borer, 74(2), 197.
- Stem blight, ashy  
Evaluation for resistance in beans, 74(4), 349.
- Storage tolerance  
Short-day onion cultivars, 74(3), 293.
- Sugar  
Validation of the HPLC method in the analysis of alcoholic beverage production, 74(4), 357.
- Sugarcane  
Incidence of ring spot disease, 74(4), 457.
- Sugarcane fields  
Biocontrol with entomophilic nematodes, 74(4), 395.  
Parasitism of entomophilic nematodes, 74(2), 197.
- Sweet potato cultivars  
Susceptibilidad al piche, 74(2), 167.
- Tanier  
Bacterial soft rot disease, 74(1), 83.  
Flowering induction and artificial hybridización, 74(3), 253.  
Herbicide drift control, 74(4), 471.  
Rapid method for determining root responses to soil acidity, 74(4), 365.
- Theobroma cacao*  
Control of scion dieback when graft-propagated, 74(2), 207.
- TIBA  
Nitrogen incorporation, senescense and yield of vining dry bean, 74(3), 311.

- Tobacco  
Bacterial soft rot disease, 74(1), 83.
- Tomate  
Niveles de *Arthrobotrys* en una población de *Meloidogyne incognita*, 74(3), 261.
- Tomato  
Bacterial soft rot disease, 74(1), 83.
- Tomato, 4 commercial cultivars  
Fruit defects, size distribution and sensory evaluation, 74(3), 337.
- Tomato, 6 varieties  
Evaluation for industrial sauce preparation, 74(2), 181.
- Uvas  
Evaluación de 11 variedades para vinos, 74(3), 335.
- Vinos  
Evaluación de 11 variedades de uvas, 74(3), 335.
- Weed, grass  
Management in transplanted eggplant, 74(2), 133.
- Weevils  
Staining of substance adjacent to sex bivalent, 74(4), 405.
- Wines  
Evaluation of 11 grape varieties, 74(3), 335.
- Xanthosoma* spp.  
Flowering induction and artificial hybridization, 74(3), 253.  
Rapid methods for determining root responses to soil acidity, 74(4), 365.  
Rapid multiplication, 74(4), 465.
- Yam  
Herbicides, 74(3), 221.  
Soil spray and seed treatment with oxamyl and phenamiphos, 74(2), 103.
- Yam, Guinea Negro cultivar  
Nitrogen rates and sources, 74(1), 29.
- Yam, white  
Extended dormancy, 74(3), 213.
- Zymomonas mobilis*  
Fermentación de sacarosa suplementada por azúcares monoméricas, 74(1), 45.