

INDEX TO VOLUME 77 (1993)¹
AUTHORS²

- Acín-Díaz, N. M.**
Two grass herbicides for pineapple fields, 77(1-2), 45.
Fluazifop and quizalofop, grass herbicides, in coffee, 77(3-4), 201.
- Acosta, M. A.**
Isolates of entomogenous nematodes *Heterorhabditis* spp. and mortality of larvae of *Galleria mellonella*, *Cylas formicarius*, *Euscepes postfasciatus* and *Cosmopolites sordidus*, 77(1-2), 53.
- Acosta, N.**
Exoesqueleto de camarón para controlar el nematodo nodulador, *Meloidogyne incognita*, en tomate en el invernadero, 77(3-4), 229.
- Almodóvar, C.**
Tillage and fertilizer rate effects on yam (*Dioscorea alata* L.), yields, 77(3-4), 153.
- Barbosa-Cánovas, G. V.**
Comparison of moisture sorption isotherm models in freeze-dried pineapple pulp, 77(3-4), 113.
Heat of sorption and free energy change of freeze-dried pineapple pulp, 77(3-4), 101.
- Batiz, H.**
*Gas chromatography-mass spectrometry (GC-MS) identification of compounds in concentrates of Puerto Rican rums, 77 (1-2), 69.
- Beauchamp de Caloni, I.**
Frozen chicken products, 77(3-4), 145.
- Beaver, J.**
Desarrollo de *Bemisia tabaci* Genadius en cuatro genotipos de *Phaseolus vulgaris* L. con diferentes grados de pubescencia, 77(1-2), 61.
- Cacho, C. L.**
Gas chromatography-mass spectrometry (GC-MS) identification of compounds in concentrates of Puerto Rican rums, 77(1-2), 69.
- Chardón, U.**
Nutrient uptake, growth and yield performance of three tanager (*Xanthosoma* spp.) cultivars grown under intensive management, 77(1-2), 1.
- Colberg, O.**
Effect of chicken manure on chemical properties of a Mollisol and tomato production 77(3-4), 181.
- Cortés-Monllor, A.**
†Diseases caused by *Pseudomonas* spp in some cultivars in Puerto Rico - An updating, 77(3-4), 207.
- Fernández-Coll, F.**
*Canned chicken products, 77(3-4), 137.
*Frozen chicken products, 77(3-4), 145.
- Figueroa, W.**
*Isolates of entomogenous nematodes *Heterorhabditis* spp. and mortality of larvae of *Galleria mellonella*, *Cylas formicarius*, *Euscepes postfasciatus* and *Cosmopolites sordidus*, 77(1-2), 33.

*Senior author.

†Sole author.

¹An author's name may appear in more than one form. Although all first names are abbreviated, an author may appear with one or two initials. Last names may appear single or compound. When compound, they are hyphenated regardless of how they appear in the original.

²Alphabetically, names with a single initial precede two-initial ones (Y. Badillo precedes Y. A. Badillo); single names precede hyphenated ones (Abreu, Z. precedes Abreu-Abadía, A.).

Articles under one name are organized chronologically (those in volume 1 precede those in volume 2; those in number 1 precede those in number 2 and those on page 1 precede those on page 2).

- Goenaga, R.**
*Nutrient uptake, growth and yield performance of three tanager (*Xanthosoma* spp.) cultivars grown under intensive management, 77(1-2), 1.
- González, A.**
Tillage and fertilizer rate effects on yam (*Dioscorea alata* L.) yields, 77(3-4), 153.
- Irizarry, H.**
Leaching of Mg fertilizer in Puerto Rican Ultisols, 77(3-4), 167.
*Yield of two yam (*Dioscorea alata*) cultivars with three planting dates and two planting systems, 77(3-4), 161.
- Lara-Márquez, J.**
*Exoesqueleto de camarón para controlar el nematodo nodulador, *Meloidogyne incognita*, en tomate en el invernadero, 77(3-4), 229.
- Liu, L. C.**
*Two grass herbicides for pineapple fields, 77(1-2), 45.
*Fluazifop and quizalofop, grass herbicides, in coffee, 77(3-4), 201.
- Lugo, H. M.**
Structural stability, pore size distribution and surface charge properties of clay soils with varying mineralogy and organic matter contents, 77(1-2), 11.
Tillage and fertilizer rate effects on yam (*Dioscorea alata* L.) yields, 77(3-4), 153.
- Lugo, W. I.**
*Tillage and fertilizer rate effects on yam (*Dioscorea alata* L.) yields, 77(3-4), 153.
- Maldonado-Capriles, J.**
**Paleoploiaricola venosa*, a new fossil Emesinae (Heteroptera: Reduviidae) genus and species from Dominican amber, 77(1-2), 95.
- Miró, M.**
Structural stability, pore size distribution and surface charge properties of clay soils with varying mineralogy and organic matter contents, 77(1-2), 11.
- Muñoz, M. A.**
Effect of chicken manure on chemical properties of a Mollisol and tomato production, 77(3-4), 181.
- O'Hallorans, J. M.**
*Effect of chicken manure on chemical properties of a Mollisol and tomato production, 77(3-4), 181.
- Ortiz, C. E.**
A visual indicator for harvest of immature viable seed of indeterminate soybean genotypes, 77(1-2), 33.
- Pagán-Pinto, I.**
Canned chicken products, 77(3-4), 137.
- Pantoja, A.**
Desarrollo de *Bemisia tabaci* Genadius en cuatro genotipos de *Phaseolus vulgaris* L. con diferentes grados de pubescencia, 77(1-2), 61.
- Peña, E. A.**
*Desarrollo de *Bemisia tabaci* Genadius en cuatro genotipos de *Phaseolus vulgaris* L. con diferentes grados de pubescencia, 77(1-2), 61.
- Pietri-Oms, R.**
Structural stability, pore size distribution and surface charge properties of clay soils with varying mineralogy and organic matter contents, 77(1-2), 11.
- Poinar, Jr., G. O.**
Paleoploiaricola venosa, a new fossil Emesinae (Heteroptera: Reduviidae) genus and species from Dominican amber, 77(1-2), 95.
- Rafols, N.**
Tillage and fertilizer rate effects on yam (*Dioscorea alata* L.) yields, 77(3-4), 153.
- Randel, P. R.**
†Mixed chopped and ground grass hay for dairy cows vs. grazing plus concentrates, 77(3-4), 193.
- Ritchey, K. D.**
*Leaching of Mg fertilizers in Puerto Rican Ultisols, 77(3-4), 167.
- Rivera, E.**
Yield of two yam (*Dioscorea alata*) cultivars with three planting dates and two planting systems, 77(3-4), 161.
- Rodríguez de Cianzio, S.**
*A visual indicator for harvest of immature viable seed of indeterminate soybean genotypes, 77(1-2), 33.

Rodríguez, T.

†Comparison of selected mineral losses between hot-water and microwave blanching in green and dry white beans, 77(3-4), 129.

Rodríguez-León, T.

Canned chicken products, 77(3-4), 137.

Román, F. M.

Fluazifop and quizalofop, grass herbicides, in coffee, 77(3-4), 201.

Román, J.

Isolates of entomogenous nematodes *Heterorhabditis* spp. and mortality of larvae of *Galleria mellonella*, *Cylas formicarius*, *Euscepes postfasciatus* and *Cosmopoliates sordidus*, 77(1-2), 53.

Santiago-Blay, J. A.

Paleoploiariola venosa, a new fossil Emesinae (Heteroptera: Reduviidae) genus and species from Dominican amber, 77(1-2), 95.

Snyder, V. A.

*Structural stability, pore size distribution and surface charge properties of clay soils with varying mineralogy and organic matter contents, 77(1-2), 11.

Vega-Mercado, H.

*Comparison of moisture sorption isotherm models in freeze-dried pineapple pulp, 77(3-4), 113.

*Heat of sorption and free energy change of freeze-dried pineapple pulp, 77(3-4), 101.

Vicente, N. E.

Exoesqueleto de camarón para controlar el nematodo nodulador, *Meloidogyne incognita*, en tomate en el invernadero, 77(3-4), 229.