

## SUBJECTS

- Anthonomus eugenii*  
Insecticides to combat it in pepper,  
78(1-2), 23.
- Armyworms  
Additional new records in cabbage,  
78(1-2), 69.
- Banana dwarf cultivars  
Yield with minimum tillage in mountain region, 78(1-2), 1.
- Bean, green shell  
Production at different planting dates,  
78(3-4), 131.
- Beans  
*Pseudomonas cepacia* as a potential biofungicide for root rot pathogens,  
78(1-2), 55.  
Root colonization by *Pseudomonas cepacia* UPR, 78(1-2), 59.
- Beans, snap  
Combined effect of large crabgrass and smooth pigweed densities, 78(1-2), 63.
- Broilers, squab  
Dietary protein levels, 78(1-2), 51.
- Cabbage  
Additional new records of armyworms,  
78(1-2), 69.  
New records of *Spodoptera sunia*,  
78(1-2), 67.
- Café, minador de la hoja  
Cultivares Catuai, Borbón y Pacas,  
78(3-4), 193.
- Calcium and magnesium addition  
Thermodynamic evaluation, 78(3-4), 99.
- Crabgrass and smooth pigweed densities  
Combined effect on snap bean yield,  
78(1-2), 63.
- Cucumbers  
Six cultivars in the southern coast,  
78(1-2), 71.
- Cynodon*  
Introducciones en la región sur semiárida, 78(3-4), 137.
- Diatraea saccharalis*  
Attack on rice plants, 78(3-4), 195.
- Digitaria*  
Introducciones en la región sur semiárida, 78(3-4), 137.
- Dioscorea* spp  
Sequential herbicide application, 78(3-4), 177.
- Draeculacephala soluta*  
Damage to rice seedlings, 78(3-4), 187.
- Entomopathogenic nematode  
*Steinernema puertoricensis*, 78(3-4), 167.
- Galanga  
Clonal propagation through tissue culture, 78(3-4), 147.
- Guinea grass  
Twenty genotypes in the humid highlands, 78(1-2), 9.
- Hortensia similis*  
Damage to rice seedlings, 78(3-4), 187.
- Hydrellia wirthi*  
Sampling with sticky traps, 78(3-4), 191.
- Insects  
New records from Puerto Rico, 78(3-4), 181.
- Languas galanga*  
Clonal propagation through tissue culture, 78(3-4), 147.
- Liming  
Industrial by-product as a source of, 78(3-4), 73.
- Magnesium and calcium addition  
Thermodynamic evaluation, 78(3-4), 99.
- Mercado de trabajo  
Indicadores socioeconómicos en los municipios, 78(3-4), 153.
- Orange, Valencia clones  
Effect of rootstock on tree size and yield, 78(3-4), 123.
- Panicum maximum*  
Veinte genotipos en la altura húmeda, 78(1-2), 9.

- Papaya  
Tolerance of three genotypes to ringspot virus, 78(3-4), 111.
- Pepinillo  
Seis cultivares en la costa sur, 78(1-2), 71.
- Pepper  
Insecticides to combat *Anthonomus eugenii*, 78(1-2), 23.
- Peppers, cherry  
Herbicide trials, 78(1-2), 45.
- Pseudomonas cepacia*  
Potential biosfungicide for root rot pathogens in beans, 78(1-2), 55.
- Radiation, solar  
Generation of values for crop simulation models, 78(1-2), 33.
- Rice  
Stem borer and stem rot in Colombia, 78(1-2), 17.  
Plant attacked by *Diatraea saccharalis*, 78(3-4), 195.
- Rice, seedlings  
Damage by *Hortensia similis* and *Draeculacephala soluta*, 78(3-4), 187.
- Ringspot virus, papaya  
Tolerance of three genotypes, 78(3-4), 111.
- Rupela albinella*  
Presence in Colombia rice fields, 78(1-2), 17.
- Sclerotium oryzae*  
Presence in Colombia rice fields, 78(1-2), 17.
- Smooth pigweed and large crabgrass  
Combined effect on snap bean yield, 78(1-2), 63.
- Spodoptera* spp  
Additional new records in cabbage, 78(1-2), 69.
- Spodoptera sunia*  
New record in cabbage, 78(1-2), 67.
- Steinernema puertoricensis*  
New entomopathogenic nematode from Puerto Rico, 78(3-4), 167.
- Tanier  
Growth and nutrient content under semiarid conditions, 78(3-4), 87.
- Trabajo, mercado  
Indicadores socioeconómicos en los municipios, 78(3-4), 153.
- Traps, sticky  
Sampling *Hydrellia wirthi* for, 78(3-4), 191.
- Xanthosoma* spp  
Growth and nutrient content under semiarid conditions, 78(3-4), 87.
- Yams  
Sequential herbicide application, 78(3-4), 177.
- Yerba de guinea  
Veinte genotipos en la altura húmeda, 78(1-2), 9.