

INDEX TO VOLUME 72 (1988)¹

AUTHORS²

- Acevedo-Alfaro, J.**
Bacteria associated with the West Indian fruit fly *Anastrepha obliqua* (Macquart) (Diptera-Tephritidae), 72(3), 489 (RN).
- Almodóvar, L.**
Período crítico de competencia de las malezas en el tomate de trasplante, 72(2), 291.
- Almodóvar-Vega, L.**
*Evaluation of diquat for postemergence weed control in pumpkin (*Curcubita moschata*), 72(2), 285.
*Allelopathic effects of seven weed species to pumpkin (*Curcubita moschata*) under greenhouse conditions, 72(3), 495 (RN).
*Eggplant (*Solanum melongena* L.) transplants and exudates from roots of seven weeds, 72(3), 495 (RN).
- Armstrong, A. M.**
*Chemical control of *Liriomyza sativae* and of Lepidoptera larvae on tomato, 72(1), 169 (RN).
†Light trap studies of *Heliothis virescens* (Fabricius) and *Etiella zinckenella* (Treitschke) on pigeon pea (*Cajanus cajan* Millsp), 72(4), 557.
- Badillo-Feliciano, J.**
Yield response of vegetables to tillage techniques on a vertisol of the semiarid region of Puerto Rico, 72(1), 119.
- Barbosa, P.**
Relative susceptibility of *Crotalaria* spp. to attack by *Etiella zinckenella* in Puerto Rico, 72(1), 147.
Notes on the natural enemies of *Etiella zinckenella* in Puerto Rico, 72(1), 153.
The sorghum midge, *Contarinia sorghicola*, a sorghum pest newly introduced to Puerto Rico, 72(1), 161 (RN).
- Beauchamp de Caloni, I.**
*Freezing and shelf life of sweet potato and citron bars, 72(1), 171 (RN).
Sensory evaluation of cooked new sweet potato selections, 72(2), 265.
Evaluación de variedades de uva de mesa (*Vitis vinifera* L.) cosechadas en la Subestación de Fortuna en 1986, 72(2), 335 (RN).
The Lacknau plantain: A high yielding cultivar with field resistance to the corn weevil, *Cosmopolites sordidus* (Germar), 72(3), 353.

*Senior author.

†Sole author.

RN Research note.

¹An author's name may appear in more than one form. Although all first names are abbreviated, an author may appear with one or two initials. Last names may appear single or compound. When compound, they are hyphenated regardless of how they appear in the original.

Alphabetically, names with a single initial precede two-initial ones (Y. Badillo precedes Y. A. Badillo); single names precede hyphenated ones (Abreu, Z. precedes Abreu-Abadía, A.).

Articles under one name are organized chronologically (those in volume I precede those in volume II; those in number 1 precede those in number 2 and those on page 1 precede those on page 2).

- Beaver, J. S.**
Heritabilities and phenotypic correlations for seed yield and seed yield components of beans, 72(2), 301.
*Dry beans and varying cultural practices at two locations on the coastal plain of Puerto Rico, 72(4), 521.
- Beinroth, F. H.**
Yield response of vegetables to tillage techniques on a Vertisol of the semiarid region of Puerto Rico, 72(1), 119.
- Bellerive, P.**
Cost of a drip irrigation system for vegetable farming in Puerto Rico, 72(1), 31.
- Bendezú, P.**
*Watercress cultivation sites and their relationship to fascioliasis in Puerto Rico, 72(3), 405.
- Biascochea, M. L.**
Tanier (*Xanthosoma* spp.) propagation in vitro, 72(3), 413.
- Bonilla, C.**
Watercress cultivation sites and their relationship to fascioliasis in Puerto Rico, 72(3), 405.
- Bosques, A.**
Salt and sugar levels for effective plant regeneration from in vitro cultured tissues of cocoyam, 72(4), 515.
- Cacho, E.**
*Pilot plant fermentation of high test molasses compared with blackstrap molasses using factorial design, 72(1), 9.
Evaluation of a commercial yeast nutrient for high test molasses fermentation, 72(1), 173 (RN).
*The use of distillers' dry yeast as inoculum for rum fermentation on pilot plant scale, 72(3), 445.
*Pilot plant scale evaluation of a commercial yeast nutrient for high test molasses fermentation, 72(4), 509.
- Caloni (de), I. B.**
Shelf life and acceptability of hot water-treated mangoes, 72(3), 469.
- Cardona-Castro, C.**
Agronomic performance of hard endosperm opaque-2 corn populations in Puerto Rico, 72(2), 309.
- Carpintero, J. D.**
*Contributions to the knowledge of American Ectrichodiinae. I. Notes about

*Senior author.
†Sole author.
RN Research note.
- Rhiginia* (Hemiptera:Reduviidae), 72(2), 251.
- Cedeño-Maldonado, A.**
*Effect of dwarfing rootstocks on tree size and yield of selected mango varieties, 72(1), 1.
Dwarfing effect of interstems and growth and yield components of mango, 72(4), 501.
*Salt and sugar levels for effective plant regeneration from in vitro cultured tissues of cocoyam, 72(4), 515.
- Chao de Báez, C.**
Temperature versus elevation relationships for Puerto Rico, 72(3), 449.
Nutrient uptake and growth characteristics of nitrogen fertigated sweet peppers under drip irrigation and plastic mulch, 72(4), 575.
Tres niveles de riego y crecimiento y rendimiento del maíz dulce (*Zea mays* v. Suresweet) regado por goteo, 72(4), 565.
- Colberg-Rivera, O.**
†Seed production of asparagus (*Asparagus officianalis*) in Puerto Rico, 72(4), 619 (RN).
- Corchado-Juarbe, N.**
Storage and digestibility, voluntary intake and chemical components of hay of five tropical grasses, 72(4), 531.
- Cortés-Monllor, A.**
†Bacterial leaf spot of coffee, 72(4), 621 (RN).
- Coscarón, M. C.**
*Contribution to the knowledge of *Rasahus* Amyot and Serville, 1843 (Hemiptera:Reduviidae): Description of a new species, 72(2), 247.
- Cotte, O.**
*Some host plants of leafhopper, *Empoasca* spp. (Homoptera:Cicadellidae), found on pigeon pea (*Cajanus cajan* L.) fields, 72(3), 499 (RN).
- Crespo-Ruiz, M.**
Root distribution of nitrogen fertigated sweet peppers under drip irrigation, 72(1), 51.
*Nutrient uptake and growth characteristics of nitrogen fertigated sweet peppers under drip irrigation and plastic mulch, 72(4), 575.
- Cruz, C.**
Chemical control of *Liriomyza sativae* and of Lepidoptera larvae on tomato, 72(1), 169 (RN).

- Some host plants of leafhopper, *Empoasca* spp. (Homoptera:Cicadellidae), found in pigeon pea (*Cajanus cajan* L.) fields, 72(3), 499 (RN).
- Díaz, N.**
*Shelf life and acceptability of hot water-treated mangoes, 72(3), 469.
- Díaz-Rivera, M.**
Evaluation of diquat for postemergence weed control in pumpkin (*Cucurbita moschata*), 72(2), 285.
- Escudero, J.**
Bacteria associated with the West Indian fruit fly *Anastrepha obliqua* (Macquart) (Diptera:Tephritidae), 72(3), 489 (RN).
- Fernández-Coll, F.**
*Refrigeration before incubation and its effect on recovery of two types of bacteria from food, 72(4), 617 (RN).
- Fernández-VanCleve, J.**
Yield and nutritive value of hay from five tropical grasses at three harvesting intervals, 72(1), 109.
Confinement feeding of dairy cows based on stargrass as green chopped fodder or hay, 72(2), 231.
- Fierro, C.**
Salt and sugar levels for effective plant regeneration from in vitro cultured tissues of cocoyam, 72(4), 515.
- Figuroa, L. A.**
Yam protection. II. Antracnose, yield, and profit of monocultures and interplanting, 72(2), 179.
- Fontanet, E.**
Pilot plant fermentation of high test molasses compared with blackstrap molasses using factorial design, 72(1), 9.
Yield and nutritive value of hay from five tropical grasses at three harvesting intervals, 72(1), 109.
Pilot plant scale evaluation of a commercial yeast nutrient for high test molasses fermentation, 72(4), 509.
- Frame, A. D.**
Watercress cultivation sites and their relationship to fascioliasis in Puerto Rico, 72(3), 405.
- Frame, E. L.**
Watercress cultivation sites and their relationship to fascioliasis in Puerto Rico, 72(3), 405.
*Senior author.
†Sole author.
RN Research note.
- Franqui, R. A.**
*Host plants of pentatomids affecting rice fields in Puerto Rico, 72(3), 365.
*Natural enemies of pentatomids affecting rice fields in Puerto Rico, 72(3), 371.
- Gallardo-Covas, F.**
†Distribution of the coffee leaf miner, *Leucoptera coffeella*, and its parasitoids in the canopy of coffee, *Coffea arabica*, in Puerto Rico, 72(1), 141.
*Susceptibilidad de 53 cultivares de café, *Coffea arabica*, al daño del minador del café, *Leucoptera coffeella*, en Puerto Rico, 72(1), 165 (RN).
†Faunal survey of the coffee leaf miner, *Leucoptera coffeella*, parasitoids in Puerto Rico, 72(2), 255.
- González, E. A.**
Temperature versus elevation relationships for Puerto Rico, 72(3), 449.
Requisitos de riego para plátano en siete regiones ecológicas de Puerto Rico, 72(4), 599.
Requisitos de riego para sorgo en las costas sur y norte de Puerto Rico, 72(4), 585.
Seasonal consumptive use of water by Bell and Cubanelle peppers in semiarid and humid coastal sites in Puerto Rico, 72(4), 609.
- González-Figueroa, W.**
Bacteria associated with the West Indian fruit fly *Anastrepha obliqua* (Macquart) (Diptera:Tephritidae), 72(3), 489 (RN).
- González-Fuentes, E. A.**
*Estimación de los requisitos de riego para maíz dulce (*Zea mays* cv. Suresweet) en la costa sur de Puerto Rico, 72(2), 277.
*Tres niveles de riego, crecimiento y rendimiento del maíz dulce (*Zea mays* cv. Suresweet) regado por goteo, 72(4), 565.
- González-Muñiz, W.**
Susceptibilidad de 53 cultivares de café, *Coffea arabica*, al daño del minador del café, *Leucoptera coffeella*, en Puerto Rico, 72(1), 165 (RN).
- Goyal, M. R.**
Cost of a drip irrigation system for vegetable farming in Puerto Rico, 72(1), 31.
*Labor-input requirements for experimental production of drip irrigated vegetables, 72(1), 41.

- *Root distribution of nitrogen fertigated sweet peppers under drip irrigation, 72(1), 51.
- †Potential evapotranspiration for the south coast of Puerto Rico with the Hargreaves-Samani technique, 72(1), 57.
- †Potential evapotranspiration for Vieques Island, Puerto Rico, with the Hargreaves-Samani model, 72(1), 177 (RN).
Estimación de los requisitos de riego para maíz dulce (*Zea mays* cv. Suresweet) en la costa sur de Puerto Rico, 72(2), 277.
- *Temperature versus elevation relationships for Puerto Rico, 72(3), 449.
Nutrient uptake and growth characteristics of nitrogen fertigated sweet peppers under drip irrigation and plastic mulch, 72(4), 575.
- *Requisitos de riego para plátano en siete regiones ecológicas de Puerto Rico, 72(4), 599.
- *Requisitos de riego para sorgo en las costas sur y norte de Puerto Rico, 72(4), 585.
- *Seasonal consumptive use of water by Bell and Cubanella peppers in semiarid and humid coastal sites in Puerto Rico, 72(4), 609.
Tres niveles de riego y crecimiento y rendimiento del maíz dulce (*Zea mays* cv. Suresweet) regado por goteo, 72(4), 565.
- Green, J.**
Yam protection. II. Antracnose, yield, and profit of monocultures and interplanting, 72(2), 179.
- Gúzman-Pérez, C. D.**
Allelopathic effects of seven weed species on pumpkin (*Curcubita moschata*) under greenhouse conditions, 72(3), 491 (RN).
Eggplant (*Solanum melongena* L.) transplants and exudates from roots of seven weeds, 72(3), 495 (RN).
- Hepperly, P. R.**
Nutritional influences on *Volvarella volvacea* (Bull. ex. Fr.) Sing. growth in Puerto Rico. I. Carbon and Nitrogen, 72(1), 19.
- *Senior author.
†Sole author.
RN Research note.
- †Sorghum rust, 72(1), 65.
Fungi and insect damage to soybean seeds harvested at immature stages in tropical environments, 72(1), 73.
Yam protection. II. Antracnose, yield, and profit of monocultures and interplanting, 72(2), 179.
Agronomic performance of hard endosperm opaque-2 corn populations in Puerto Rico, 72(2), 309.
†*Coniothyrium* leafspot: A newly described disease of sorghum, 72(2), 319 (RN).
- Hernández-López, E.**
Susceptibilidad de 53 cultivares de café, *Coffea arabica*, al daño del minador del café, *Leucoptera coffeella*, en Puerto Rico, 72(1), 165 (RN).
- Irizarry, H.**
*Nutrient uptake and dry matter composition in the plant crop and first ratoon of the Grand Nain banana grown on an Ultisol, 72(3), 337.
*The Lacknau plantain: A high yielding cultivar with field resistance to the corm weevil, *Cosmopolites sordidus* (Germar), 72(3), 353.
- Kluson, R. A.**
Rhizobium inoculation of *Phaseolus vulgaris* in Lajas, Puerto Rico, 72(3), 427.
- Lee, C. T.**
†Effect of plant spacing on growth and yield of winged bean, 72(2), 278.
- Licha, M.**
Tanier (*Xanthosoma* spp.) propagation in vitro, 72(3), 413.
- Liu, L. C.**
Período crítico de competencia de las malezas en el tomate de trasplante, 72(2), 291.
*Optimum time interval and frequency of glyphosate application for weed control in plantain (*Musa* sp.), 72(2), 297.
*Chemical control of climbing mimosa in a local pasture, 72(4), 615 (RN).
- Liu, L. J.**
*Tanier (*Xanthosoma* spp.) propagation in vitro, 72(3), 413.
- López, J.**
Dwarfing effect of interstems and growth and yield components of mango, 72(4), 501.
- Luciano, B.**
Determinante pigeonpeas [*Cajanus cajan* (L) Mills] genotype on the north and south coasts of Puerto Rico, 72(4), 545.

Lugo, M. L.

*Período crítico de competencia de las malezas en el tomate de trasplante, 72(2), 291.

Lugo-Mercado, H. M.

*Yield response of vegetables to tillage techniques on a Vertisol of the semiarid region of Puerto Rico, 72(1), 119.

Maldonado-Capriles, J.

Contribution to the knowledge of *Rasahus* Amyot and Serville, 1843 (Hemiptera:Reduviidae): description of a new species, 72(2), 247.

Contribution to the knowledge of American Ectrichodiinae. I. Notes about *Rhiginia* (Hemiptera:Reduviidae), 72(2), 251.

Martin, F. W.

*Sensory evaluation of cooked new sweet potato selections, 72(2), 265.

†Planting dates and morphology and growth of four sweet potato clones in Puerto Rico, 72(3), 437.

Mateo-Solano, M.

*Heritabilities and phenotypic correlations for seed yield and seed yield components of beans, 72(2), 301.

Medina-Gaud, S.

Thrips palmi (Thysanoptera:Thripidae): A new insect pest for Puerto Rico, 72(2), 327 (RN).

False smut, a new disease record from Puerto Rico's rice fields, 72(2), 331 (RN).

Lissorhoptrus isthmicus Kuschel (Coleoptera:Curculionidae): A new rice pest for Puerto Rico, 72(2), 333 (RN).

Host plants of pentatomids affecting rice fields in Puerto Rico, 72(3), 365.

Natural enemies of pentatomids affecting rice fields in Puerto Rico, 72(3), 371.

Méndez-Cruz, A. V.

*Yield and nutritive value of hay from five tropical grasses at three harvesting intervals, 72(1), 109.

Production of grazed tropical grasses in different agroecosystems in Puerto Rico. III. Semiarid, 72(2) 211.

*Storage and digestibility, voluntary intake and chemical components of hay of five tropical grasses, 72(4), 531.

*Senior author.

†Sole author.

RN Research note.

Mendoza, N.

Determinate pigeonpeas [*Cajanus cajan* (L) Mills] genotype on the north and south coasts of Puerto Rico, 72(4), 545.

Michelini, S.

*Vesicular-arbuscular mycorrhizal fungus inoculation of sour orange seedlings in Barbados, 72(2), 191.

Mignucci, J. S.

*Yam production. II. Antracnose, yield, and profit of monocultures and interplantings, 72(2), 179.

Mohammed, S.

Some constituents of mabi bark, 72(4), 625 (RN).

Morales, A.

*Determinate pigeon peas [*Cajanus cajan* (L) Mills] genotype on the north and south coasts of Puerto Rico, 72(4), 545.

Murphy, N. F.

Pilot plant fermentation of high test molasses compared with blackstrap molasses using factorial design, 72(1), 9.

*Evaluation of a commercial yeast nutrient for high test molasses fermentation, 72(1), 173 (RN).

The use of distillers' dry yeast as inoculum for rum fermentation in pilot plant scale, 72(3), 445.

†Batch fermentation patterns for different strains of *Zymomonas* in high test molasses and blackstrap molasses, 72(3), 475 (RN).

†Ethanol production from blackstrap molasses by *Zymomonas mobilis* and *Saccharomyces* sp., 72(3), 483 (RN).

†*Zymomonas mobilis* batch and fed-batch fermentation of high test molasses, 72(3), 485 (RN).

Pilot plant scale evaluation of a commercial yeast nutrient for high test molasses fermentation, 72(4), 509.

Nemec, S.

Vesicular-arbuscular mycorrhizal fungus inoculation of sour orange seedlings in Barbados, 72(2), 191.

Oramas, D.

The Lacknau plantain: A high yielding cultivar with field resistance to the corm weevil, *Cosmopolites sordidus* (Germar), 72(3), 353.

Orengo, E.

Yield response of vegetables to tillage techniques on a Vertisol of the semiarid region of Puerto Rico, 72(1), 119.

- Ortiz, A. A.**
Bacteria associated with the West Indian fruit fly *Anastrepha obliqua* (Macquart) (Diptera:Tephritidae), 72(3), 489 (RN).
- Ortiz, C.**
*Fungi and insect damage to soybean seeds harvested at immature stages in tropical environments, 72(1), 73.
Yield response of vegetables to tillage techniques on a Vertisol of the semiarid region of Puerto Rico, 72(1), 119.
- Ortiz, F. H.**
Determinate pigeonpeas [*Cajanus cajan* (L) Mills] genotype on the north and south coasts of Puerto Rico, 72(4), 545.
- Pantoja, A.**
**Thrips palmi* (Thysanoptera:Thripidae): A new insect pest for Puerto Rico, 72(2), 327 (RN).
*False smut, a new disease record from Puerto Rico's rice fields, 72(2), 331 (RN).
**Lissorhoptus isthmicus* Kuschel (Coleoptera:Curculionidae): A new rice pest for Puerto Rico, 72(2), 333 (RN).
Host plants of pentatomids affecting rice fields in Puerto Rico, 72(3), 365.
Natural enemies of pentatomids affecting rice fields in Puerto Rico, 72(3), 371.
Sequential sampling plan, yield-loss components and economic thresholds for the pepper weevil, *Anthonomus eugenii* Cano (Coleoptera:Curculionidae), 72(3), 375.
Evaluation of relative sampling methods for population estimation of the pepper weevil, *Anthonomus eugenii* Cano (Coleoptera: Curculionidae), 72(3), 387.
- Pérez, A.**
Effect of dwarfing rootstocks on tree size and yield of selected mango varieties, 72(1), 1.
*Dwarfing effect of interstems and growth and yield components of mango, 72(4), 501.
- Persaud, T.**
*Cost of a drip irrigation system for vegetable farming in Puerto Rico, 72(1), 31.
- *Senior author.
RN Research note.
- Labor-input requirements for experimental production of drip irrigated vegetables, 72(1), 41
- Quiles-Belén, A.**
*Corn response to N applications and population densities at two locations in Puerto Rico, 72(1), 127.
- Ramírez-Oliveras, G.**
Yield and nutritive value of hay from five tropical grasses at three harvesting intervals, 72(1), 109.
- Randel, P. F.**
*Confinement feeding of dairy cows based on stargrass as green chopped fodder or hay, 72(2), 231.
- Recio de Hernández, E.**
Freezing and shelf life of sweet potato and citron bars, 72(1), 171 (RN).
- Reyes-Soto, I.**
Effect of dwarfing rootstocks on tree size and yield of selected mango varieties, 72(1), 1.
Dwarfing effect of interstems on growth and yield components of mango, 72(4), 501.
- Rivera, E.**
Nutrient uptake and dry matter composition in the plant crop and first ratoon of the Grand Nain banana grown on an Ultisol, 72(3), 337.
The Lacknau plantain: A high yielding cultivar with field resistance to the corm weevil, *Cosmopolites sordidus* (Germar), 72(3), 353.
- Rivera, L. E.**
Labor-input requirements for experimental production of drip irrigated vegetables, 72(1), 41.
Root distribution of nitrogen fertigated sweet peppers under drip irrigation, 72(1), 51.
Dry beans and varying cultural practices at two locations on the coastal plain of Puerto Rico, 72(4), 521.
Nutrient uptake and growth characteristics of nitrogen fertigated sweet peppers under drip irrigation and plastic mulch, 72(4), 575.
- Rodríguez, J.**
Nutrient uptake and dry matter composition in the plant crop and first ratoon of the Grand Nain banana grown on an Ultisol, 72(3), 337.
- Rodríguez, J. A.**
The Lacknau plantain: A high yielding cultivar with field resistance to the corm

- weevil, *Cosmopolites sordidus* (Germar), 72(3), 353.
- Rodríguez T.**
Shelf life and acceptability of hot water-treated mangoes, 72(3), 469.
- Rodríguez de Cianzio, S.**
Fungi and insect damage to soybean seeds harvested at immature stages in tropical environments, 72(1), 73.
- Rodríguez-García, J.**
Optimum time interval and frequency of glyphosate application for weed control in plantain (*Musa* sp.), 72(2), 297.
- Román-Hernández, O.**
Dry beans and varying cultural practices at two locations on the coastal plain of Puerto Rico, 72(4), 521.
- Rosa-Márquez, E.**
Tanier (*Xanthosoma* spp.) propagation in vitro, 72(3), 413.
- Ruiz, H.**
Thrips palmi (Thysanoptera:Thripidae): A new insect pest for Puerto Rico, 72(2), 327 (RN).
- Saladín-García, F.**
Heritabilities and phenotypic correlations for seed yield and seed yield components of beans, 72(2), 301.
- Schröder, E. C.**
Rhizobium inoculation of *Phaseolus vulgaris* in Lajas, Puerto Rico, 72(3), 427.
- Seaforth, C. E.**
*Some constituents of mabí bark, 72(4), 625 (RN).
- Segarra, A.**
Chemical control of *Liriomyza sativae* and of Lepidoptera larvae on tomato, 72(1), 169 (RN).
Thrips palmi (Thysanoptera:Thripidae): A new insect pest for Puerto Rico, 72(2), 327 (RN).
- Segarra, A. E.**
†Identity and economic importance of fruit flies attacking mango in Puerto Rico: A two-year survey, 72(2), 325 (RN).
*Sequential sampling plan, yield-loss components and economic thresholds for the pepper weevil, *Anthonomus eugenii* Cano (Coleoptera:Curculionidae), 72(3), 375.
- *Senior author.
†Sole author.
RN Research note.
- *Evaluation of relative sampling methods for population estimation of the pepper weevil, *Anthonomus eugenii* Cano (Coleoptera:Curculionidae), 72(3), 387.
- Segarra-Carmona, A. E.**
*Relative susceptibility of *Crotalaria* spp. to attack by *Etiella zinckenella* in Puerto Rico, 72(1), 147.
*Notes on the natural enemies of *Etiella zinckenella* in Puerto Rico, 72(1), 153.
*The sorghum midge, *Contarinia sorghicola*, a sorghum pest newly introduced to Puerto Rico, 72(1), 161 (RN).
*Bacteria associated with the West Indian fruit fly *Anastrepha obliqua* (Macquart) (Diptera:Tephritidae), 72(3), 489 (RN).
- Semidey-Laracuenta, N.**
Evaluation of diquat for postemergence weed control in pumpkin (*Curcubita moschata*), 72(2), 285.
Allelopathic effects of seven weed species to pumpkin (*Curcubita moschata*) under greenhouse conditions, 72(3), 491 (RN).
Eggplant (*Solanum melongena* L.) transplants and exudates from roots of seven weeds, 72(3), 495 (RN).
- Siberio-Torres, V.**
Yield and nutritive value of hay from five tropical grasses at three harvesting intervals, 72(1), 109.
Storage and digestibility, voluntary intake and chemical components of hay of five tropical grasses, 72(4), 531.
- Sievens, G.**
Chemical control of climbing mimosa in a local pasture, 72(4), 615 (RN).
- Silva-Negrón, L.**
Refrigeration before incubation and its effect on recovery of two types of bacteria from food, 72(4), 617 (RN).
- Sotomayor-Ríos, A.**
Corn response to N applications and population densities at two locations in Puerto Rico, 72(1), 127.
- Tergas, L. E.**
*Response of tropical grasses to potassium fertilization in the humid coastal region of Puerto Rico, 72(1), 81.
*Production of grazed tropical grasses at Toa Baja in the humid northern coastal plains of Puerto Rico, 72(1), 91.
*Production of grazed tropical grasses in different agroecosystems in Puerto Rico. I. Humid mountain, 72(1), 99.

- *Production of grazed tropical grasses in different agroecosystems in Puerto Rico. II. Humid northern coastal plains, 72(2), 201.
- *Production of grazed tropical grasses in different agroecosystems in Puerto Rico. III. Semiarid, 72(2), 211.
- *Forage production of nine alfalfa cultivars in the semiarid region of Puerto Rico, 72(2), 221.
- Torres-Cardona, S.**
Corn response to N applications and population densities at two locations in Puerto Rico, 72(1), 127.
- Torres-López, R.**
Yam production. II. Antracnose, yield, and profit of monocultures and interplanting, 72(2), 179.
- Torres-López, R. I.**
*Nutritional influences on *Volvariella volvacea* (Bull. ex. Fr.) Sing. growth in Puerto Rico. I. Carbon and nitrogen, 72(1), 19.
- Torres-Rivera, C. N.**
Bacteria associated with the West Indian fruit fly *Anastrepha obliqua* (Macquart) (Diptera:Tephritidae), 72(3), 489 (RN).
- Unander, D. W.**
*Pepper cultivars on the northwestern coast of Puerto Rico, 72(3), 395.
- Varela-Ramírez, F.**
Pepper cultivars on the northwestern coast of Puerto Rico, 72(3), 395.
- Velázquez, Y. A.**
**Rhizobium* inoculation of *Phaseolus vulgaris* in Lajas, Puerto Rico, 72(3), 427.
- Vélez-Colón, R.**
*Evaluación de variedades de uva de mesa (*Vitis vinifera* L.) cosechadas en la subestación de Fortuna en 1986, 72(2), 335 (RN).
- Vélez-Santiago, J.**
Response of tropical grasses to potassium fertilization in the humid coastal region of Puerto Rico, 72(1), 81.
Production of grazed tropical grasses at Toa Baja in the humid northern coastal plains of Puerto Rico, 72(1), 91.
Production of grazed tropical grasses in different agroecosystems in Puerto Rico. I. Humid mountain, 72(1), 99.
Production of grazed tropical grasses in different agroecosystems in Puerto Rico. II. Humid northern coastal plains, 72(2), 201.
Production of grazed tropical grasses in different agroecosystems in Puerto Rico. III. Semiarid, 72(2), 211.
Forage production of nine alfalfa cultivars in the semiarid region of Puerto Rico, 72(2), 221.
- Vera de Saldaña, D.**
Response of tropical grasses to potassium fertilization in the humid coastal region of Puerto Rico, 72(1), 81.
Production of grazed tropical grasses at Toa Baja in the humid northern coastal plains of Puerto Rico, 72(1), 91.
Production of grazed tropical grasses in different agroecosystems in Puerto Rico. I. Humid mountain, 72(1), 99.
Production of grazed tropical grasses in different agroecosystems in Puerto Rico. II. Humid northern coastal plains, 72(2), 201.
Forage production of nine alfalfa cultivars in the semiarid region of Puerto Rico, 72(2), 221.
- Wessel-Beaver, L.**
*Agronomic performance of hard endosperm opaque-2 corn populations in Puerto Rico, 72(2), 309.
- *Senior author.
RN Research note.